

CANADIAN JOURNAL OF CHEMISTRY / JOURNAL CANADIEN DE CHIMIE

VOLUME 52

SUBJECT INDEX / INDEX DES MATIERES

Accommodation pumping, theory of kinetic model, 2073
 Acepleiadylene, MO calcns. in Hückel and SCF approxns., 155
 Acetaldehyde, reacn. with malononitrile, 3626; thermochim. of aldol condensn., kinetics of OH^- catd. retrocondensn., 2037
 Acetal(s), oxidn. by O_3 , importance of tetrahedral intermed., 3651; redn. to ethers by BH_3 , 888
 2-Acetamido-3-nitrohexopyranosides, synth., 2257
 Acetoacetamides, 2,3-dioximes of substd., prepns. and chelating props., 661
 Acetolysis, 2-PhEt-1- ^{14}C triflate, mechm. from tracer study of prods., 3955; 2,4,7-trinitro-9-fluorenyl-*p*-toluenesulfonate catd. by aromatic hydrocarbons, kinetics and mechm., correln. with MO calcns., 3748
 Acetonitrile, γ -radiol. of solid, identifcn. of rads. from esr and decay studies, 2171, 2840
 20(*R*)-3 β -Acetoxy-9 β -methyl-17 α ,20-methylenedioxy-19-norpregn-5(10)-en-20-ol-11-one-21-oic acid, formn., synth. from 17 α ,20:20,21-bismethylenedioxy-11 β -hydroxy-4-pregnen-3-one-9 β -methyl-19-norsteroids, 1744
 Acetylacetones, of Sn(IV), Mössbauer spect. and struct., 1361
 Acetylation, boron trifluoride-catd., in nitro sugars, 111
 Acetylene, reacn. with electronically excited states of SO_2 , kinetics, 3451
 Acetylaphthazarins, synth., 838
 Acid catalysis, aq. of $\text{Cr}(\text{NH}_3)_5\text{NO}_3^{2+}$, kinetics and mechm., 527; hydrol. of 4-arylamino-1,2,3,4-tetrahydroquinidine, 884; hydrol. of triethylphosphate, mechm., 1066; in rearr. and solvol. of azoester addns., 1114
 Acidity, of aromatic hydrocarbons, 1059; $\text{CF}_3\text{SO}_3\text{H}$ in H_2SO_4 , ionizn. consts. from conduct. and titrn. data, 2975; Cl-substd. aliphatic acids in gas phase, 861; of deuterated acetic acids, $K_d(\text{H})/K_d(\text{D})$, 1966; nitro-alkanes, substit. effects, 1897; 2-nitropropane, K_d/K_0 , 1889; phenols in *N*-methylacetamide- H_2O by H-electrode measurements, a new Hammett correln., 1774; trinitrotoluene *vs.* *t*-butoxide, $K_{\text{H}^+}/K_{\text{t}-\text{BuO}^-}$, 2306
 Acridinium cations, pseudobase formn. by, 981
 Acrylates, *trans*- β -trialkylammonium, prepns., 3569
 Acylation, of ketones via dianions, 1379
N-Acylthioureas, kinetics of alk. hydrol., 697
 Adamantane, esr of radicals produced *vs.* γ -radiol., 1206
 Addition, AcNO_3 to 2,3- and 3,4-dimethylbenzonitrile, 1231; AcNO_3 to *p*-xylene, mechm., 3960; 4-chlorobenzenesulfonyl chloride to side chain Me-substd. styrenes, kinetics and mechm., 1807; electrophilic, arylselenium trichlorides and areneselenenyl chlorides to *cis*- and *trans*-1-phenylpropene, 3599; 1,3-dipolar, synth. of 5-6, 5-5-5, and 6-5-6 fused heterocyc. compds., 798
 Adsorption, CH_4 , H_2O , NH_3 , and EtCl on zeolite NaX, mechm. from isotherms and sample length changes, 3699; and desorpn., CO and H_2 on MeOH-synth. cat., effect on MeOH and CH_4 yields, 4044; H_2 by Pd, effect of surface area, 1200; NH_3 on W, mass spect. study of desorbed species, 1147; O_2 on Pt filament, kinetics and mechm., 3507
 $A^{(1,2)}$ effect, influence on reactivity in nitro sugars, 111
 Aerosols, influence on world climatic modeling, 1616; stratospheric, particle size, compn. and formn., 1479; stratospheric, review of measurements, 1519; temporal varin. of vert. concn. profiles of stratospheric by laser radar tech., 1560
 2-Alanine, 1-(3,4-dimethoxyphenyl)-, synth., 2873
 Alcohols, oxidn. by chromic esters, kinetics, 2475; resoln. of racemic esters by α -chymotrypsin, 469; solvn. of cations, from ^{13}C nmr, 744; spin trapping of rad. prods. of γ -radiol., 3645; therm. oxidn. of aq. solns. at high $[\text{O}_2]$, kinetics and mechm., 1925
 α -Aldehyde sugars, prepns. by use of ninhydrin in oxidative deamination reacn., 3905
 Aldol condensation, for CH_3CHO , thermochem., kinetics of OH^- catd. retro-, 2037
 Aliphatic acid(s), effect of Cl substitut. on ionizn. equil. in gas phase, 861
 Alkali chlorides, ΔH_{solva} for LiCl , NaCl , R_4NBr ($\text{R} = \text{Me, Et, Pr, Bu}$) in H_2O and dioxane- H_2O mixts., 203
 Alkali halides, MO calcn. of elec. field grds., 2143
 Alkali metals, identifcn. of ionic species in tetrahydrofuran solns., pulse radiol. kinetics, 3259; mixed succinates with Cu(II), prepns., phys. and spect. props., X-ray-powder patterns, 418
 Alkaline earth chlorides, apparent molal vol. and heat capacity in H_2O , 3738
 Alkaline earth halides, detn. of $D_0^0(\text{M-X})$ from chemiluminesc. spect., 1688
 Alkaline phosphatase, kinetics of cat. of hydrol. of org. phosphates, role of ionic chge., 3087
 Alkaloids, of *Corydalis* spp., biosynth., 2818; diterpene, synth. of hexacyc. relay, 2353; diterpene, synth. of napelline, 2355; isoln. from cranberries, struct. and synth., 2064; isoln. of quaternary bases from *Hunteria eburnea* Pichon, 2327; nuphar, redn. of hemiacetals, struct. of thionupharoline from nmr, 2705; ormosine type, correln. of struct. of ormosastrine, 1907; salamander, isoln. from *Cryptobranchus maximus* Stanley and synth., 2936; synth. of denudatine skeleton, 1042; vindoline, proton nuclear relaxn. times by Fourier transformn. measurements, 829
 1-Alkene-3-ols, oxidative H-transfer to form corresponding ketones, $\text{Ru}_3\text{O}(\text{OAc})_7$ as homog. cat., 3825
 Alkenyl phenyl ketones, conformatnl. anal. by ir, uv, and nmr, 1331

n-Alkylammonium halides, phase transns. from temp. varin. of nmr, 2421

Alkylation, ambident anions, salts of formanilides, 4050

Alkyl halides, reacn. with clean films of transn. metals, 536

1,1'-Alkylidenedipyrazoles, mechm. of formn. from 1,1'-carbonyldipyrazoles, 2367

Alkyl radicals, α -halogenated, configns. in soln. by esr, 3529

Allene, reacn. with electronically excited states of SO_2 , kinetics, 3451

N-Allylamido systems, acid catd. cyclzn., 2736

Allylic alcohols, prepn. from styryl ketones and Mannich bases, mass spect., ^1H nmr, and rel. stereochem. of diastereoisomers, 2522

Allylic bromination, α , β -unsatd., photochem., 645

Allylic resonance, restricted rotn. in α -carbonyl rads., 524

Aluminum(III), solvn. of cation by alcohols from ^{13}C nmr, 744

Aluminum chloride, intercalated in graphite, as Friedel-Crafts cat., 589; promoter for Diels-Alder reacn., 1013

Aluminum trichloride, reacn. with di-*t*-butyl and 4-pyridyl-*t*-butyl nitroxide rads., esr of prods. and ligand exch. rate from esr and nmr, 2454

Ambident anions, alkynl. of salts of formanilides, 4050

Amidines, synth. from DMF and iminophosphoranes, 2255

Amines, aromatic, reacn. with *t*-BuO₂ and *t*-C₅H₁₁O₂ rads., kinetics and mechm., 3682; liq., yields of e⁻_{solv} during pulse radiol. of, 3269; pyrol. of *t*-alkyl aryl amines, 293; uv spect., MO calcns. to assign Bohlmann bands, 3787

Amino tropolone salts, prepn., 3428

Amino-acid analogs of DOM(STP), synth., 390

Aminoacyl nucleosides, synth. of derivs. from 2'-*O*-methyladenosine and 3'-*O*-methyladenosine, 3803

4-Aminoantipyrine, reacn. with *p*-cresol, struct. of prod., 2932

Aminobenzoic acid(s), *o*-, *m*-, and *p*-, ΔH_{sub} from vp, 2201

Aminochromes, reacn. of epinochrome with thiols, 1019

3-Amino-2-cyclohexen-1-ones, *N*-substd., formn. of salts, halogn., reacn. with phenyl isocyanate and trans-amination of prods., 55

Aminodeoxy sugars, synth. from ketoses and acetonitrile, 51

2-Amino-2,6-dideoxy-*D*-galactopyranose, synth. of Me ethers, 3251

2-Amino-2,6-dideoxyglucopyranose, synth. of Me ethers, 2425

1- and 2-Aminoindanes, ring-methoxylated, synth., 381

2-Amino-1-indanols, synth., 381

8-Aminolevulinic acid, synth., 3257

Amino-mercaptop ligands, synth., 1054

α -Aminomethyl-3,4-dimethoxybenzyl alcohol, *erythro* and *threo*, synth., 2873

2-Aminopropane, 1-(3,4-dimethoxyphenyl)-, synth., 2873

Amino sugars, synth., 2257; synth. of L-desosamine, 122

Aminotetrazole(s), 1-substd. 5-nitro- and 5-nitroso-, esr of radicals formed by γ -irradn., 1248

Ammonia, adsorp. on W surface, mass spect. study of desorbed species, 1147; liq., yields of e⁻_{solv} during pulse radiol. of, 3269; pos. ion scavenger in γ -radiol. of C₂H₆ at high press., 221; reacn. with H atoms in shock tube, 1171; sorption on zeolite NaX, mechm. from isotherms and sample length changes, 3699

β -Ammonio alcohols, fragmentn. of rads. produced by OH attack, 3589

Ammonium radicals, aliphatic, conformns. from esr, 3401

Amphetamine derivatives, synth. of amino-acid analogs, 390

Analgesics, 10b-hydroxy-1,2,3,4,4a,5,6,10b-octahydrobenz[f]isoquinolines, *cis*- and *trans*-, and 10b esters, synth., 2316

Anhydro sugar, formn. during hydrol. of 3,4-di-*O*-methylsulfonyl-*D*-mannitol, 3367

1,6-Anhydro-2,3,4-triacetylglucose, cryst. struct., 2516

Aniline, dielec. anomalies in mixts. with cyclohexane near consolute temp., 3176

Aniline-*d*₅, synth., 2169

Anisoles, *o*-substd., conformml. pref. by ^{13}C nmr, 767

Anteridiol, biosynth., side chain elaborn. from fucosterol, 462

Anthracene, liq., mechm. of electroluminesc., 3559

Anthraquinones, synth. from ketene acetals and naphthoquinones, 80

Antibiotics, aziridine antitumor, ^{13}C nmr, 2331

Antimony(III), halide complexes, prepn., struct. from ^{121}Sb Mössbauer spect., 2375

Antimony(V), I₂⁺Sb₂F₁₁⁻, prepn. and cryst. struct., 2048

Antimony pentafluoride, struct. in systems with H₂O and HF from ir and DTA, 2077

Aquation (see Hydration)

Aquopentaamminecobalt(III) ion, aqnn., kinetics and mechm., 2751

Arabinouridine nucleotides, synth. from cyclonucleotides, 1787

Areneselenenyl chlorides, addn. to alkenes, 3599

Argon, potl. fn., comparison with exptl. virial coeffs., 2444

Aril monoazines, phototropic prods. from, 3343

Aromatic acids, electroredn., kinetics, 1635

Aromatic aldehydes, rate of hydrol., 1635

Aromatic hydrocarbons, kinetics and mechm. of bromination catd. by pyridine, 2552

Aromatization, addns. of 2,3- and 3,4-dimethylbenzonitriles with HNO₃, 1231; nitration addns. of *p*-xylene, mechm., 3960

5-Aroyl-4,5-dihydropyrazol-4-ols, formn. from azines, phototropy, 3343

Arsenic, cryst. and molec. struct. of Me₂AsC(CF₃)₂(CF₃)₂AsMe₂W₂(CO)₆, 3331; Hg_{2.86}AsF₆ (alchemists' gold), compn. and cryst. struct., 791

Arsine, tetramethyl di-, addn. to tetramethyl bicyclobutane, 1108

Arylazo complexes, of Mo and W, anal. of vibrnl. spect., 2634

Aryldiazonium ions, abstrn. of ligands from Fe complexes, 1914; in synth. of cationic tetrazene complexes of Ir(I), 3387

Arylselenium trichlorides, addn. to alkenes, 3599

N-Aryl-*N'*-thioarylhydrazines, synth., 879

N-Aryl- α -ureidoacetals, cyclzn. by acid or molec. sieves to quinolinones, imidazolinones, and benzodiazepines, 2725

Asymmetric synthesis, use of sulfonium ylids, 2953

ent-Atisane diterpenoid, struct. of sideritol isolated from *Sideritis angustifolia*, 2792

Atmosphere, absorpn. cross-sections for stratospheric molec., a review, 1465; aerosol formn., a review, 1479; calcns. of distribn. of reactive trace constituents using

a one-dimensional photochem.-diffn. model, 1569; climatic influence of circuln. and photochem. of O_3 in earth's atm., 1491; detn. stratospheric NO and NO_2 by ir, 1532; effect of reacns. of "odd" O, N, Cl, and H species on $[O_3]$ in stratosphere, review, 1582; effect of transport and photochem. reacns. on atm. O_3 distribn., computer simuln., 1599; influence of aerosols, O_3 and CO_2 concns. on world climate from modeling theories, 1616; influence of supersonic transport exhaust on $[O_3]$ from photochem.-convecn. modeling calcns., 1592; measurement of aerosols in the stratosphere, a review, 1519; measurement of solar uv flux, discussion of factors governing intensity, 1505; moisture content, varin. with height and time, 1527; reacn. kinetics of relevant O and N compds., review, 1397; reacns. of Cl compds. with constituents of atm., effect on $[O_3]$ distribn. in stratosphere, 1610; reacns. of $O(^1D)$ with stratospheric gases, a review of kinetic data, 1452; reacn. of species H_xO_y , ($x, y = 0, 1, 2$) with stratospheric compds., review of kinetics, 1405; review and comparison of detns. of NO , NO_2 , and HNO_3 in stratosphere, 1536; review of energy transfer reacns. in stratosphere, 1436; review of ir methods to detect trace constits. in stratosphere, 1544; review of rates of chem. reacns. in stratosphere, 1381; sampling for trace gases in stratosphere, vertical concn. distribn. of atm. gases in stratosphere, 1510; temporal varin. of vert. concn. profiles of stratospheric gases by laser radar tech., 1560; uncertainties and limitns. in chem. models of stratosphere, 1625

Atmospheric gases, methods of trace anal. in stratospheric samples, vertical concn. distribn. in stratosphere, 1510

Atoms, theory for recombn. rate const. in nozzle expansion flow systems, 939; trajectory calcn. of recombn. kinetics for $O(^3P)$, 1988

Azabicyclic synthesis, via N radicals, 2123

Azatropolones, synth. via Schmidt reacn. on benzoquinones, 3327

Azepin-2,5-diones, ring contracn. to pyridine carboxylic acids, 3327

Azides, glycosyl, photochem., 183

Azidoformate, photol. of 2-adamantyl deriv., 1062; thermol. and prepns. of oxazin-2-ones and oxazolidin-2-ones, 4083

Aziridine rearrangement, synth. of diterpene alkaloids, 1042

Azobenzene, isomerizn. in soln. catd. by I_2 , kinetics and mechm., 1868; isomerizn. in soln. photosensd. by dyes, kinetics and mechm., 1858; photoisomerizn. in soln., kinetics and mechm., 1848

Azoesters, solvol. and acid-catd. rearr. of addns., 1114

Azomethine imines, cyc., synth., 3671

Azoxybenzenes, Wallach rearr., 623

Azoxynaphthalenes, Wallach rearr., 623

Bacterial polysaccharides, struct., 684

Base catalysis, in hydrol. of $Cr(NH_3)_5NO_3^{2+}$, 527

Beckman cleavage reaction, synth. of grandisol, 1352

Benzaldehyde(s), autoxidn. to BzO_2Bz catd. by $LiCl$, 1700; p -substd., dielec. absorpn., relaxn. phenomena and H-bonding with aromatic solvents, 3229

1-Benzazepine, synth. of 2,5-dihydro-3-hydroxy-2,5-dioxo- and derivs., 610

Benzene, spin-lattice relaxn. from nmr adiabatic rapid passage study, 191

Benz[f]isoquinoline system, hexa- and octahydro-, synth., 2316

Benzoate esters, carboxypeptidase A cat. of hydrol., kinetics and mechm., 2640, 2648

Benzocycloheptapyridoisoquinoline, synth., 2119

1,3-Benzodiazepines, synth. from *N*-aryl- α -ureidoacetals, 2725

Benzoic acid, ionizn. in aq. soln. at various temps. from calorimetry, pK and ΔC_p^0 (ionizn.) in range 5–100 °C, 2912; and substd. derivs., ionizn. in aq. solns., thermochem. and Hammett correlns., 2906

Benzoic acid- d_4 , synth., 2169

Benzonorbornenes, Wagner-Meerwein rearr., 640

Benzooquinolinium cations, pseudobase formn. by, 981

Benzothiazolines, in synth. of N-S ligand systems, 1054

Benzoyl peroxide, prepns. by autoxidn. of BzH catd. by $LiCl$, 1700

2-Benzoylthiophene, and 3-, and *p*-CN and *p*-MeO derivs., photocycloaddn. with *i-C₄H₉*, mechm., 1681

Benzyl fluoride, and fluorotoluenes, mass spect., role of tropylium ion in fragmentn. mechm., 867

Benzyl halides, transn. state for solvol. from anal. of kinetic isotope effect, 903

Benzylidenimine disulfide, cryst. and molec. struct., 2985

Benzyl nitrates, substd., kinetics of hydrol., 2485

Betaines, prepns. from propiolic esters and tertiary amines, props., 3569

Bicyclo[2.2.2]octa-5,7-diene, 2,3-dimethylene-, synth., 447

Bicyclo[3.2.1]octan-2-one, β -enolizn. of, 4143; formn. by β -enolizn., 4143

Biosynthesis, antheridiol from fucosterol, 462; corydaline and ochotensimine, 2818

1-(Bis-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, synth., cryst. struct., and H-bonding in, 2613

trans-*syn*-*trans*-4,5:9,10-Biscyclohexano-1,3,6,8-tetraoxane, variable temp. nmr, 2566

cis-1,3-Bis(dimethylarsino)-2,2,4,4-tetramethylcyclobutane, prepn., 1108

Bisdiphenylmethyl peroxide, non-radical mechm. in therm. decompr. in soln., 4090

Bis[hexakis(dimethylamino)cyclotriphosphonitrilium] tetrachlorocobaltate(II), cryst. struct., 734

Bismethylenedioxy, selective hydrol. and oxidn. in corticosteroids, 1744

Bismuth, detn. by luminesc. of $CaO:Bi$ phosphor, 1942

Bis(trifluoroacetylacetone)triethylenetetraamine–nickel(II) chloride, cryst. and molec. struct., 3716

Bogert–Cook–Bardhan–Sengupta reaction, mechm., stereochem. requirements of transn. state, 1123

Bond dissociation energies, $D(C_6F_5-X)$ from thermochem. data, 2673

Borane, redn. of acetals and ketals, 888

Borazine, delocalizn. of electrons, 489

Boron, 4,4-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boranaoctocyclopentane, synth. and cryst. struct., 2531; redn. of bivalent chlorides by $NaBH_4$ and $NaBH_3CN$ in presence of tertiary phosphines, mechm. and props. of prods., 2990

Boron halides, complexes with R_3PS and R_3PSe , ir and struct., 2016

Boron trifluoride, reacn. with di-*t*-butyl and 4-pyridyl-*t*-butyl nitroxide rads., esr of prods. and ligand exch. rate from esr and nmr, 2454

Boron trihalides, addns. with Me_3N , mechm. of X exch.,

2866; spin-lattice relaxn. of solid complexes of BCl_3 and BBr_3 with Me_3N and Me_3P from nmr, 1840

Bromination, aromatic hydrocarbons catd. by pyridine, kinetics and mechm., 2552; Me ketones by levulinic acid, 3257; 2-pyridinonone, kinetics and mechm., 451

Bromine, adds. with pyridinium bromide, compn. of several from calorimetry, 2560

N-Bromoacetamide, addn. to nitroolefins, 2257

Bromoamination, 4-pentenylamines, 1321

Bromodeoxynitro sugars, prepn., 2257

3-Bromo-3-ethyliazirine, therm. decompn. in various solvents, effect of polarity on kinetics of carbene reacns., 246

N-Bromo lactams, α,β -unsatd., photochem., 645

2-Bromomethylpyrrolidines, synth. by intramolec. bromoamination of 4-pentenylamines, 1321

Brønsted relation, acidity of nitromethane and derivs., 1897

Bronze, electrochem. redn. of H_2O_2 on sodium tungsten bronzes, mechm., 2542

n-Butane, diffn. in partially ion-exchd. molec. sieves, 3523; radiol. and pyrol. in flow and static conditions, kinetics and mechm., 2579

1-Butanol, ν^E_{mix} for mixts. with methylcyclohexane, 788

2-Butanone, photochem. decompn. in H_2O , esr and CIDNP nmr, 2978

Butene-2, radiol. and photol. of liq., mechm. of isomerizn. catd. by thiols, 2337

t-Butoxy radical, reacn. with cyclo- C_6H_{12} , 2491

t-Butyl diphenylmethyl peroxide, possibility of non-rad. mechm. in therm. decompn. in soln., 4090

sec-Butyl radicals, formn. in acid glasses, conformns. from esr, 3410

t-Butylperoxy radical, reacn. with phenols, aromatic amines and thiophenols, kinetics and mechm., 3682

t-Butylsulfinyl radical, esr 555

Cadmium, detn. in biol. materials by neutron or photon activn., 3008

Cadmium(I), Cd^+ formn. by flash photol. of CdSO_4 in aq. soln., use in prodn. e_{aq}^- by second photol. flash, 343

Calcium(II), cryst. struct. of synth. whitlockite, $\text{Ca}_{18}\text{Mg}_2\text{H}_2(\text{PO}_4)_{14}$, 1155

Calcium chloride, phase diagram of system $\text{InCl}_3 + \text{CaCl}_2 + \text{H}_2\text{O}$, 3459

Calcium hydroxyapatite, non-stoichiometric, fluoridation, ir and struct., 4001

Calorimetry, heat of diln. of cresols in CCl_4 , 653

Cannabinoids, synth. of precursors, 2136

Capsidiol, stereochem. of an antifungal sesquiterpene from ^{13}C nmr and X-ray cryst. struct. anal., 933

Carbalkoxyntrene, from photol. of 2-adamantyl azidoformate, 1062

Carbanions, malonate, carbethoxysuccinate, use in carbohydrate synth., 1266

Carbazole, photostimulated delayed fluoresc. and phosphoresc. in ether matrices, 3707

Carbocations, from protonation of pentadiene- $\text{Fe}(\text{CO})_3$ complex, 2085; protonation of polymethylphenols, mechm. and prod. isomers, 3303, 3313

Carbohydrate epoxides, base catd. reacn. to allylic alcs., 988

Carbohydrates, ^{13}C nmr of chlorodeoxy sugars, 3394; conformn. from coupling consts., 4095; containing phenylthio grp., elimin., oxidn., and rearr., 1258; *C*-malonate and succinate derivs. via glycofuranosyl halides, 1266; photochem. of glycosyl azides, 183; synth. of *C*-glycosyl malonates, 1280; synth. of Me ethers of quinovosamine, 2425

Carbon dioxide, atm., influence on world climate from modeling theories, 1616; consts. for quenching of CO_2^+ (*A*) and (*B*) fluoresc. by various gases, 426; review of prim. photodecompr. mechms., 1424

Carbonium ions, degen. rearr. in cyclohexenyl cations, mechm., 3320

Carbon monoxide, adsorp. and reacn. with adsd. H_2 on MeOH -synth. cat., mechm., 4044; formn. CO_2^+ from $\text{O} +$ halomethanes, ir chemiluminesc. from, 271; oxidn. in $\text{K}_2\text{O}-\text{V}_2\text{O}_5$ melts, mechm., 2068; prodn. of vibrnly. excited CO in reacn. of $\text{O}(\text{P}^3)$ with chloroethylenes, mechm., 2608

Carbon suboxide, therm. reacn. with N_2O and pyrol. inhibited by NO , kinetics, 167

Carbon-sulfur bond cleavage in the reaction of sulfoxides with alkylithiums, mechm., 761

Carbon tetrachloride, pulse radiol. of aq. solns., kinetics of dimerizn. of CCl_3 , 1135

Carbonyl anion, prepn. and use in synth. of α -ketoamides and α -hydroxyamides, 185

1,1'-Carbonyldipyrroles, mechm. of reacn. with aldehydes and ketones, 2367

Carbonyl ylides, intermeds. in therm. isomerizn. of 2,3-diisopropylloxirane, 2098

Carboxypeptidase A, as cat. for ester hydrol., kinetics and mechm., 2640, 2648; cat. for hydrol. of esters, mechm., 3829; inhibn. of esterase activity by dicarboxylic acids, kinetics and mechm., 2053

Carcinogenic hydrocarbons, ^{13}C nmr, 2493

Carcinogenicity, hydroxamic acids, 3432

Cardenolides, $3\beta,14\beta,19$ -oxygenated, synth. from pregnenolone acetate, 4139

Catalysis, $\text{D}_2 + \text{H}_2\text{O}$ and $\text{D}_2 + \text{EtOH}$ exch. by Rh and Ru complexes bonded to polymer resins, 3000; $\text{H}_2\text{-HDO}$ exch. over unsupported noble metals, 2960; homog. $\text{D}_2\text{-EtOH}$ exch. by Rh(I), 2216, 2226; homog. hydrogn. of olefins, Rh(I)-phosphine complexes as cats., 3758; homog. hydrogn. of unsatd. carboxylic acids by Ru(I) complexes, kinetics and mechm., 3760; homog. $\text{Ru}_3\text{O}(\text{OAc})_7$ for oxidative H-transfer from 1-alkene-3-ols to yield ketones, 3825; of hydrogenol., by "RuCl₃·3H₂O", 348; by Ni(II) oxides of water-gas shift reacn., kinetics in region of Néel temp., 3063; solvol. of 2,4,7-trinitro-9-fluorenyl-*p*-toluenesulfonate catd. by aromatic hydrocarbons, kinetics and mechm., correln. with MO calcns., 3748

Catecholamine neurotransmitters, synth. of *O*-methylated analogs, 2873

Catenarin, synth., 80

Cerium(IV), oxidn. of cyclohexene by $(\text{NH}_4)_2\text{Ce}(\text{NO}_3)_6$, mechm., 3201

Cesium, ΔH_{fus} , C_p and $H_T - H_0$ for CsMnCl_3 , Cs_2MnCl_4 , and Cs_2ZrCl_6 , 946

Charge-transfer complexes, phenoxachalcogenines with tetracyanoethylene and chloranil, detn. stabil. consts., 3814

Charge-transfer spectrum, solns. of d^8 complexes of Pt(II), Pd(II), and Au(III), correln. with photochem., 174

Chelating agents, 2,3-dioximes of substd. acetoacet-amides, prepn. and props., 661

Chemically induced dynamic polarizn., naphthoquinone radical, 251

Chemiluminescence, in ir from $\text{CO}\ddagger$ and $\text{HCl}\ddagger$ formed in reacn. $\text{O} +$ halomethanes, 271; ir, from reacn. of $\text{O}^{(3)\text{P}}$ with chloroethylenes, mechm., 2608; in reacn. $\text{M} + \text{X}_2$ ($\text{M} = \text{Ca, Sr, Ba}$; $\text{X} = \text{F, Cl, Br}$), detn. of $\text{D}_0^{\text{p}}(\text{M-X})$, 1688

Chiral sulfonium ylids, racemizn. reacns., kinetics and mechm., use in asymm. synth., 2953

Chloramines, unsatd., cyclzn., 2123

Chlorine, distribn. and reacns. of at. and molec. species in stratosphere, effect on $[\text{O}_3]$, review, 1582; effect on $[\text{O}_3]$ distribn. in stratosphere of reacns. of Cl, ClO, OCIO , etc. with constituents of atm., 1610; F nuclear relaxn. times in ClO_3 and ClF_5 by nmr, 3676

Chlorine monoxide, reacn. with olefins, mechm., 2573

Chlorodeoxy sugars, ^{13}C nmr, 3394

Chloroethane, photol. in vac. uv, mechm., 3098

3-Chloro-3-ethylidiazirine, therm. decompn. in various solvents, effect of polarity on kinetics of carbene reacns., 246

Chloroethylenes, prodn. of ir chemiluminesc. during reacn. with $\text{O}^{(3)\text{P}}$, mechm., 2608

Chloroform, thermochem. and H-bond formn. in mixts. with Et_2O , 2139

1-Chloro-4-methylnaphthalene, electrochem. synth., 376

Chloropentakisalkylaminochromium(III) chloride, photol., quantum yield for Cl^- formn., 3384

Chloropentamminechromium(III) chloride, photol., quantum yield for Cl^- formn., 3384

(+)-S-1-(*p*-Chlorophenyl)-1-(2-pyridyl)-3-*N,N*-dimethylpropylamine maleate, cryst. struct., 1880

Chlorophyll(s), detn. by spectrofluorimetry with laser excitn., 3723

Chloropolypfluorocycloalkenes, nqr., 3484

Chlorpheniramine maleate, cryst. struct. of antihistamine, conformn., 1880

Cholestane, deuterated cyclopropano derivs., mass spect., 517

Choline, fragmentn. of radicals produced by OH attack, 3589

Chromic esters, in oxidn. of alcs., kinetics, 2475

Chromium, anisotropic conduct. and phase transformns. in cryst. K_2CrO_4 , 2436

Chromium(III), *cis*-activn. by oxyanions, 527; electro-redn., effect of adsorbed ions on kinetics, 3165; nitropentaammine, aq. and hydrol., kinetics and mechm., 527; photol. $[\text{Cr}(\text{NH}_3)_5\text{Cl}]^{2+}$ and $[\text{Cr}(\text{RNH}_3)_5\text{Cl}]^{2+}$, quantum yields for Cl^- formn., 3384

Chromium complexes, synth. of $(\text{C}_6\text{H}_4\text{FX})_2\text{Cr}$, $\text{X} = \text{H, F, Cl, CH}_3$, and CF_3 , struct. from ^{19}F nmr and mass spect., 2439

Chromium(III) halides, complexes with heterocyc. liggs., struct. from ir, uv, conduct., and mag. data, 2845

Chrysophanol, synth., 80

α -Chymotrypsin, rates of hydrol. of various esters, 469; use in resoln. of racemic alcohols, 469

CIDNP, prod. from photol. $\text{CH}_3\text{COC}_2\text{H}_5$ and $(\text{C}_2\text{H}_5)_2\text{CO}$ in H_2O soln., 2978

Cine substitution, mechm., 810

Citrate, complexes with $\text{Cu}(\text{II}), \text{Fe}(\text{II}),$ and $\text{Fe}(\text{III})$ in aq. soln., compn. and stabil. consts., 3119

Clathrate hydrates, of isoxazole, struct. from X-ray, nmr, and dielec. data, 3193

Cobalamin (vitamin B_{12}), ΔV_{act} for ligand substn. by laser initd. T-jump method, 910

Cobalt, ^{59}Co nqr of complexes, 3695

Cobalt(0), insertion reacn. of SnCl_2 with $[\text{P}(\text{OC}_6\text{H}_5)_3\text{Co}(\text{CO})_3]_2$, kinetics, 3773

Cobalt(I), Co^+ formn. by flash photol. of CoSO_4 aq. soln., use in prodn. e_{aq}^- by second photol. flash, 343

Cobalt(II), complexes with heterocyc. ligands of N, S, and Se, spect. and struct., 2021; cryst. struct. of $[\text{N}_3\text{P}_3^-(\text{NMe}_2)_6\text{H}_2\text{CoCl}_4]$, 734; molec. motion in solid *cis*- $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})_2]_2[\text{SO}_4]_3$, by nmr, 900; redn. CoCl_2 by NaBH_4 and NaBH_3CN in presence of tertiary phosphines, mechm. and props. of prod., 2990

Cobalt(III), isomeric acidotriammine(ethylenediamine) complexes, prepn. and props., 477; kinetics and mechm. of decompn. of ammine complexes in aq. soln., 2751; pentaammine-, complexes with cyanobenzene and cyanopyridine derivs., 1762; ΔV_{act} for ligand substn. in vitamin B_{12} by laser initd. T-jump method, 910

Cobalt arsenate, cryst. struct. of $\text{Co}_{6.95}\text{As}_{3.62}\text{O}_{16}$, 46

Compressibility, adiabatic, binary cycloalkanol mixts., 2287

Computer simulation, molec. wt. distribn. in condensn. polymers, comparison with theory, 3285

Condensation polymers, molec. wt. distribn., computer simuln. to compare theoret. predictions, 3285

Conductivity, anisotropic in cryst. K_2CrO_4 , 2436; elec., CsSnIO_6 polycrysts., effect of temp., 3187; elec., various phases of Ti_2CrO_4 , of Ag_2CrO_4 , and of solid solns. of both, 712

Conformations, aliphatic ammonium radicals in acid glasses by esr, 3401; alkenyl phenyl ketones by ir, uv, and nmr (N.O.E. and shift reagents), 1331; anisoles and diphenyl ethers, by ^{13}C nmr, 767; benzalfluoride and chloro derivs., 481; bridged diphenyls by nmr, 597; bromomethyl group in *p*-methyl/benzyl bromide by ^1H nmr, 3489; carbohydrate by ^1H nmr, 4095; *sec*- C_6H_9 radicals in acid glasses by esr, 3401; *cis-trans* in glycylsarcosine from nmr and MO calcns., 2348; cyclo-decane derivs., 2566; dideoxynucleoside monophosphates in aq. soln., 3353; 1,3-dioxepanes by ^1H nmr, effect of introdn. of sp^2 carbon, 4072; 1,3-dioxepanes, ^1H nmr and geminal coupling consts., 4062; glycylglycine from vibrnl. spect., 2590; α -halogenated alkyl radicals from esr, 3529; liq. MeOCOOMe from ir and Raman spect., 1994; Me-substd. diphenylmethanes by ^{13}C nmr, 3196; for N_2H_4 from *ab initio* MO calcn., 2785; nitrosamines, use of nmr shift reagents in detn., 315; nucleosides in soln. by ^1H nmr, 497; pyridine-aldehydes from nmr, comparison with results from other methods, 3986; semiempir. calcns. and nmr studies, for benzal bromide derivs., 849; vinyl group orientns. in vinylpyridines, 136; xylal halides and benzal halides, from nmr, 2414

Coniferyl alcohol, polymerizn. by peroxidase to lignin-like prod., 2102

Copper(II), citrate complexes in aq. soln., compn. and stabil. consts., 3119; complexes with *N*-acetylglycine, prepn., spect. and phys. props., 3607; complexes with nucleosides and nucleotides, ^{13}C nmr, 924; complex with tetrapyridinoporphyrinazine, reson. Raman spect., 2851; diazido-2,2'-bipyridine-, cryst. and molec. struct.,

3125; gas-solid exch. between O_2 and $CuMoO_4$, kinetics, 3847; ir of $K_2CuCl_4 \cdot H_2O$, 1029; prepn., spect. and phys. props. of $Cu(pyridine)_2(SO_3F)_2$, 3218; reacn. with nitrilotriacetic acid, kinetics and mechm., 4106; redn. $CuCl_2$ by $NaBH_4$ and $NaBH_3CN$ in presence of tertiary phosphines, mechm. and props. of prods., 2990

Copper(II) bis(diethyldithiocarbamate), solvent and temp. effects on esr line widths, 4016

Copper(II) succinates, mixed salts with alk. metals, prepn., phys. and spect. props., X-ray powder patterns, 418

Coroglaucigenin, 19-formate 3-acetate, synth. from pregnenolone acetate, 4139

Corotoxigenin, 3-acetate, synth. from pregnenolone acetate, 4139

Corticosteroid analogs, Me migrn., 1744

Corydaline, biosynth., 2818

Coupling constants, C-H in propane, 3247; effect of electronegativity and conformn., 4095; long-range, α -halophenols, 3037; long-range between vinylic and ring protons in vinylpyridines, 136

p-Cresol, reacn. with 4-aminoantipyrine, struct. of prod., 2932

Cresols, assocn. in CCl_4 , by calorimetry, 653

Crystal structure, 1:1 adduct of hexamethylcyclotriphosphazene and I_2 , 2197; 1,6-anhydro-2,3,4-triacetylglucose (acetylated levoglucosan), 2516; benzylideneamine disulfide, 2985; 1-(*bis*-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, 2613; bis(trifluoroacetylacetone)triethylenetetraamine - nickel(II) chloride, 3716; capsidiol, a sesquiterpene, 933; chloropheniranimine maleate, 1880; $Co_{6.95}As_{3.62}O_{16}$, 46; correln. of lattice parameters and ionic radii for $M^{4+}P_2O_7$, 2175; 2-deacyluscnic acid, 723; diazido-2,2'-bipyridinecopper(II), 3125; dichloro(acetylacetono)-2,2'-bipyridylium(III), 3793; *cis*-dichloropentane-2,4-dionato-*trans*-bis(triphenylphosphine)rhodium(III), 1704; 4,4-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boranatacyclopentane, 2531; $Hg_{2.86}AsF_6$ (alchemists' gold), 791; $Hg(NO_3)_2 \cdot P(C_6H_5)_3$, 198; $Hg(SCN)_2(C_{12}H_8N_2)_2$, 2923; $I_2 \cdot Sb_2F_{11}^-$, 2048; $K_2CuCl_4 \cdot H_2O$ and $CuCl \cdot 2H_2O$ from ir, 1029; $K_2SnCl_4 \cdot H_2O$, evidence from ir, 2380; $K_3[V(O_2C_2O_4)_2] \cdot 3H_2O$, 2184; $Me_2As(CF_3)_2:As(CF_3)_2Me_2 \cdot WI_2(CO)_3$, 3331; *trans*-1-(2-O-methoxyphenylethyl)-4 β -hydroxy-2,5 α ,9 β -trimethyl-1-octal-8-one, 1123; *N*-methylidethanolaminogallane dimer, 2206; $MnC_8H_5CO[CO(C_6H_5)_2]_2 \cdot C_6H_6$, 1140; $[N_3P_3(NMe_2)_2H_2CoCl_2$, 734; PbV_2O_6 , 2701; polypivalolactone and other polyesters, disc. of conformns. of min. energy based on obsd. and calcd. X-ray diffrr. intensities, 3742; $PtCl(PEt_3)_2(1,10\text{-phenanthroline})BF_4^-$, 1367; $SeFe_{12}O_{19}$ powder indices, amendments, 3235; synth. whitlockite, $Ca_{18}Mg_2H_2(PO_4)_{14}$, 1155; $TiVO_3$, 3539; L-thyronine hydrochloride ethyl ester monohydrate, 3042; triiodothyropionic acid ethyl ester, 3048; triprolidine hydrochloride, 1872

Cuprate reagents, 1,4-addn. to pyridine, 3563

Cyanide ion, complexes with trinitrobenzene derivs., 1, 8

Cyanocycloalkanones, photochem. ring expan., 2249

(+)-1-Cyano-2-methylbutane, photobromn., mechm. from stereochem. of prods., 2242

2-(4-Cyano-3-pyridyl)propionitrile, synth., spect., 843

Cyclization, by bromoamination of 4-pentenylamines, 1321

Cycloaddition, 1,3-dipolar, with diazoalkylphosphonates, 66; photo-, thietane to cyclopentadiene, mechm., 3518

Cycloadditions, silyldiazoalkanes with alkenes, 3474

Cycloalkanols, binary mixts., ultrasonic velocities and excess thermo. props., 2287

Cycloalkenes, chlorine nqr, 3484

Cyclobutane, bis(dimethylarsino) deriv., prepn., 1108

Cyclohept[*bc*]acenaphthylene, MO calcns. in Hückel and SCF approxns., 155

Cyclohexaamylose, prepn. of 6-aldehydo deriv., mass spect. methylsilyl derivs., 3905

Cyclohexane, dielect. anomalies in mixts. with aniline near consolute temp., 3176; γ -radiol. of liq., mechm. of inhibn. by $(n-PrS)_2$, 1253

Cyclohexanones, Me-substd., ^{13}C nmr, 308

Cyclohexene, addn. to Cl_2O , mechm., 2573; oxidn. by $(NH_4)_2Ce(NO_3)_6$, mechm., 3201

Cyclooctatetraene, protonated, photol., identifcn. of prod. cation by nmr, 3424

Cyclopentadiene, photocycloaddn. of thietane, mechm., 3518

Cyclopentadienylcarbonylbistriphenylphosphinemanganese(II), cryst. struct. of molec. containing one molec. of C_6H_6 of cryst., 1140

Cyclopentadienylidenecarbonyl, intermed. in flash thermol. of *Me* salicylate in He carrier as detected by mass spect., 1983

Cyclopentanones, Me-substd., ^{13}C nmr, 308

2-Cyclopentene-1-carboxylic acid, 2-*trans*-allyl-3-chloro-1,5-dihydroxy-4-oxo methyl ester, isoln. from a *Cryptosporiopsis* sp., 3623

Cyclopropane, pyrol. in "wall-less" flow syst., identifcn. of heterog. component of mechm., 215

Cyclopentyl bromide(s), substd., kinetics and mechm. of hydrol., detn. ΔC_p^* , 2660

$O^2,2'$ -Cyclouridine, nucleotides derived from, enzyme reacns. on, 1787

Cysteine, complexn. with $HgCl_2$, $Hg(OAc)_2$, and $Hg(NO_3)_2$, 616

2-Deacyluscnic acid, cryst. and molec. struct., 723

Decachlorocyclopentaphosphonitrile, fluorination by KSO_2F , characterzn. of prods. $N_5P_5Cl_{10-x}F_x$ ($x = 1-9$), 2546

trans-Decalols, ^{13}C nmr, 870

Deconjugation, of α,β -unsatd. lactams, 645

Dehydroacetylation, of nitro sugar acetates by silica gel, 111

Density, alk. earth chlorides in H_2O , 3738

4-Deoxy-1,6:2,3-dianhydro- β -DL-*lyxo*-hexopyranose, base catd. isomerizn., 988

2-Deoxy-1,6:3,4-dianhydro- β -DL-*ribo*-hexopyranose, base catd. isomerizn., 988

2'-Deoxythymidine, 3'- and 5'-monophosphates, conformn. in aq. soln. by nmr, 3353

2'-Deoxythymidyl-(3',5')-2'-deoxythymidine, conformn. in aq. soln. by nmr, 3353

L-Desosamine, synth., 122

Desulfonylation, with rearr. of an allylic sulfone, concerted mechm., 2409

Deuterated phenanthrenes, synth., 3577

Deuterium, exch. of aromatic H at high temp. in dil. acid,

2169; exch. with C_2H_5OH , $Rh(I)$ catd., 2216, 2226; exch. in cyclohexenyl cations, mechm., 3320

Deuterium isotope effect, in the proton transfer from di-(4-nitrophenyl)methane to t -BuO $^-$, 592

Deuteron, spin-lattice relaxn. and quadrupole coupling const. in *p*-azoxyanisole(CD₃)₂, 2294

5,6-Diacetoxy-1-methylindoline, synth. from epinochrome, 1019

Di-(1-adamantyl)iminoxy radical, prepns., props., and dipole moment, 3554

2,3-Diamino-2,3-dideoxy-D-mannose, synth. of derivs., 2257

2,3-Diamino-2,3-dideoxy-D-talose, synth. of derivs., 2257

Diatomic hydrides, calcn. of charge distribn. by virial partitioning, 2268

Diazepine(s), protonation and mechm. of rearr. of diazepinium salts, 2805

1,2-Diazepine(s), synth., 2798

1,2(4*H*)-Diazepinium salts, mechm. of ring inversion from variable temp. nmr, 2805

1,2-Diazetidinium hydroxide inner salts, 1-methylene-4,4-dialkyl-3-oxo-, synth., 3671; synth. and cryst. struct. of 1-(bis-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, 2613

Diazido-2,2'-bipyridinecopper(II), cryst. and molec. struct., 3125

Diazoalkanes, and related compds., polarog. in sulfolane, 2430

Diazoalkylphosphonates, reacn. with norbornadiene, 66

1,4-Dibromobenzene, molec. geom. from ¹³C nmr in nematic liq. crysts., 3565

Dicarboxylic acids, inhibitors of carboxypeptidase A esterase activity, mechm., 2053

Dichloro(acetylacetoneato)-2,2'-bipyridylindium(III), cryst. struct., 3793

1,4-Dichlorobenzene, molec. geom. by ¹³C nmr in nematic cryst., 151

Dielectric absorption, *p*-substd. benzaldehydes, H-bonding effects with aromatic solvents, 3229

Dielectric constants, cyclohexane + aniline near consolute temp., 3176

Dielectric relaxation, isoxazole clathrate hydrate, 3193

Diels-Alder reaction, acceler. by AlCl₃, 143; furan with Et propiolate, 1013; reverse, of an unsatd. sulfone, 2409; synth. of diterpene alkaloids, 1042

Dienes, cyc., reacn. with O₂(¹A₁), kinetics and mechm., 3544

Differential scanning calorimetry, detn. glass transn. temp. in polystyrenes of various molec. wts., 3170

Differential thermal analysis, cryst. K₂CrO₄, phase transformns., 2436; systems P + P₄Se₃ and P + S + Se, thermochem. of allotropic transformns. of P₄Se₃, 2190; system SbF₅ + H₂O + HF, structs. of Sb species, 2077

Diffusion, *n*-C₆H₁₆ in 5A zeolite, 2717; *n*-C₄H₁₀ in Na-Ca A zeolite, 3523; exptl. detn. of mechm. for diffn. of gases through porous media, 2684

Diffusion coefficients, for ⁸⁵Kr or ¹³³Xe in binary mixts. with noble gases through porous graphite, 2692

2,3-Dihalonaphthazarins, synth., 838

9,10-Dihydroanthracenes, 1- and 2-substd., synth. from corresponding anthroquinones, 1229

2,5-Dihydrofuran, molec. struct. from nmr in nematic liq. cryst. phase, 281

2,5-Dihydro-3-hydroxy-2,5-dioxo-1-benzazepine, and derivs., synth. and reacns., 610

Dihydro- β -ionone, synth., 1732

Dihydropyrazine(s), prepns. from pyrazines by electrochem. redn., 3971

1,4-Dihydropyridine, synth. of derivs., 3563

Dihydrothiophenes, 3,4-unsubstd., synth., 1934

cis-Dihydrotomatucic acid, isoln. from Douglas fir, 1192

2,5-Dihydroxy-1,4-benzoquinone, detectn. of grp. by mass spect., 4117

3 β ,6 α -Dihydroxy-5 α -pregn-9(11)-en-20-one, synth., 4113

6,6'-Dihydroxythiobinupharidine, and 6-hydroxythiobinupharidine, NaBD₄ redn., 2714

Diimide, and N₂D₂, absorpn. spect. in near uv, struct. of excited state, 1006; uv spect. and kinetics of therm. decompn. in liq. NH₃, 2513

N,N'-Diimides, temp. dependent nmr, conformns., 2399

4,4-Diido-1,1-dimethyl-1,4-dihydroquinolinium cation, reacns. in aq. soln., 951

2,3-Diisopropenyl oxirane, therm. isomerizn. in gas phase, kinetics and mechm., 2098

Diisopropyl formamide anion, prepn. and use in synth. of α -ketoamides and α -hydroxyamides, 185

β,β -Diketo esters, dianion condensn. with nitriles, 1343

1,3-Dilithioazetidin-2-ones, prepns. and reacn. with electrophiles, 3206

Dimerization, C₆H₅NO₂ in C₆H₆ by partition and calorimetric methods, 3918

1-(2,5-Dimethoxy-4-methylphenyl)-2-aminopropane (DOM), synth of *N*-oxygenated derivs., 395

Dimethylbenzonitrile, 2,3- and 3,4-, nitrn. and nitro grp. rearr., 1231

Dimethyl carbonate, conformns. in liq. from ir and Raman spect., 1994

4,4-Dimethylcyclohexene, synth. of 1-*t*-butyl, 1-trimethylsilyl and 1-trimethylgermyl derivs., 4133

4,4-Dimethyl-2-diphenyl-1,3-dioxa-4-azonia-2-boranata-cyclopentane, cryst. struct., 2531

7,15-Dimethyl-3,11-dithia[3,3]metacyclophane, prepn., 3054

2,3-Dimethylenecyclo[2.2.2]octa-5,7-diene, synth., 447

Dimethyl ether, 1:1 and 2:1 complexes with TaF₅, struct. of complexes and kinetics of F exch. from ¹⁹F nmr, 1958; complex with HCl (DCl), equil. const. in gas phase, 674

Dimethylgermane, halogen and pseudohalogen derivs., characterzn. and vibrnl. spect., 2622

anti-5,13-Dimethyl[2,2]metacyclophane-1,9-diene, prepn., 3054

1,4-Dimethyl-4-nitro-1,4-dihydrophenyl acetate, formn., exch. and rearomatizn. reacns., mechm., 3960

1,7-Dimethylphenazine, and 1,8-isomer, synth., ir and uv spect., 1307

2,7-Dimethylpyrene, improved prepn., 3054

Dimethylsulfoxide, aq. solns., thermo. props., 718

Dinitrato(triphenylphosphine)mercury(II), cryst. struct., 198

Di-(4-nitrophenyl)methane, proton transfer to *t*-BuO $^-$, prim. isotope effect, 592

Dioxane, ΔH_{soln} for LiCl, NaCl, R₄NBr (R = Me, Et, Pr, Bu) in H₂O and dioxane-H₂O mixts., effect of ions on H₂O liq. struct., 203

1,3-Dioxepanes, conformnl. anal. by ¹H nmr, 4062, 4072

1,2-Dioxetane, struct. and decompn. mechm. from MO calcns., 3837

Diphenylamine, photostimulated delayed fluoresc. and phosphoresc. in ether matrices, 3707

9,10-Diphenyl anthracene, initin. of polymerizn. of subst. styrenes by electrochem. generated cations of, kinetics, 1643

1,4-Diphenyl-1,4-butadiyl radical, rel. rates for rotn., cyclizn., and decompn., 2111

Diphenyl ethers, conformnl. pref. by ^{13}C nmr, 767; internal rotn. in triply α -substnl. derivs., free energy barrier to rotn., 3297; ketones, methanes, sulfides, sulfones, and sulfoxides, conformnl. anal. by ^1H nmr, 597

3,6-Diphenyl-3,4,5,6-tetrahydropyridazine, *cis*- and *trans*-, kinetics and mechm. of thermol., reacns. of 1,4-diphenyl-1,4-butadiyl rads., 2111

Dipole moment, (1-adamantyl)C=NO⁺, (1-adamantyl)₂C=NH, and (1-adamantyl)₂C=NOMe, 3554; CF₃-COOR and CF₃COSR, 3113; methoxyacetoneitrile, *trans* and *gauche*, from microwave spect., 509; *N*-methyl morpholine, 434; PCILO MO calcns. for unsatd. hydrocarbons, 2760

Di-*n*-propyl disulfide, scavenger of ions and radicals in γ -radiol. of liq. cyclo-C₆H₁₂, 1253

Di-*n*-propyl ether, γ -radiol., mechm., 1181

Disaccharides, synth. of 4-*O*- β -D-galactopyranosyl-L-rhamnopyranose, 3844; synth. of 4-*O*- α -D-glucopyranosyl-L-rhamnopyranose, 681; synth. of 4-*O*- α -D-mannopyranosyl-L-rhamnopyranose, 678

Diterpene alkaloids, synth. of denudatine skeleton, 1042; synth. of hexacyc. relay, 2353

Diterpenes, alkaloid, synth. of napelline, 2355

Diterpenoids, isoln. of *ent*-clerodanes ex *Solidago serotina*, 2029; struct. of sideritol isolated from *Sideritis angustifolia*, 2792; synth. of tashinone, 88; tetracyc. *ent*-beyeranes, *ent*-kaurenes, *ent*-trachylobane, acid-catl. reacns., 706

Di-tertiary-butyl peroxide, photol. in CCl₄ soln., absence of deactvn. by hydrocarbons, implications for gas phase mechm., 2491

cis-Dithiocyanatobis(1,10-phenanthroline)mercury(II) cryst. struct., 2923

DNA (deoxyribonucleic acid), interacn. with lysine-glycine copolymers, prepn., 3140

Electric field gradients, in alkali halides, MO calcn., 2143

Electric field induced light emission in liquid anthracene, 3559

Electrochemical polymerization, subst. styrenes, kinetics, 1643

Electrochemical reduction, 1-halonaphthalenes and 1-halo-4-methylnaphthalenes in presence of D₂O, mechm., 376; prepn. dihydropyrazines from pyrazines, 3971

Electrochemistry, conductance CF₃SO₃H in H₂SO₄, detn. ionizn. const., 2975; conductance, emf data, and activity coeffs. for InCl₃ in H₂O and H₂O + dioxane solns., 3769; diazotized amines in sulfolane, redox potls., 2430; esr of intermeds. formed during anodic charging of electrodes at low temp., 930; redn. of Cr(III), effect of adsorbed ions on kinetics, 3165; redn. of H₂O₂ on sodium tungsten bronzes, mechm., 2542

Electrode kinetics, esr of intermeds. formed during anodic charging of electrodes at low temp., 930; redn. of Cr(III), effect of adsorbed ions, 3165

Electroluminescence, in liq. anthracene, 3559

Electrolysis, const. potl., use in redn. of aromatic aldehydes, 1635

Electron(s), mobilities and ranges in liq. hydrocarbons and Xe, effects of field strength and temp., 440; mobility and range in neo-C₅H₁₂ (solid), 3556; ranges and mobilities in aromatic hydrocarbon liqs., 3495; solvd. in tetrahydrofuran, formn. by pulse radiol. of alkali metal cations, decay kinetics, 3259; solvd., vis. spect. and kinetics in γ -radiol. of (n-Pr)₂O, 1181; solvd., yields of formn. during pulse radiol. of liq. amines and NH₃, 3269; trapped in polar matrices at 77 K, photo-release kinetics, 407; trapped in polar matrices, photostimulated decay, 3707

Electron diffraction, (CH₃)₂In vap., molec. struct., 3936

Electronegativity, effect on proton coupling consts., 4095

Electronic charge distribution, in diat. hydrides, calcn. by virial partitioning, 2268

Electronic Raman spectrum, rare earth garnets, 3445

Electronic spectrum (see also Uv spectrum), [Co-(NH₃)₅CN]Cl₂ and related compds., 477; Cu(II) complexes with *N*-acetylglycine, 3607; O₃⁻ ion radical in NH₃ soln., 3941; oxides and oxyacids of N, new data and lit. review, 1415; radical cations of tetracyc. aromatic hydrocarbons in boric acid glass, 827; 1,2,5-selenadiazole, 100; solns. of d⁸ complexes of Pt(II), Pd(II), and Au(III), correln. with photochem., 174

Electron paramagnetic resonance (see Esr)

Electroreduction, aromatic carboxylic acids, kinetics, 1635

Elimination reactions, transn. states in, and isotope effects, 749

Emodin, synth., 80

Enaminoketones, secondary, reacns. of *N*-subst. 3-amino-2-cyclohexen-1-ones, 55

Energy transfer, vibrnl.-vibrnl., vibrnl.-transl., and electronic-vibrnl. transfer among atm. species, lit. rev. with implicns. for atm. chem., 1436

γ -Enolization, evidence for, in bicyclo[3.3.0]octan-2-one, 4143

Entropy, monotonicity of *S* production in chem. reacting systems, calcn., 2618

Enzyme kinetics, cat. of hydrol. of org. phosphates by alk. phosphatase, role of ionic chge., 3087

Enzymes, α -chymotrypsin, use in resoln. of racemic alcohols, 469

Epinochrome, reacn. with thiols, 1019

Episelenurane, isoln. from reacn. of 4-tolueneselenenyl chloride with C₂H₄, 1027

Epoxide, cleavage of diterpenoid epoxides with BF₃, 2029

Epoxide opening reactions, anal. by nmr, 2730

Equilibrium, consts. for pseudobase formn., 975; consts. for pseudobase formn., correln. with σ^* , 962; among lead(II) acetates in aq. HOAc, 1241

Eremophilane derivatives, stereochem. of capsidiol from ^{13}C nmr and X-ray cryst. struct. anal., 933

Esr, acidic aq. solns. of Ti³⁺, demonstr. that [TiO-(H₂O)₅]⁺ is partially hydrol. species, 2919; aliphatic ammonium radicals in acid glasses, conformns., 3401; arylsilyl add. of *t*-Bu nitrone, kinetics of add. rad. decompn., 2901; *t*-butylsulfinyl radical, 555; *sec*-C₄H₉,

radicals in acid glasses, conformns., 3410; copper(II) bis(diethyldithiocarbamate), solvent and temp. effects on line widths, 4016; emission from naphthoquinone rad. formed in photol. of 1,4-naphthoquinone, 251; α -halogenated alkyl rads. in soln., conformns., 3529; hydrazyl rads., 864; identifcn. of Me rads. formed in γ -radiol. and photol. of CH_3CN matrix, 2171, 2840; intermeds. formed during anodic charging of electrodes at low temp., 930; Me rad., formed by uv irradn. of $\text{Ti}(\text{OAc})_3$ in ice, satellite resonances, 2471; org. rads. in aq. soln., α -carbonyl rads., 524; rads. from photol. $\text{CH}_3\text{COC}_2\text{H}_5$ and $(\text{C}_2\text{H}_5)_2\text{CO}$ in H_2O soln., 2978; rads. from γ -radiol. of adamantane and derivs., 1206; rads. formed by γ -irradn. of nitro- and nitroso-aminotetrazoles, 1248; spin adds. of OH and HO_2 with $\text{Ph-}t\text{-Bu}$ nitrone and 5,5-diMe-1-pyrroline-1-oxide, 3549; spin-labelled ligands complexed to AlCl_3 and BF_3 , detn. exch. rate, 2454; spin-labelled ligands, use in detn. struct. and exch. rate of 4-pyridyl-*t*-butyl nitroxide complexes of metals, 2463; spin trapping of adamantane rads., 1206; spin trapping of γ -radiol. prods. from alcohols, 3645; thiyl and perthiyl rads. from photol. of thiols in glassy matrices, 102

Esterase activity of carboxypeptidase A, 2640, 2648; inhibn. by dicarboxylic acids, kinetics and mechm., 2053

Ester hydrolysis, acid-catd., C—O bond cleavage in, 1066

Esters, *cis-trans* conformns. in liq. MeOCOOMe from ir and Raman spect., 1994

Ethane, γ -radiol. at high press., mechm. of ionic reacns., 221; γ -radiol. in presence of SF_6 , formn. and reactivity of $\cdot\text{SF}_5$, 3631

Ethanol, acid ionizn. of nitroethane in H_2O — EtOH mixts., 1910

Ether, di-*n*-Pr-, γ -radiol., mechm., 1181; thermochem. and H-bond formn. in mixts. with CHCl_3 , 2139

Ethers, by redn. of acetals and ketals by BH_3 , 888

Ethyl chloride, photol. in vac. uv, mechm., 3098; sorption on NaX zeolite, mechm. from isotherms and sample length changes, 3699

Ethylene(s), CNDO/2 MO calcns. of potl. surfaces for reacn. $\text{O} + \text{C}_2\text{H}_4$, 287; mono- and 1,1-disubst., oxidn. by $\text{Ti}(\text{III})$, kinetics and mechm., 3209; γ -radiol. in presence of SF_6 , formn. and reactivity of $\cdot\text{SF}_5$, 3631; reacn. with 4-tolueneselenenyl chloride to give episelenurane, 1027

2-Ethyl-2-propylperoxy radical, reacn. with phenols, aromatic amines and thiophenols, kinetics and mechm., 3682

Eucarbone, transformn. to grandisol, 1352

Excess volume, binary cycloalkanol mixts., 2287

Exchange, F in $\text{TaF}_5 + (\text{Me})_2\text{O}$ complexes, from nmr, 1958; X in $\text{Me}_3\text{N-BX}_3$ addns., mechm. from nmr data, 2866; Zn vap. and Zn_2SiO_4 polycrysts., kinetics, 3932

Exciplexes, between dimethylaniline and 1,3,6,8-tetraphenylpyrene or 1,2,3,4-tetraphenylnaphthalene, decay kinetics, 1339

Ferrocyanide, kinetics of oxidn. of IO_3^- , 2001

Fluorescence, consts. for quenching of N_2^+ (*B*), N_2O^+ (*A*), and CO_2^+ (*A*) and (*B*) fluoresc. by various gases, 426; delayed, diphenylamine and carbazole in ether matrices, 3707; of exciplexes between dimethylaniline and 1,3,6,8-tetraphenylpyrene or 1,2,3,4-tetraphenyl-

naphthalene, decay kinetics, 1339; from gaseous SO_2 , mechm. for effect of press. and λ_{excit} , 2389; nat. and delayed of indole-type molec. in polar matrices at 77 K, spect. and decay kinetics, 407

Fluoridation, non-stoichiometric hydroxyapatite, ir and struct., 4001

Fluorine, nuclear relaxn. times in ClOF_3 and ClF_3 by nmr, 3676

Fluorocarbons, rupture of H bonds in H-bonded systems by use as solvent, correln. with anesthetic props. of fluorocarbon, 3612

Fluorocyanato-*N*-titanates(IV), ^{19}F nmr, 667

Fluorometry, detn. of trace amts. of Bi by luminesc. of CaO:Bi phosphor, 1942

Fluorosulfates, of several bivalent metals, ir, 336

Fluorosulfuric acid, protonation of polymethyl phenols, mechm. and prod. isomers, 3303, 3313

Fluorotoluenes, mass spect., role of tropylum ion in fragmentn. mechm., 867

Formanilides, alkali metal and Ag salts, alkynl., 4050

Free radicals, arylsilyl adds. of *t*-Bu nitrone, esr and kinetics of decompn., 2901; a molecule induced homolysis reacn. of Cl_2O with olefins, 2573

Friedel-Crafts reaction, use of AlCl_3 in graphite, 589

Fries rearrangement, synth. of polyhydroxylated naphthoquinones, 838

α -L-Fucopyranosides, synth. from L-fucose, 210

D-Fucosamine, synth. of Me ethers, 3251

L-Fucose, synth. of fucosides, 210

Fulvic acid, high molec. wt. fracts., chem. degradn., ir, and nmr, 4123; oxidn. with peracetic acid at 40 °C, 1072

Furan, 2,5-dimethyl- and 2,5-diphenyl-, reacns. with ethyl propiolate, 143; and 2-Me deriv., reacn. with $\text{O}_2(\Delta_2)$, kinetics and mechm., 3544; reacn. with Et propiolate, 1013; spin-lattice relaxn. from nmr adiabatic rapid passage study, 191

Furoquinones, 3-methyl-, synth., 88

Fused heterocyclic compounds, synth. of 5-6, 5-5-5 and 6-5-6 via 1,3-dipolar addn. reacns., 798

Fused salts (see Molten salts)

4-O- β -D-Galactopyranosyl-L-rhamnopyranose, synth., 3844

Gallium, cryst. struct. of $[\text{CH}_3\text{N}(\text{CH}_2\text{CH}_2\text{O})_2\text{GaH}]_2$, 2206

Gallium chloride, and bromide, ir and Raman spect. of monohydrates, vibrnl. anal., 3274

Gene synthesis, lactose-operator fragments by triester method, 3689

Germane, and D-derivs., ir and Raman spect. and struct. of solid phases, 327; dimethylhalogeno-, and pseudohalogeno-, derivs., characterizn. and vibrnl. spect., 2622

Germanium difluoride, dimer, struct. from matrix isoln. ir and laser Raman spect., 95

Glass transition temperature, detn. by differential scanning calorimetry for polystyrenes of various molec. wts., 3170

2-O-D-Glucopyranosyl, and 2-O-D-galactopyranosyl derivs. of Me 4,6-O-benzylidene-3-deoxy-3-nitro-D-glucosyl and D-galactopyranosides, synth., 3337

4-O- α -D-Glucopyranosyl-L-rhamnopyranose, synth., 681

C-Glyconates, synth. of C-glycosyl malonates, 1280

Glycylglycine, vibrnl. anal. and conformns., 2590

Gold(III), uv spect. of solns. of AuCl_4^- and AuBr_4^- , 174
 Grandisol, synth., 1352
 Graphite, porous, diffn. of binary mixts. of ^{85}Kr or ^{133}Xe with noble gases, detn. diffn. coeffs., 2692
 Graphon, support for Pt grp. metals, cat. of H_2 -HDO exch., 2960

Halide ions, solvn. effects from nmr shift data, 1721
 Halides, Ca, Sr, Ba, detn. $D_0\%$ (M-X) from chemiluminesc. spect., 1688
 Hallucinogens, synth. of analogs of DOM(STP), 381, 390
 Halomethanes, reacn. with O atoms, formn. of $\text{CO}\dagger$ and $\text{HCl}\dagger$ detected by ir chemiluminesc., 271
 Hammett correlation, in ionizn. of BzOH and substd. derivs. in aq. solns., 2906; modified, for phenol acidities in mixed solvents, 1774
 Hasubanan, synth. from morphinans, 2736
 Heavy water (see Deuterated water)
 Helminthosporin, synth., 80
n-Heptane, sorption and diffn. in 5A zeolite, 2717
 Heterocyclic rings, medium, conformnl. anal., 2566
 Hexaamminecobalt(III) ion, aq., kinetics and mechm., 2751
 Hexabromoplatinate(IV), reacns. with I^- , kinetics and mechm., 3083
 Hexacarbonyl manganese(I) cation, vibrnl. spect., 213
 Hexafluorostannates, K, Cs, and Cu^{2+} , Mössbauer spect., 1904
 Hexamethylcyclotriphosphazene, 1:1 add. with I_2 , cryst. struct., 2197
 1-Hexanol, V''_{rel} for mixts. with methylcyclohexane, 788
 Hexitol anhydrides, prepn., 3367
 Hofmann eliminations, isotope effects in, 749
 Homoenoelimation (β -enoelimation), of a bicyclo[3.2.1]-octan-2-one, 4143
 Homotropylum cation, identifcn. of prod. ion by nmr, 3424
 Humic acid, oxidn. with peracetic acid at 40 °C, 1072
 Hunteracine, quaternary alkaloids of *Hunteria eburnea* Pichon, struct., 2327
 Hyalodendrin, bisdithiodi(methylthio)-, a new fungal piperazine dione, isoln. and detn. of struct., 325
 Hydrated electron, prodn. by photol. of Cd^+ , Zn^+ , Co^+ , and Ni^+ in aq. soln., 343
 Hydrates, vibrnl. spect. of H_2O in cryst., 1029
 Hydrazine, conformnl. predictions by modified LCAO-MO-SCF *ab initio* calcs., 2785
 Hydrazonyl disulfides and sulfides, synth., 879
 Hydrazyl radicals, esr of ^{15}N -labelled, 864
 Hydride reduction, polymethyl-2,3-dihydrophenalen-1-one, stereochem., 3106
 Hydrides, diat. calcn. of charge distribn. by virial partitioning, 2268
 Hydroboration, synth. of 1-substd. derivs. of 4,4-dimethylcyclohexene, 4133
 Hydrocarbons, ionizn. of aromatic, 1059; molec. geom. and charge distribns. by STO-3G *ab initio* MO calcn., 2772; quenching of $\text{O}_2(^1\Sigma_g^+)$ to $(^1\Delta_g)$ by alkanes, kinetics, 240; unsatd., PCIL0 MO calcs. of charge distribn., 2766; unsatd., PCIL0 MO calcs. of molec. geom., 2760
 Hydrogen, activn. of, by RuCl_3 complexes, 348; adsorp. and reacn. with adsd. CO on MeOH-synth. cat. mechm., 4044; exch. with HDO over unsupported noble metals, 2960; methods for anal. in stratospheric samples, 2960

vertical concn. distribn. in stratosphere, 1510; reacn. with Me rads., curvature of Arrhenius plot, 3665; review of rates of chem. reacns. in stratosphere involving free rads. containing H, 1381; sorption by Pd, effect of surface area, 1200
 Hydrogen abstraction, from grp. IV tetramethyls by CF_3 and CD_3 radicals, 1662
 Hydrogenation, homog., of terminal olefins by $\text{RhH}(\text{DBP})_4$, 775; $\text{Rh}(\text{I})$ -phosphine complex as cat. for homogen., 3758; unsatd. carboxylic acids catd. by $\text{Ru}(\text{I})$ complexes, kinetics and mechm., 3760
 Hydrogen atom, abstracn. from aliphatic ammonium radicals in acid glasses, mechm., 3401; addn. to C_4H_8 in acid glasses, mechm., 3410; reacn. with NH_3 in shock tube, 1171; species desorbed from NH_3 -saturated W surface, mechm. of formn., 1147
 Hydrogen bond(s), in amines, alcohols, amides, thiols, rupture by fluorocarbon solvents, demonstrn. by ir, correln. with anesthetic props. of fluorocarbons, 3612; cresols in CCl_4 , by calorimetry, 653; in crysts. of $\text{KSnCl}_3 \cdot \text{H}_2\text{O}$ from ir, 2928; diMe ether to HCl and DCl , gas phase by Raman spect., 674; in $\text{Et}_2\text{O} + \text{CHCl}_3$ mixts., comparison of thermochem. and spect. detns., 2139; in gas phase ion clusters $\text{Cl}^- (\text{HCl})_n$, thermochem. from mass spect., 2449; internal, in a diazetidinium hydroxide inner salt, from cryst. struct. anal., 2613; intramolec. in *o*-halophenols, from nmr, 3037; in $\text{K}_2\text{SnCl}_4 \cdot \text{H}_2\text{O}$ and $\text{KSnCl}_3 \cdot \text{H}_2\text{O}$, from ir, 2380; mixts. of thiols with org. oxygen bases, from low temp. ir, 738; *p*-substd. benzaldehydes with aromatic solvents from dielec. relaxn., 3229; in water - org. base complexes in CCl_4 solns. from anharmonicities in ir, 915
 Hydrogen chloride, and DCl , ion and atom yields in γ -radiol., ion abundances in mass spect., 359; formn. $\text{HCl}\dagger$ from O + halomethanes, ir chemiluminesc. from, 271; prodn. of vibrnl. excited HCl in reacn. of $\text{O}^3(\text{P})$ with chloroethylenes, mechm., 2608
 Hydrogen molecular ion, dipole polarizability, variational calcn., 3463
 Hydrogen-oxygen compounds, reacn. of species H_2O_x , ($x,y = 0,1,2$) with stratospheric compds., review of kinetics, 1405
 Hydrogen peroxide, electrochem. redn. on sodium tungsten bronzes, mechm., 2542; kinetics and mechm. of therm. decompr. in gas phase, 794; oxidn. of heterocyc. thiones, 3021; photol. in presence of $\text{R}_3\text{NCH}_2\text{CH}(\text{OH})\text{R}$, mechm. of prod. formn., 3589
 Hydrolysis, of 4-aryl amino grp. in tetrahydroquinaldine, mechm., 884; CF_3COOR and CF_3COSR , kinetics, 3113; *cis*- and *trans*-2-cyclopropyl bromide, kinetics and mechm. of hydrol., detn. ΔC_p^+ , 2660; of esters catd. by carboxypeptidase A, kinetics and mechm., 2640, 2648, 3829; substd. benzyl nitrates, kinetics, 2485; Ti^{4+} to $[\text{TiO}(\text{H}_2\text{O})_5]^+$, evidence for struct. from esr, 2919
 Hydroperoxy radical, characterzn. of esr of spin add. with Ph-*t*-Bu nitrone and 5,5-diMe-1-pyrroline-1-oxide, 3549
 Hydroxamic acid, cyc., synth. and reacn. with nucleophiles, 3432
 α -Hydroxyamides, synth. via carbonyl anions, 185
 Hydroxyapatite, calcium hydroxyapatite, fluoridation of non-stoichiometric, 4001
 Hydroxyl radical, characterzn. of esr of spin adds. with

Ph-*t*-Bu nitrone and 5,5-diMe-1-pyrroline-1-oxide, 3549; reacns. with atm. compds. and other simple molec., review of kinetics, 1397

19-Hydroxy-20 β -pivaloxy-5 α -preg-8(14)-ene, synth. from 19-hydroxy-20 β -pivaloxypregna-4,6-dien-3-one and oxid. cyclzn., 4139

Hydroxy-*n*-propoxypropiophenone derivatives, prepns. and uv spect., 3784

4-Hydroxypyridones, acyln. of dianions with β -keto esters, 1343

6-Hydroxythiobinupharidine, and 6,6'-dihydroxythiobinupharidine, NaBD₄ redn., 2714

Ice, vitreous, ang. deformns. and distribn. fn. from mech. model, 1945

Imines, aliphatic, mass spect., 1648; redn. of Schiff-base-zinc complexes, 1054

Iminophosphoranes, reacn. with DMF, synth. of amidines, 2255

Iminoxy radical, dialkyl-, prepns. and props., 3554

Indium, trimethyl-, molec. struct. in vap. phase from electron diffraction, 3936

Indium(III) complexes, ligand exch. kinetics, 3944; dichloro(acetylacetoneato)-2,2'-bipyridyl-, cryst. struct., 3793; prepns., nmr and vibrnl. spect. of complexes, 3950

Indium oxide, and hydroxide, ΔH_{soln} in conc. HCl, 1954

Indium trichloride, electrochem. and thermochem. in H₂O and H₂O + dioxane solns., 3769; ΔH_{soln} of hydrated and anhydr. in H₂O, 1954; soly. in H₂O, phase diagram of systems with NaCl + H₂O, CaCl₂ + H₂O, and dioxane + H₂O, 3459

Indole(s), photostiml. fluoresc. and phosphoresc. in polar matrices at 77 K, kinetics, 407; synth. f polysubstd. from 2,5-xylidine derivs., 299; synth. of 3-vinyl derivs., 1294

Indole alkaloids, isoln. from cranberries, struct. and synth., 2064; isoln. from *Hunteria eburnea* Pichon, 2327

Indole thioethers, from reacn. of thiols with epinochrome, 1019

Inosine, interacn. with [Pt(dien)Br]Br, kinetics and mechm., 2603

Insertion, reacn. of SnCl₂ with [P(OC₆H₅)₃Co(CO)₃]₂, kinetics, 3773

Intercalation, AlCl₃ in graphite, as Friedel-Crafts cat., 589

Iodate, kinetics of redn. by Fe(CN)₆⁴⁻, 2001

Iodide ion, reacn. with [PtBr₆]²⁻, kinetics and mechm., 3083

Iodine, 1:1 add. with hexamethylcyclotriphosphazene, cryst. struct., 2197; cat. of isomerizn. of azobenzene in soln., mechm., 1868

Iodine cation, I₂⁺Sb₂F₁₁⁻, prepns. and cryst. struct., 2048

Iodine monobromide, cryst., ir, influence of lattice vibrns., 1181

Iodine monochloride, cryst., ir, influence of lattice vibrns., 1181

Iodoalkanes, -cycloalkanes, -alkenes, and some *F*-substd. derivs., photoelectron spect., assigns. and MO calcns., 1217

Iodopentafluorobenzene, vp, ΔH_{vap} and $\langle \Delta C_p \rangle$, $\Delta H_{\text{f},298}^0$ (C₆F₅I, g) from direct combustn., 2673

Ion clusters, Cl⁻(HCl)_n in gas phase, thermochem. from mass spect., 2449

Ion cyclotron resonance mass spectrometry, development of a Fourier transformn. tech. for data acquisition, 1997

Ionic radii, of cations in M⁴⁺P₂O₇, correln. with lattice parameters, 2175

Ionization, aq. BzOH at various temps. from calorimetry, pK and ΔC_p^0 (ionizn.) in range 5-100 °C, 2912; of aromatic hydrocarbons, rate in EtOH-DMSO, 1059; nitroethane in H₂O-EtOH mixts., thermochem., 1910; of substd. acetic acids, isotope effects, 1966

Ionization constants, of *N*-acylthioureas, 697

Ionization potentials, alkanes, correln. with charge distribns. from MO calcns., 3799; unsatd. hydrocarbons, correln. of obsd. with those calcd. by PCILo MO method, 2766

Ion-molecule reactions, i-C₄H₉⁺ and *t*-C₄H₉⁺ with i-C₄H₉ and other hydrocarbons, kinetics in liq. and gas phases, 2341; CH₃⁺ + C₃H₈, kinetics, 1798; proton transfer to Cl-substd. aliphatic acids in gas phase, 861

t-Ionone, synth., 1732

Ir chemiluminescence, from reacn. of O(³P) with chloroethylenes, mechm., 2608

Iron(I), cationic tetrazene complex, synth., phys. and spect. props., 3387

Iron, Mössbauer, ir, ¹³C nmr spect. and bonding in [(h⁵-C₅H₅)Fe(CO)₂L]⁺X⁻ complexes with various L and X, 782; radiochem. of Fe(C₅H₆)(CO)₂, mechm., 894; reacn. of complexes with aryl diazonium tetrafluoroborates, 1914

Iron(II), and Fe(III), citrate complexes in aq. soln., compn. and stabil. consts., 3119

Iron(III), cyclopentadienylperfluoroalkyl-*t*-phosphine-complexes, prepns., ir and ¹⁹F nmr, struct., 1781; and Fe(II), citrate complexes in aq. soln., compn. and stabil. consts., 3119

Iron oxide(s), formn. SrFe₁₂O₁₉ in system Fe₂O₃ + Na₂CO₃ + SrSO₄, 3235

Ir spectrum (see also Raman spectrum, Vibrational spectrum), alkali tin paraperiodates, MSnIO₆ with M = NH₄, Na, K, Rb, Cs, 3187; arylazo complexes of Mo and W, vibrnl. anal., 2634; BX₃·R₃PS and BX₃·R₃PSe, vibrnl. assign., 2016; CF₃NO gas and liq., vibrnl. anal., 3149; [(h⁵-C₅H₅)Fe(CO)₂L]⁺X⁻ complexes with various L and X, 782; [Co(en)(NH₃)₃CN]Cl₂ and related compds., 477; complexes of CrX₃ with heterocyc. lig., 2845; Co(II) and Ni(II) complexes with heterocyc. ligands, 2021; cryst. IBr and ICl, 1181; Cu(II) complexes with *N*-acetyl glycine, 3607; GaX₃·H₂O (X = Cl, Br), vibrnl. anal. and normal coord. calcns., 3274; halogeno- and pseudohalogeno(dimethyl)germanes, 2622; H-bonded systems, effect of halofluorocarbons on H-bonds, 3612; H₂O, HDO, and D₂O complexed with org. bases in CCl₄ solns., detn. H-bonded species from anharmonicities, 915; In(III) complexes, 3950; K₂CuCl₄·H₂O, 1029; KSnCl₃·H₂O crysts., vibrnl. anal., H-bonding, 2928; K₂SnCl₄·H₂O and KSnCl₃·H₂O, use in detn. cryst. struct. and H-bonding, 2380; linear tetraammine complexes of Rh(III), 3469; liq. and cryst. MeOCOOOMe, detn. conformers., 1994; at low temp., thiols and mixts. with org. oxygen bases, H-bonding effects, 738; MeO·CO·CH₂CN and CD₃O·CO·CH₂CN in liq. and solid, vibrnl. assigns., 3057; *N*-methylmorpholine, ground state vibrnl. freqs. from microwave spect., 434;

$Mn(CO)_6^+PF_6^-$, 213; OH groups in fluoridated non-stoichiometric hydroxyapatites, 4001; and Raman spect., of Ti(IV) salts, 231; SbF_5 hydrates and hydronium salts, structs. existing in $SbF_5 + H_2O + HF$ systems, 2077; several metal(II) fluorosulfates, 336; solid GeH_4 and D-derivs., 327; struct. of $(GeF_2)_2$ in N_2 and Ar matrix, 95; $Ti_2Cl_9^-$, $Ti_2Br_9^-$ and $Zr_2Cl_9^-$ ions, 2880; use in detecting trace constituents of stratosphere, review of methods and results, 1544; $Zn(Py)_2Cl_2$ and $Zn(Py)_2Br_2$ crysts., intercn. of lattice and skeletal modes, 2005

Isobutene, effect of ionizing energy on fragmentn. mechm. from 2H and ^{13}C labelling, 1813

Isocarbenolides, oxidn. of furans, synth., struct., and stereochem., 1652

D-Isoiodide, synth., 3367

Isomerization, maleisoimides, 129; 1-olefins catd. by Pt(II) complexes, mechm., 2857; therm., alkylidene-cyclopropanes, 4033

Isopropoxide ion, complex formn. with 2,4,6-trinitrotoluene, 1750

Isothiazole, long-range coupling consts. in nmr of Me derivs., 833

Isothiazolinethiones, synth. and cycloaddn. reacns., 1738; synth. and reacns., 3021

Isotope effect, on acidity of acetic acids, $K_a(H)/K_a(D)$, 1966; calcn., tables of partn. fn. ratios for isotopes of MeX , 3078; H^+/D^+ , in σ -complex formn. between 2,4,6-trinitrotoluene- d_3 and t -butoxides, 2306; H and N in Hofmann elimin., 749; k_H/k_D for Meisenheimer complex formn., 1750; k_H/k_D for reacn. of OH^- with 2-nitropropane, 1889; in the proton transfer from di-(4-nitrophenyl)methane- d_2 to t -BuO $^-$, 592; in triethylphosphate hydrol., 1066

Isotope exchange, $D_2-C_2H_5OH$ catd. by Rh(I), 2216, 2226; Tb(III) in complexes, kinetics from radiotracer studies, 1086

Isoxazole, clathrate hydr., struct. from X-ray, nmr, and dielec. data, 3193; long-range coupling consts. in nmr of Me derivs., 833

Juvabione, isoln. from Douglas Fir, 1192

Juvenile hormone analogs, isoln. from Douglas fir, 1192

Ketals, redn. to ethers by BH_3 , 888

Ketene acetals, reacn. with halonaphthoquinones, anthraquinone synth., 80

α -Ketoamides, synth. via carbonyl anions, 185

β -Keto esters, and dianions, reacn. with ketones and aldehydes, 2157

β -Keto esters, dianions, reacn. with methylolithium, 1379; synth. of γ, δ -unsatd. derivs., 2157

Ketones, C-acetylation via dianions, 1379; nitrosation with $LiNO_2$, 1760; therm. oxidn. of aq. solns. at high $[O_2]$, kinetics and mechm., 1925

β -Ketophosphonate, γ, δ -unsatd., synth. and dipole moments, 2894

Ketoses, reacn. with acetonitrile, synth. of aminodeoxy sugars, 51

3-Keto-5 β -steroids, preferential cleavage of C2-C3 bond, 810

Kinetic isotope effect, model calcs. for solvol. reacns., 903; reln. to rate consts. of mechm., theory, 1937

Knudsen cell, use with mass spect. for detn. vp and sublimn. thermochem. of polycyc. aromatic hydrocarbons, 557

Koenigs-Knorr reaction, in nitro sugars, Helferich modifcn., 3337

β -Lactams, metallation and reacn. with electrophiles, 3206

Lanthanides, effect of ions on ^{13}C nmr of a phosphonomannan, 3070

Laser radar, use to det. vert. concn. profiles of stratospheric aerosols, 1560

Lead metavanadate, prepn. and cryst. struct., 2701

Lemmatoxin, triterpene saponin, struct., 702

Levoglucosan, acetylated, cryst. struct., 2516

Levulinic acid, 5-bromo-, Me ester, synth., 3257

Ligand exchange, detn. of rate by esr of spin-labelled ligands, 2463; kinetics for In(III) complexes, 3944

Lignin, a modular struct. for, 2102; molec. wt. and distribn., 2102

Liquid crystals, of 1,4-dichlorobenzene, ^{13}C nmr and molec. struct., 151; spin-lattice relaxn. in *p*-azoxyanisole($CD_3)_2$, 2294; struct. of 1,4-dibromobenzene from ^{13}C nmr in nematic, 3565

Liquids, electron ranges and mobilities in hydrocarbons and Xe, 440

Lithium acetate, kinetics of reacn. with $Pd(OAc)_2$, 1241

Lithium chloride, cat. in prepn. of BzO_2Bz by autoxidn. of BzH , 1700

Lithium isothiazole-5-thiolates, synth., 2950

Lithium nitrite, use in nitrosation of ketones, 1760

Long-range spin-spin coupling constants, (H), in *p*-methylbenzylbromide, 3489

Lucidusculine, synth. of hexacyc. relay, 2353

Lumazine(s), oxidn. by MnO_4^{2-} , acid and base cat. mechm., 3884; oxidn. by MnO_4^{2-} , prod. anal., 3879

Luminescence, $CaO:Bi$ phosphor, use in quant. anal. of trace amts. of Bi, 1942

Magnesium(II), cryst. struct. of synth. whitlockite, $Ca_{18}Mg_2H_2(PO_4)_{14}$, 1155; solvn. of cation by alcohols from ^{13}C nmr, 744

Magnetic moments, Cu(II) complexes with *N*-acetylglycine, 3607

Magnetic susceptibility, rare earth garnets from electronic Raman spect., 3445

Maleate anion, asym. intramolec. H-bond from cryst. struct. anal., 1880

Maleisoimides, isomeriza. with aziridine, 129

Malononitrile, reacn. with acetaldehyde, 3626

Manganese, ΔH_{fus} , C_p , and $H_T - H_0$ for $CsMnCl_3$ and $CsMnCl_4$, 946

Manganese(I), hexacarbonyl cation, vibrnl. spect., 213

Manganese(II), acidity and stability consts. of amine complexes, solvent effects, 1821; cryst. struct. of $MnC_6H_5CO[P(C_6H_5)_3]_2 \cdot C_6H_6$, 1140

4-O- α -D-Mannopyranosyl-L-rhamnopyranose, synth., 678

Mass spectrometry, to detect intermeds. in flash thermol. Me salicylate in He carrier, 1983; detn. $D[C_6F_5-X]$ from appearance potls. (X = F, Cl, Br, I), 4109; detn. of thermochem. of ion clusters $Cl^-(HCl)_n$ in gas phase, 2449; development of a Fourier transformn. tech. for data acquisition by ion cyclotron resonance, 1997; ionizn. equil. of Cl-substd. aliphatic acids in gas phase, 861; use in detn. of kinetics and mechm. of

gas phase pyrol. of H_2O_2 , 794; use in study of species desorbed from W surface containing adsd. NH_3 , 1147

Mass spectrum, aliphatic imines, 1648; allylic alcohols, 2522; *C*-amino- and *C*-azido-1,2,4-triazoles, 2861; benzyl fluoride and fluorotoluenes, role of tropylium ion in fragmentn. mechm., 867; *t*- C_4H_9 , effect of ionizing energy on fragmentn. mechm. from ^2H and ^{13}C labelling, 1813; $(\text{C}_6\text{H}_4\text{FX})_2\text{Cr}$ complexes with $\text{X} = \text{H, F, Cl, CH}_3$, and CF_3 , 2439; comparison of HCl with DCl , 359; cyclohexaamyllose derivs., 3905; deuterated cyclopropano derivs., 517; 1-phenyl-2-benzimidazolinone and -ethione, comparison of fragmentn. mechm. with pyrol., 2359; polymeric acid and derivs., 4117; tetraalkylammonium and bis-tetraalkylammonium bromides, fragmentn. mechms., 3438

Meisenheimer complexes, kinetics of reacn. of CN^- with 1,3,5-trinitrobenzene and related compds., 1, 8; kinetics of reacn. of OCH_3^- with picryl chloride, 18; SO_3^- with picramide and derivs., kinetics and equil. consts., 25; 1,3,5-trinitrobenzene with aromatic amines, 630; 2,4,6-trinitrotoluene with *t*-butoxides, kinetics and equil., 2306; from 2,4,6-trinitrotoluene and isopropoxide ion, mechm., 1750

α -Mercaptoaldehydes, reacn. with vinylphosphonium salts, synth. of dihydrothiophenes, 1934

Mercapto-amine ligands, synth., 1054

Mercury, complexn. with cysteine, Me cysteinate and *S*-methylcysteine, 616; cryst. struct. of $\text{Hg}(\text{SCN})_2 \cdot (\text{C}_{12}\text{H}_8\text{N}_2)_2$, 2923; $\text{Hg}_{2.86}\text{AsF}_6$ (alchemists' gold), compn. and cryst. struct., 791

Mercury(II), dinitrato(triphenylphosphine)-, cryst. struct., 198

Metabolites, of the hallucinogen DOM(STP), synth., 395

Metacyclophane-1,9-dienes, use in prepn. of pyrenes, 3054

Metal carbonyls, complexes with dert. arsine derivs., prepn., 1108

Metal films, reacn. with alkyl chlorides, 536

Metal hydrides, for reducn. of α, β -unsatd. ketones, 2522

Methane, catd. prodn. from CO and H_2 over MeOH -synth. cat., mechm., 4044; ion-molec. reacn. $\text{CH}_5^+ + \text{C}_3\text{H}_8$, kinetics, 1798; methods for anal. in stratospheric samples, vert. concn. distribn. in stratosphere, 1510

Methanol, catd. prodn. from CO and H_2 , mechm., 4044

Methoxyacetonitrile, *trans* and *gauche* conformers, microwave spect. and dipole moment, 509

2-Methoxy-5-methylbenzoquinone, Schmidt reacn. leading to azatropolones, 3327

N-Methylacetamide, mixts. with H_2O , phenol acidities in, 1774

O-Methyladenosine, 2'- and 3'-, amino acid esters, synth., 3803

α -Methylamino-3,4-dimethoxybenzyl alcohol, *erythro* and *threo*, synth., 2873

Methyl-4,6-*O*-benzylidene- α -D-altropyranosides, reacns. of those containing phenylthio grp., 1258

2-Methyl-2-butene, photol. in vac. uv, mechm., 34

Methyl cyanoacetate, and Me-d_3 deriv., ir and Raman spect. of liq. and solid, vibrnl. assigns. and conformns., 3057

Methylcyclohexane, V_{mix} for mixts. with four *n*-alcohols, 788

Methyl cysteinate hydrochloride, complexn. with HgCl_2 and $\text{Hg}(\text{NO}_3)_2$, 616

S-Methylcysteine, complexn. with $\text{Hg}(\text{OAc})_2$, 616

10-Methyl-*trans*-decalols, ^{13}C nmr, 870

Methyl dichlorophosphine, reacns. with TiCl_4 , TiBr_4 , ZrCl_4 , vibrnl. spect. of prod. anions, 2880

N-Methyldiethanolaminogallane dimer, cryst. struct., 2206

3,4-Methylenedioxybenzonitrile, reacn. with EtMgBr , ring opening prods., 3784

3,4-Methylenedioxypropiophenone, prepn., 3784

3-Methylfuranquinones, synth., 88

Methyl group migration, in corticosteroid analogs, 1744

Methyl halides, calcn. of kinetic and equil. isotope effects, table of partn. fn. ratios for use in, 3078

4-(4-Methyl-4-hydroxyamyl)- Δ^3 -cyclohexenecarboxaldehyde, improved synth., 125

N-Methyl morpholine, chair equat. conformer, ^{14}N quadrupole coupling, dipole moment, microwave spect., 434

4-Methyl-2,6-naphthyridine, synth., spect., 843

1-Methyl-3-nitroquinolinium cation, pseudobase from, kinetics and mechm., 303

1-Methyl-4-nitroquinolinium cation, pseudobase formn., 951

cis-Methylplatinum(II) complexes, ^{13}C nmr, 570

Methyl radical, dispropn./combn. ratio with *t*- C_5H_{11} , 34; formn. in γ -radiol. CH_3CN matrix, identity from esr and decay studies, 2171, 2840; formn. by uv irradn. of $\text{Ti}(\text{OAc})_3$ in ice, esr, 2471; reacn. with H_2 , curvature of Arrhenius plot, 3665

Methyl-*d*₃ radical, H-abstrn. from grp. IV tetramethyls, kinetics, 1662

Methyl salicylate, mechm. of flash thermol. in He carrier with mass spect. detecn. of intermeds., 1983

Micelles, relaxns. in micellar solns. from ultrasonic absorpn., 429; thermochem. of micellizn. for ionic and nonionic surfactants, 1834

Microwave spectrum, CF_3OF , 942; methoxyacetonitrile, *trans* and *gauche*, 509; *N*-methyl morpholine, 434

Mitomycin C, nmr, 2331

Mobility, electrons in aromatic hydrocarbon liqs., 3495

MO calculation, *ab initio* for HCOX ($\text{X} = \text{Me, NH}_2, \text{OH, F, H}$) and *O*-protonated cations, 546; *ab initio* STO-3G, molec. geom. and charge distribns. for hydrocarbons, 2772; charge distribn. in first grp. hydrides from electron pair theory, 1310, 3077; charge distribn. in unsatd. hydrocarbons by PCILo, 2766; CNDO for 1,2-dioxetane struct. and decompn. mechm., 3837; CNDO/2 potl. surfaces for reacn. $\text{O} + \text{C}_2\text{H}_4$, 287; conformnl. predictions for N_2H_4 by modified LCAO-MO-SCF *ab initio* method, 2785; conformn. of β -pseudouridine by CNDO, 371; conformns. in glycylsarcosine, 2348; correln. of calcd. charge distribns. with ionizn. potls. of alkanes, 3799; coupling consts. in substd. styrenes, 3415; elec. field grads. in alkali halides, 2143; π electron calcns. for sixteen- π -electron systems, 155; extd. Hückel and CNDO/2 for energy levels in tetrathiofulvalene, comparison with exptl. (photo-electron spect.) values, 3373; extd. Hückel, in correln. photoelectron spect. *I*-substd. hydrocarbons, 1217; ^1H - ^1H coupling consts., 2403; HOMO for aromatic hydrocarbons as donor cts. in solvol. reacns., correln. with solvol. kinetics, 3748; for H_2O , NH_3 , H_2O_2 and N_2H_4 using modified basis set for LCAO-MO-SCF *ab initio* procedure, 2778; INDO, coupling consts. from vinyl-H in vinylpyridines to ring-H and to ^{13}C , 136; INDO, of long-range couplings in benzalfluoride, 481;

INDO, of long-range Me-proton coupling consts. in Me borazines, 489; methods for cryst. field calcns. for d^3 and d^7 square pyramidal complexes, 579; molec. geom. for unsatd. hydrocarbons by PCILo, 2760; origin of Bohlmann bands in uv spect. of amines, alcohols and thiols, 3787

Molecular motion, in solid cis -[Co(NH₃)₄(H₂O)₂]₂[SO₄]₃, by nmr, 900

Molecular sieve, type A, diffn. of *n*-C₄H₁₀ in partially ion-exchd. forms, 3523

Molecular weight, theoret. distribn. in polymers, 1188 1190

Molluscicidal saponin, lemmatoxin, struct., 702

Molten salts, tech. for detn. of vel. of sound in, 400

Molybdenum, anal. of vibrl. spect. of arylazo complexes, 2634; gas-solid exch. between O₂ and CuMoO₄, kinetics 3847

$\Delta^{8,14}$ -Morphinan to $\Delta^{9,10}$ -hasubanan system, rearr. by acid, 2736

Mössbauer spectrum, [(^h-C₅H₅)Fe(CO)₂L]⁺X⁻ complexes with various L and X, 782; ¹¹³Sb in some Sb(III) halide complexes, 2375; ¹¹⁹Sn in hexafluorostannates and SnP₂O₇, 1904; thiourea complexes of Te, 564; tin(IV) acetylacetones, 1361

Muscalure, synth., 1923

Napelline, synth., 2355; synth. of hexacyc. relay, 2353

Naphth[cde]azulene, MO calcns. in Hückel and SCF approxns., 155

Naphthazarin ethers, synth., 838

Naphtho[2,3-*c*]furan-4,9-quinones, synth., 838

1,4-Naphthoquinone, photol. in various solvents, chem. induced dyn. electron polarizn. of rads. formed, from esr study, 251

Naphth[2,1-*e*]-1,3-oxazine, hexahydro-, synth., 2316

Naphth[1,2-*b*][1,4]oxazine hydroxamic acid, synth. and reacn. with nucleophiles, 3432

2,6-Naphthyridine, synth., spect., 843

Néel temperature, water-gas shift reacn. catd. by Ni(II) oxides, diff. in surface species near Néel temp., 3063

Nematic liquid crystal, struct. of 1,4-dibromobenzene from ¹³C nmr in, 3565

Neopentane, electron range and mobility in solid, 3556; pyrol. with H₂, kinetics, 3665; γ -radiol., kinetics and mechm., 2341

Neutron activation analysis, detn. of Cd in biol. materials, 3008

Nickel(I), Ni⁺ formn. by flash photol. of NiSO₄ in aq. soln., use in prodn. e_{aq}⁻ by second photol. flash, 343

Nickel(II), acidity and stability consts. of amine complexes, solvent effects, 1821; bis(trifluoroacetylacetone)-triethylenetetraamine - nickel(II) chloride, cryst. and molec. struct., 3716; complexes with heterocyc. ligands of N, S, and Se, spect. and struct., 2021; cyclopentadienylperfluoroalkyl-*t*-phosphine- complexes, prepn., ir and ¹⁹F nmr, struct., 1781; prepn., spect. and phys. props. of Ni(pyridine)₂(SO₃F)₂, 3218; quenching of type II photodecompn. of MeCO-*n*-Pr in C₆H₁₂ soln. by Ni(II) chelates, kinetics, 688; redn. NiCl₂ by NaBH₄ and NaBH₃CN in presence of *t*-phosphines, mechm. and props. of prods., 2990

Nickel(II) cyanide, prepn., spect. props., and struct. of several hydrates, 3637

Nickel(II) oxides, cats. for water-gas shift reacn., kinetics near Néel temp., 3063

Ninhydrin, in prepn. of ω -aldehydo sugars by oxidative deamination, 3905

Niobium pentafluoride, complexes with MeF and EtF, ¹H and ¹⁹F nmr, struct., 4101

Nitrates, substd. benzyl, hydroly. kinetics, 2485

Nitration, 2,3- and 3,4-dimethylbenzonitrile, nitro grp. rearr., 1231; *p*-xylene, mechm., 3960

Nitrene, carbalkoxy-, from 2-adamantyl azidoformate photol., 1062

Nitrenium ions, evidence against participn. in chloramine reacns., 2123

Nitric acid, prim. photochem. decompn. yield, 1415

Nitric oxide, detn. in stratosphere by ir, 1532

Nitrile complexes, of Co(III), hydroly. and struct., 1762

Nitritotriacetic acid, reacn. with Cu(II), kinetics and mechm., 4106

Nitroalkanes, acidity and Brønsted exponents, substit. effects, 1897

Nitroalkenes, borohydride redn., 122

Nitrobenzene(s), $K_{dimeriz}$ in C₆H₆ by partition and calorimetric methods, 3918; substd., ΔH_{sub} in aq. H₂SO₄ and aq. HClO₄, "nitro-group effect" on solv., 1098

Nitro disaccharides, 1 → 2 linked, synth., 3337

Nitroethane, thermochem. of ionizn. in H₂O-EtOH mixts., 1910

Nitrogen, consts. for quenching of N₂⁺ (*B*) fluoresc. by various gases, 426; distribn. and reacns. of at. and oxides in stratosphere, effect on [O₃], review, 1582; oxides and oxyacids, absorpn. cross-sections and prim. photochem. decompn. yields, 1415; possible interacn. of complexed N₂ with nucleophilic S during biol. fixn. reacns., 1914; review of rates of chem. reacns. in stratosphere involving free rads. containing N, 1381

Nitrogen compounds, review of kinetics of reacns. occurring in atm., 1397

Nitrogen dioxide, detn. in stratosphere by ir, 1532

Nitrogen oxides, detn. of stratospheric NO and NO₂ by ir, 1532; review and comparison of detns. of NO, NO₂, and HNO₃ in stratosphere, 1536

Nitro glycosides, unsatd., prepn., 111

o-Nitrophenylethylene glycol, photosensitive protecn. grp. for aldehydes and ketones, 187

2-Nitropropane, ionizn., isotope effect on, 1889

4-Nitroquinoline, methyln. with MeI and Me fluorosulfonate, 951

N-Nitrosamines, rotnl. barriers by nmr, 3028

Nitrosation, of ketones with LiNO₂, 1760; pyrrolidine and proline, kinetics, 1050

Nitro sugars, reacns., 2257

Nitrous acid, prim. photochem. decompn. yield, 1415

Nitrous oxide, consts. for quenching of N₂O⁺ (*A*) fluoresc. by various gases, 426; flash photol., kinetics of reacn. O(¹D) + N₂O, 2165; as source of O(³P₁) for O atom initiated oxidn. of C₂Cl₄ in gas phase, kinetics, 3870; therm. reacn. with C₃O₂, kinetics, 167

Nitroxyl radicals, synth. in piperidine and tetrahydro-pyridine series, 3381

Nmr (general and theory), adiabatic rapid passage tech. for study of motions in solid furan and benzene, 191; calcn. of bond anisotropies by multilinear regression,

C-C, C-H, C=C, and C=O bonds, 2296; conformn. of β -pseudouridine, CNDO calcns., 371; correln. of chem. shifts with calcd. values, substit. induced shifts, 39; coupling consts., long-range in Me derivs. of isothiazole and isoxazole, 833; INDO MO calcns. of coupling consts. from vinyl-H in vinylpyridines to ring-H and to ^{13}C , 136; kinetics of F exch. in $\text{TaF}_5 + (\text{Me})_2\text{O}$ complexes, 1958; MO calcns. of coupling consts., 2403; spin-lattice relaxn. of solid complexes of BCl_3 and BBr_3 with Me_3N and Me_3P and of I_2 and ICl with Me_3N , 1840; substit. induced chem. shifts in benzylic compd., 39

Nmr (^1H), alkenyl-substd. phosphines, phosphinites, and phosphites, 1714; anal. of benzalfluoride and derivs., 481; applicns. of geminal coupling consts. to conformnl. anal. of 1,3-dioxepanes, 4062; $\text{BX}_3 \cdot (\text{CH}_3)_3\text{PS}$ and $\text{BX}_3 \cdot (\text{CH}_3)_3\text{PSe}$, 2016; cationic prod. of photol. of homotropyl cation, 3424; chem. shifts in aromatic derivs., agreement with calcd. values, 39; $[\text{Co}(\text{NH}_3)_3\text{CN}\text{JCl}_2$ and related compds., 477; conformnl. anal. of alkenyl phenyl ketones with shift reagents, 1331; complexes of 4-pyridyl-*t*-butyl and di-*t*-butyl nitroxide rads. with AlCl_3 and BF_3 , struct. of complexes, 2454; complexes of MeF and EtF with TaF_5 and NbF_5 , 4101; conformns. of 2'-deoxythymidine, 3'- and 5'-monophosphates, in aq. soln., 3353; and conformns. nucleosides in soln., 497; conformns. of pyridinealdehydes, 3986; conformns. and rotnl. barriers for xylol and benzal halides, 2414; coupling consts. in aromatic compds., correln. with theory, 2403; coupling consts. in carbohydrates, 4095; detecn. and struct. of a tris-homocyclopropenyl cation, 855, 858; 2,5-dihydrofuran in nematic liq. cryst., molec. motions and struct., 281; N,N' -diimidyl systems, rotn. about N-N bond, 2399; 1,3-dioxepanes, conformnl. anal. and effect of introdn. of sp^2 carbon, 4072; double irradn. spin satn. transfer tech. in carbonium ion rearr., 3320; $\text{Fe}(\text{III})$ - and $\text{Ni}(\text{II})$ -cyclopentadienylperfluoroalkyl complexes, 1781; fulvic acid fract., 4123; glycylsarcosine, *cis*- and *trans*-, MO calcns. of preferred conformn., 2348; α -halophenols, long-range coupling consts., conformns. and H-bonding, 3037; $\text{Hg}(\text{II})$ complexes of cysteine, Me cysteinate, and S-methylcysteine, 616; ^1H - ^1H and ^{13}C - ^1H coupling consts. in substd. styrenes, 3415; $\text{In}(\text{III})$ complexes, 3950; internal rotn. in triply α -substd. diphenyl ethers, substit. effects on free energy barrier, 3297; isothiazole and isoxazole, 833; isoxazole clathrate hydrate, 3193; lanthanide induced shifts, dialkylnitrosamines, 315; long-range proton-proton and proton-fluorine coupling consts. in benzalfluoride and derivs., 481; Meisenheimer complexes, 630; *p*-methylbenzylbromide, 3489; molec. motion in solid *cis*- $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})_2]_2[\text{SO}_4]_3$, 900; *N*-nitrosamine-Eu complex, 315; *N*-nitrosamines, barrier to rotn., 3028; norbornadiene derivs. formed in flash thermol. of Me salicylate in He carrier, 1983; 5-oxabenzocycloheptene, computer anal. and conformnl. anal., 3581; *cis*- and *trans*- $\text{Pd}(\text{NH}_3)_2\text{Cl}_2$, molec. motions, 3378; phosphonates, 66; prods. from photol. $\text{CH}_3\text{COC}_2\text{H}_5$ and $(\text{C}_2\text{H}_5)_2\text{CO}$ in H_2O soln., 2978; proton coupling consts. between Me protons in six-membered rings, 489; proton nuclear relaxn. times of complex molec.,

vindoline, 829; β -pseudouridine conformn. by NOE and CNDO calcns., 371; rotn. barriers in benzal bromide derivs., 849; shift reagent and carbohydrate struct., 1280; stereochem. of allylic alcohols from Mannich bases, 2522; stereochem. of thietanes, use of shift reag., 2283; struct. of nuphar alkaloid thionupharoline, 2705; tautomerism and struct. of 6-methylimidazo[1,2-*b*]pyrazole, 1-acetyl-6-methylimidazo[1,2-*b*]pyrazole, 2-methylpyrazolo[1,5-*a*]benzimidazole, and 2-methyl-9-acetylpyrazolo[1,5-*a*]benzimidazole, 2744; temp. variation of wide line spect. of *n*-alkylammonium halides, 2421; variable temp. of *trans*-*syn*-*trans*-4,5:9,10-bis-cyclohexano-1,3,6,8-tetraoxecane, conformnl. anal., 2566; vinylpyridines, 136

Nmr (^{13}C), aromatic sulfides, sulfoxides and sulfones, 3895; carbohydrates, signal assign. using D-isotope effect, 458; carbon shieldings in anisoles and diphenyl ethers, 767; C-H coupling consts. for C_3H_8 , 3247; $[(h^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{L}]^+\text{X}^-$ complexes with various L and X, 782; chlorodeoxy sugars, 3394; *cis*- $\text{CH}_3\text{Pt}(\text{II})$ complexes, ^{13}C - ^{195}Pt coupling consts., 570; ^{13}C - ^{195}Pt coupling consts., 1165; ^{13}C shieldings of *trans*-decalols and 10-methyl-*trans*-decalols, 870; $\text{Cu}(\text{II})$ -nucleoside and -nucleotide complexes, 924; detecn. and struct. of a trishomocyclopropenyl cation, 855, 858; 1,4-dibromo-benzene in nematic liq. cryst., detn. molec. geom., 3565; *cis*-dimethylplatinum(II) derivs., 1165; D-isotope effect in carbohydrates, 458; diphenylmethanes, conforml. preferences, 3196; di- and triMe derivs. of Pt(IV), ^{13}C - ^{195}Pt coupling consts., 1973; effect of lanthanide ions on spect. of a phosphonomannan, 3070; fulvic acid fract., 4123; methylquinolizidines, correln. chem. shifts, 3778; some eremophilane derivs., 933; geom. of 1,4-dichlorobenzene in nematic phase, 151; $\text{Hg}(\text{II})$ complexes of cysteine, Me cysteinate, and S-methyl cysteine, 616; mitomycin C and streptonigrin, 2331; organotin compds., prediction and detn. of chem. shifts, 2968; oxatetracyclo[3.2.1.1. 3,8 0 2,4]non-6-enes, 1013; 1,4-oxathiane derivs., 2041; phosphonomannan struct. by use of lanthanide ions, 3070; polynuclear carcinogenic hydrocarbons, 2493; shieldings of substd. monocyc. ketones, 308; spin-lattice relaxn., D-isotope effect, polynuclear hydrocarbons, 2493; study of solvn. of cations by alcohols, 744

Nmr (other nuclei), ^{10}B of $\text{Me}_3\text{N}-\text{BX}_3$ addns., mechm. of X exch., 2866; ^{19}F , chem. shift of F^- , solvent and counter ion effects, 1721; ^{19}F , $(\text{C}_6\text{H}_4\text{FX})_2\text{Cr}$ complexes with X = H, F, Cl, CH_3 , and CF_3 , 2439; ^{19}F , ClO_3^- and ClF_5^- , nuclear relaxn. phenomena, 3676; ^{19}F , complexes of MeF and EtF with TaF_5 and NbF_5 , 4101; ^{19}F , complex fluorooanions of VF_5 , 2236; ^{19}F of $\text{Fe}(\text{III})$ - and $\text{Ni}(\text{II})$ -cyclopentadienylperfluoroalkyl complexes, 1781; ^{19}F , $\text{In}(\text{III})$ complexes, ligand exch. kinetics, 3944; ^{19}F , long-range proton-proton and proton-fluorine coupling consts. in benzal fluoride and derivs., 481; ^{19}F , of substd. fluorotitanates(IV), 667; ^2H , quant. assessment of labelled centres, 4143; ^{31}P , alkenyl-substd. phosphines, phosphinites, and phosphites, 1714; ^{31}P , phosphonates, 66

Nqr, ^{59}Co of Co complexes, 3695; Cl, 1-substd. 2-chloro-polyfluorocycloalkenes, 3484

Noble gases, diffn. of binary mixts. through porous graphite, detn. diffn. coeffs., 2692

Normal coordinates, anal. for $(\text{GeF}_2)_2$, 95

Nqr (Nqr follows Nmr)

Nucleosides, conformn. in soln. by proton nmr, 497

Nucleotide synthesis, triester method, lactose-operator fragments, 3689

Nuphar alkaloids, redn. of hemiacetals, struct. of thionupharoline from nmr, 2705

Ochotensimine, biosynth., 2818

Octahydrophenanthrenes, from cyclodehydrn. reacns., 1123

Oleanolic acid saponin, lemmatoxin, struct., 702

Olefins, CNDO/2 MO calcns. of potl. surfaces for reacn. $\text{O} + \text{C}_2\text{H}_4$, 287; homog. hydrogn. catd. by Ru(I) complexes, kinetics and mechm., 3760; homog. hydrogn., RhH(DBP), as cat., 775

1-Olefins, isomerizn. catd. by Pd(II) complexes, mechm., 2857

Olivine, reln. to cryst. struct. $\text{Co}_{6.95}\text{As}_{3.62}\text{O}_{16}$, 46

Organocuprate reagents, 1,4-addn. to pyridine, 3563

Ormocastrine, relationship with podopetaline, 1907

Ormosine alkaloids, correcn. of struct. of ormosastrine, 1907

5-Oxabenzocycloheptene, conformnl. anal. by ^1H nmr, 3581

1-Oxacephem ring system, synth., 3996

Δ^2 -1,3,4-Oxadiazolines, 2-alkylidenehydrazono-, thermol., 3671

1,4-Oxathianes, ^{13}C nmr, 2041

Oxazolidinones, synth. from *N*-aryl- α -ureidoacetals, 2725

Oxazolidin-2-ones, synth. by thermol. of azidoformates, 4083

Oxidation, acetals by O_3 , importance of tetrahedral intermed., 3651; C_2Cl_4 in gas phase initiated by Cl atoms, inhibn. by O_3 , kinetics, 3852; C_2Cl_4 in gas phase initiated by $\text{Hg}(\text{P}_1)$, kinetics, 3863; C_2Cl_4 in gas phase initiated by $\text{O}(\text{P}_1)$ from Hg-sensitized decompn. N_2O , kinetics, 3870; CO by $\text{K}_2\text{O}-\text{V}_2\text{O}_5$ melts, mechm., 2068; cyc. alcs. by chromic esters, kinetics, 2475; cyclohexene by $(\text{NH}_4)_2\text{Ce}(\text{NO}_3)_6$, mechm., 3201; $\text{Fe}(\text{CN})_6^{4-}$ by IO_3^- , kinetics, 2001; lumazines by aq. MnO_4^{2-} , prod. anal., 3879; lumazines by aq. MnO_4^{2-} , acid and base cat., mechm., 3884; mono- and 1,1-disubstd. ethylenes by $\text{Ti}(\text{III})$, kinetics and mechm., 3209; peracetic acid, of humic and fulvic acids, 1072; styrene in MeOH soln. catd. by $\text{Ti}(\text{OAc})_3$, kinetics and mechm., 2667; therm., aq. solns. alcohols and ketones at high $[\text{O}_2]$, kinetics and mechm., 1925

Oximes, 2,3-di-, of substd. acetoacetamides, prepn. and chelating props., 661

Oxirane(s), regioselective opening by halides of steroidal α, β -epoxyketones, mechm., 2941; therm. isomerizn. of 2,3-diisopropenylxirane in gas phase, kinetics and mechm., 2098

Oxirane opening, *trans*-diequatorial of steroidal α, β -epoxyketones by halide ion, 2941

Oxotriruthenium acetate, homog. cat. for oxidative H-transfer from 1-alkene-3-ols to yield ketones, 3825

Oxygen, adsorpn. on Pt filament, kinetics and mechm., 3507; atm., uv absorpn. and O_3 formn., 1505; distribn. and reacns. of at. and molec. species in stratosphere, review, 1582; formn. $\text{O}_2(b^1\Sigma_g^+)$ in vibrnly. excited states from $\text{O}(\text{D}) + \text{O}_2(\tilde{\chi}^3\Sigma_g^-)$, kinetics, reactivity of $\text{O}_2(b^1\Sigma_g^+)$ with O_2 and O_3 , 4007; gas-solid exch. with CuMoO_4 using ^{18}O tracer, kinetics, 3847; hydrogenol., catd. by "RuCl₃-3H₂O", 348; ($^1\Delta_g$), quenching by amines in soln., kinetics and mechm., 2889; quenching of $\text{O}_2(b^1\Sigma_g^+)$ to ($^1\Delta_g$) by alkanes, kinetics, 240; quenching of $\text{O}_2(b^1\Sigma_g^+)$ by transn. metal chelates in soln., kinetics, 3728; ($^1\Delta_g$), reacn. with dienes in gas phase, kinetics and mechm., 3544; reacn. of $\text{O}_2(b^1\Sigma_g^+)$ with O_3 , 257; review of prim. photodecompn. mechms., 1424; review of rates of chem. reacns. in stratosphere involving free rads. containing O, 1381; trajectory calcn. of dissoci. kinetics, 1988

19-Oxxygenated 14-dehydrosteroids, synth. from bulk steroids such as pregnenolone acetate, 4139

Oxygen atom, CNDO/2 MO calcns. of potl. surfaces for reacn. $\text{O} + \text{C}_2\text{H}_4$, 287; deactivn. of $\text{O}(\text{D})$ by N_2 and O_2 , formn. of $\text{O}_2(b^1\Sigma_g^+)$, 257; formn. $\text{O}_2(b^1\Sigma_g^+)$ in vibrnly. excited states from $\text{O}(\text{D}) + \text{O}_2(\tilde{\chi}^3\Sigma_g^-)$, kinetics, 4007; formn. of $\text{O}(\text{D})$ in flash photol. N_2O , kinetics, 2165; reacn. with chloroethylenes, mechm. of formn. of vibrnly. excited CO and HCl, 2608; reacn. with halomethanes, formn. of $\text{CO}\dagger$ and $\text{HCl}\dagger$ detected by ir chemiluminesc., 271; reacns. with atm. compds. and other simple molec., review of kinetics, 1397; reacns. of $\text{O}(\text{D})$ with stratospheric gases, a review of kinetic data, 1452; trajectory calcn. of recomb. kinetics, 1988

Oxygen compounds, review of kinetics of reacns. occurring in atm., 1397

Oxygen-hydrogen compounds, reacn. of species H_2O_y ($x, y = 0, 1, 2$) with stratospheric compds., review of kinetics, 1405

1-Oxyl-4-carboxy-2,2,6,6-tetramethylpiperidine, synth., 3381

1-Oxyl-4-carboxy-2,2,6,6-tetramethyl-1,2,5,6-tetrahydro-pyridine, synth., 3381

Ozone, atm., influence of supersonic transport exhausts from photochem.-convecn. modeling calcns., 1592; atm., influence on world climate from modeling theories, 1616; calcns. of distribn. in stratosphere using one-dimensional photochem.-diffn. model, 1569; circuln. and photochem. in earth's atm., climatic influence, 1491; effect of reacns. of Cl compds. with constituents of atm. on $[\text{O}_3]$ distribn. in stratosphere, 1610; effect of transport and photochem. reacns. on atm. distribn., computer simuln., 1599; flash photol., kinetics and mechm., 257; formn. in atm., 1505; photochem. source of $\text{O}(\text{D})$ for study of kinetics of reacn. $\text{O}(\text{D}) + \text{O}_2(\tilde{\chi}^3\Sigma_g^-)$, reactivity of $\text{O}_2(b^1\Sigma_g^+)$ with O_2 and O_3 , 4007; review of prim. photodecompn. mechms., 1424

Ozonide ion, electronic spect. in NH_3 soln., 3941

Ozonolysis, acetals, importance of tetrahedral intermed. in mechm., 3651; C_2Cl_4 in gas phase, kinetics, 3852

Palladium, surface area effects on sorption of H_2 , 1200

Palladium(II), cat. of isomerizn. of 1-olefins by complexes of, mechm., 2857; complexes with dithiomalonamide and N, N' -diphenylthiomalonamide, prepn., struct., and spect. props., 3454; molec. motions in *cis*- and *trans*-Pd(NH_3)₂ Cl_2 from nmr, 3378; redn. PdCl_2 by NaBH_4 and NaBH_3CN in presence of tertiary phosphines, mechm. and props. of prods., 2990; uv spect. of solns. of $\text{Pd}_2\text{Cl}_6^{2-}$ and $\text{Pd}_2\text{Br}_6^{2-}$, 174

Palladium(II) acetate, equil. in aq. HOAc, kinetics of reacns. with LiOAc and NaOAc, 1241

Paraperiodates, of alkali metals, $MSnIO_6$ with $M = NH_4, Na, K, Rb, Cs$, therm. anal., elec. conduct., ir, 3187

Partition, $C_6H_5NO_2$ between C_6H_6 and H_2O , detn. $K_{dimeriz}$ of $C_6H_5NO_2$ in C_6H_6 , critique of method, 3918

Partition functions, evaluation for various isotopes of MeX , use in calcn. kinetic and equil. isotope effects, 3078

PCIL0, perturbative config. interacn. using localized orbitals, applicn. to charge distribn. in unsatd. hydrocarbons, 2766; perturbative config. interacn. using localized orbitals, applicn. to molec. geom. of unsatd. hydrocarbons, 2760

Penicillin, synth. of S-free derivs., 3996

Pentadienes, cations, by protonation of $Fe(CO)_3$ complex, rear., 2085

Pentafluorophenyl halides, detn. $D[C_6F_5-X]$ from appearance potls., $X = F, Cl, Br, I$, 4109

Pentalenohexalene, MO calcns. in Hückel and SCF approxns., 155

1-Pentanol, V^E_{mix} for mixts. with methylcyclohexane, 788

2-Pentanone, quenching of type II photodecompn. in C_6H_{12} soln. by metal chelates, kinetics, 688

3-Pentanone, photochem. decompn. in H_2O , esr and CIDNP nmr, 2978

t-Pentyl radical, dispropn./combn. ratio with Me, 34

Peptides, solid phase synth., transesterificn. and use of thallous alkoxide, 2832

Peracetic acid, for oxidn. of humic and fulvic acids, 1072

Peroxides, non-radical mechms. in therm. decompn. in soln., 4090

Peroxy radicals, *sec*-, mechm. of mutual termn. at low temp. from prods. and kinetics, 1377

Perthiyl radicals, from photol. of thiols, esr, 102

Phase diagrams, $InCl_3 + NaCl + H_2O$, $InCl_3 + CaCl_2 + H_2O$, $InCl_3 +$ dioxane + H_2O , 3459; systems sodium benzoate + H_2O , potassium benzoate + H_2O , 3281

Phenalen-1-one, polymethyl-2,3-dihydro-, redn. by hydrides, 3106

Phenanthridinium cations, pseudobase formn. by, 981

Phenanthrenes, synth. of specifically deuterated, 3577

1,10-Phenanthroline dications, pseudobase formn. by, kinetics, 975

Phenol- d_5 , synth., 2169

Phenols, σ -halo-, conformns. and H-bonding from nmr, 3037; polymethyl subst., protonation, mechm. and prod. isomers, 3303, 3313; reacn. with *t*-BuO₂ and *t*- $C_5H_11O_2$ rads., kinetics and mechm., 3682; synth. of polysubst., 143

Phenoxachalcogenines, charge-transfer complexes with tetracyanoethylene and choranol, detn. stabil. consts., 3814

3-Phenylalanines, ring-methoxylated, synth., 390

1-Phenyl-2-benzimidazolinone, and -ethione, mass spect. fragmentn. and pyrrol. mechms., 2359

2-Phenylethyl-1-¹⁴C triflate, mechm. of acetol. from tracer study of prods., 3955

1,2-Phenyl shifts, in solvol. of triphenyl-2-¹⁴C triflate, 2679

1-Phenyl-4-thienyl-1,3-butadiene, and related compds., photocyclizn., 132

Pheromone, boll weevil, synth. of the component grandisol, 1352

Phosphate, triethyl-, hydrolyz. kinetics and mechm., 1066

Phosphazene, cryst. struct. of 1:1 adduct of hexamethylcyclotriphosphazene and I_2 , 2197; cryst. struct. of $[N_3P_3(NMe_2)_6H_2]CoCl_4$, 734

Phosphinotriazoles, synth., 3981

Phosphine(s), alkenyl-subst. phosphines, phosphinites, and phosphites, 1H and ^{31}P nmr, 1714; tertiary, complexes with Pt(II), 692

Phosphinotriazoles, synth., 3981

Phosphonitrilic chlorofluorides, fluorination of $N_5P_5Cl_{10}$ by KSO_2F , characterizn. of $N_5P_5Cl_{10-x}F_x$ ($x = 1-9$), 2546

Phosphonomannan, struct. by nmr, ^{13}C and lanthanide ion effects, 3070

Phosphorescence, delayed, diphenylamine and carbazole in ether matrices, 3707; from gaseous SO_2 , mechm. for effect of press. and λ_{excit} , 2389; of indole-type molec. in polar matrices at 77 K, spect. and decay kinetics, 407

Phosphorus, phase diagrams of system with Se and with Se/S from DTA, thermochem. of allotropic transforrmns. of P_4Se_3 , 2190

Phosphorus trihalide(s), reacn. with $TiCl_4$, $TiBr_4$, $ZrCl_4$, vibrnl. spect. of prod. anions, 2880

Photobromination, (+)-1-cyano-2-methylbutane, mechm. from stereochem. of prods., 2242

Photochemistry, *N*-bromo- α,β -unsatd. lactams, 645; glycosyl azides, 183; isomerizn. of azobenzene in soln., mechm., 1848; isomerizn. of azobenzene in soln., mechm. of cat. by I_2 , 1868; mechm. for photoexcited luminesc. in SO_2 , 2389; MeCO-*n*-Pr in C_6H_{12} soln., quenching of type II decompn. by metal chelates, kinetics, 688; oxides and oxyacids of N, prim. photochem. decompn. yields, new data for HNO_3 and HNO_2 , and lit. review, 1415; photosensitive protecting grp. for aldehydes and ketones, 187; $PtCl_4^{2-}$ aq., yield of e_{aq}^- , correln. with spect. data, 174; reacn. of electronically excited states of SO_2 with olefins, kinetics, 3451; review of photochem. of molec. in stratosphere, 1569; review of prim. photodecompn. mechms. for molec. of atm. interest (O_2 , O_3 , H_2O , H_2O_2 , CO_2 , SO_2 , SO_3), 1424; ring expn. in α -cyanocycloalkanones, 2249

Photocyclization, 1-phenyl-4-thienyl-1,3-butadiene and related compds., 132

Photocycloaddition, 2- and 3-benzoylthiophene and *p*-CN and *p*-MeO derivs. to *i*- C_4H_8 , mechm., 1681

Photoelectron spectroscopy, tetrathiofulvalene, comparison of exptl. and calcd. energy levels, 3373

Photoelectron spectrum, I-subst. hydrocarbons, assigns. and MO calcns., 1217

Photoionization, C_2H_5Cl in vac. uv, mechm., 3098

Photolysis, 2-adamantyl azidoformate, 1062; aq. H_2O_2 , characterizn. of OH and HO_2 spin addts. by esr, 3549; aq. H_2O_2 in presence of $R_3NCH_2CH(OH)R$, mechm. of prod. formn., 3589; (*t*-BuO)₂ in CCl_4 soln., mechm. and implications for gas phase mechm., 2491; Cd^+ , Zn^+ , Co^+ , and Ni^+ in aq. soln., prodn. of e_{aq}^- by double flash photol. tech., 343; C_2H_5Cl in vac. uv, mechm., 3098; $2-C_4H_8$ liq., cat. of isomerizn. by thiols,

mechm., 2337; $[\text{Cr}(\text{NH}_3)_5\text{Cl}]^{2+}$ and $[\text{Cr}(\text{RNH}_2)_5\text{Cl}]^{2+}$, quantum yields for Cl^- formn., 3384; flash of N_2O , use in detn. kinetics of $\text{O}^{(1)\text{D}} + \text{N}_2\text{O}$, 2165; flash of O_3 , kinetics and mechm., 257; homotropylum cation in H_2SO_4 solns., identifcn. of prod. ion by nmr, 3424; 2-Me-2-butene in vac. uv, mechm., 34; subst. 1-pyrazolines in soln., kinetics of decompn., 4040; thiethane vap., cycloaddn. to cyclopentadiene, mechm., 3518; thiols in glassy matrices, esr of intermeds., 102

Photon activation analysis, detn. of Cd in biol. materials, 3008

Photosensitive protecting group for aldehydes and ketones, *o*-nitrophenylethylene ketals, 187

Photosensitization, isomerizn. of azobenzene in soln. by dyes, mechm., 1858

Phototropy, prods from reacn. of aril monoazines with bases, 3343

Picramide, and *N*-methylpicramides, complexes with SO_3^{2-} , 25

Picryl chloride, reacn. with OCH_3^- , σ -complex formn., kinetics, 18

Piperazine-2,5-dione, 3-benzyl-6-hydroxymethyl-1,4-dimethyl-3,6-di(methylthio)-, isoln. from a *Hyalodendron* sp., 325

Platinum, adsorpn. of O_2 on filament, kinetics and mechm., 3507

Platinum(II), cryst. struct. of $\text{PtCl}(\text{PEt}_3)_2(1,10\text{-phenanthroline})\text{BF}_4^-$, 1367; *cis*-dimethyl-, derivs., ^{13}C and ^1H nmr, 1165; interacn. of $[\text{Pt}(\text{dien})\text{Br}]\text{Br}$ with inosine, kinetics and mechm., 2603; *cis*-methyl-, *o*-phenylene-bis(dimethylarsine) derivs., ^{13}C nmr, 570; redn. PtCl_2 by NaBH_4 and NaBH_3CN in presence of tertiary phosphines, mechm. and props. of prods., 2990; stereospecific synth. of phosphine complexes, 692; uv spect. of solns. of PtCl_4^{2-} and PtBr_4^{2-} , correln. with photochem., 174

Platinum(IV), ^{13}C nmr of di- and triMe derivs., ^{13}C - ^{195}Pt coupling consts., 1973; halide exch. reacns., kinetics and mechm., 3083

Platinum-group metals, cat. of $\text{H}_2\text{-HDO}$ exch. by grp. VIII metals, 2960

Podopetaline, relationship with ormoastrine, 1907

Polarization, anomalous, in reson. Raman spect. of Cu-tetrapyridinoporphyrazine, 2851

Polarography, diazotized amines in sulfolane, 2430; redn. of pyrazines to dihydropyrazines, 3971

Polycyclic aromatic hydrocarbons, vp by Knudsen cell - mass. spect. tech., ΔH_{subl} , 557

Polylysine, sequential glycinecopolymers, synth., 3140

Polymerization, subst. styrenes initd. by electrochem. generated cations, kinetics, 1643

Polymers, molec. wt. distribn. in condensn. polymerizn., computer simuln. to compare theoret. predictions, 3285; theory of molec. wt. distribn., 1188, 1190

Polypeptides, sequential lysine-glycine copolymers, synth., 3140

Polypivalolactone, and other polyesters, disc. of conformns. of min. energy based on obsd. and calc'd. X-ray diffrn. intensities, 3742

Polyporic acid, and derivs., mass spect., 4117

Polysaccharides, *Klebsiella* K72, capsular, struct., 684

Polystyrene, glass transn. temp. by differential scanning calorimetry, effect of polydispersity in molec. wt., 3170

Porous media, exptl. detn. of mechm. for diffn. of gases through, 2684

Potassium benzoate, phase diagram of system with H_2O , 3281

Potassium chromate, anisotropic conduct. and phase transforms. in cryst., 2436

Potassium ozonide, prepn., electronic spect. of O_3^- in NH_3 soln., 3941

Potential function, 14-12-8-6 fn. for Ar, comparison with exptl. virial coeffs., 2444

Pressure, effect on ligand substn. reacns. of vitamin B₁₂, 910; effect on solv. of CaCO_3 , CaF_2 , and SrSO_4 in H_2O , possible hydrate formn., 3181; high $[\text{O}_2]$ initn. of low temp. oxidn. of alcohols and ketones, kinetics and mechm., 1925

Prodines, bridged, struct.-activity relationship, 2316

Proline, nitrosation kinetics, 1050

Propane, C-H coupling consts. from ^{13}C nmr, 3247; ion-molec. reacns. with CH_3^+ , kinetics, 1798

1-Propanol, V^E_{mix} for mixts. with methylcyclohexane, 788

Propionic acid, esters, reacn. with tertiary alkylamines, 3569; Et ester, reacn. with furans, 143, 1013

Propylene carbonate, aq. solns., thermo. props., 718

Protecting group, photosensitive, for aldehydes and ketones, 187

Proton magnetic resonance (see Nmr)

Pseudobase(s), from 1-methyl-3-nitroquinolinium cation, kinetics and mechm., 303; from 1,10-phenanthroline dication, 975; from quinolinium and isoquinolinium cations, 962; from tricyc. heteroaromatic cations, 981

β -Pseudouridine conformn. by NOE and CNDO calcns., 371

Pteridine(s), oxidn. of deriv. by MnO_4^{2-} , prod. anal., 3879

Pyrazine(s), polarog. electrochem. redn., 3971

Pyrazoles, phosphine derivs., synth., 3981

Pyrazoline(s), synth. and thermol., 2798

1-Pyrazoline(s), *cis*- and *trans*-3,5-divinyl- and 3-vinyl- and unsubst. compd., kinetics and mechm. of thermol. in soln., 3134; 4-m- α -methylene-3,3-dimethyl-4-methylene-, and 4-isopropylidene-, kinetics and mechm. of thermol., sec. D-isotope effects, 4025; subst., quantum yields for photochem. decompn. in soln., thermol. kinetics, 4040; 3,3,5,5-tetramethyl-4-methylene-, kinetics and mechm. of therm. decompn., 4033

Δ^1 -Pyrazolines, derived from norbornadiene, prepn., 66

Pyrenes, synth. of substn., 3054

Pyridine, complexes with Zn(II), Cu(II), and Ni(II) fluorosulfates, prepn., spect. and phys. props., 3218; kinetics and mechm. of cat. of bromination of aromatics, 2552

Pyridinealdehyde(s), conformns. from nmr, 3986

Pyridinium bromide, adds. with Br_2 , compn. of several from calorimetry, 2560

Pyrimidine nucleosides, Cu(II) complexes, ^{13}C nmr, 924

2-Pyrimidinone, bromination, kinetics and mechm., 451

Pyrolysis (see also Thermal decomposition, Thermolysis), *N*-benzyl-*N*-methylaniline, 293; *n*- C_4H_{10} in flow and static conditions, kinetics and mechm., 2579; C_3O_2 alone and in presence N_2O or NO, kinetics, 167; cyclo- C_3H_6 in "wall-less" reactor, identifcn. of heterog. component of mechm., 216; gas phase kinetics for $\text{CF}_3\text{CH}_2\text{SiF}_x(\text{CH}_3)_{5-x}$ with $0 \leq x \leq 3$, 3158; Hofmann elimn. in quaternary ammonium salts, mass

spect. examn. of prods., 365; H_2O_2 in gas phase, kinetics and mechm., 794; neo- C_5H_{12} with H_2 , kinetics, 3665; 1-phenyl-2-benzimidazolinone and -ethione, comparison of mechm. with mass spect. fragment. pattern, 2359; "wall-less" reactor for study of homog. reacns. in gas phase, 216

2-Pyrone, 6-pentanoyl-4-methoxy-5,6-dihydro-, from an unidentified fungus, 825

Pyrophosphates, of M^{4+} , cryst. parameters, 2175

Pyrrolidine, nitrosation kinetics, 1050

Quadrupole coupling constants, in alkali halides from MO calcns., 2143

Quantum mechanics, calcn. elec. dipole polarizability of H_2^+ , 3463; development of electron pair concept, applicn. to charge distribn. in first grp. hydrides, 1310, 3077; elec. field grads. in alkali halides, 2143; use of polarizn. fns. in LCAO-MO-SCF *ab initio* calcns., 2778; virial partitioning of charge distribn., applicn. to diat. hydrides, 2268

Quaternary ammonium salts, therm. Hofmann elimin., mechm., influence of substs. and molec. geom., 365

Quaternary nitrogen cations, pseudobase formn. by, 981

Quenching, mechm. for $O_2(^1\Sigma_g^+)$ to ($^1\Delta_g$) by alkanes, 240

Quinazolinones, synth. from *N*-aryl- α -ureidoacetals, 2725

Quinoline, 1,2,3,4-tetrahydro-, displacement of 4-aryl-amino grp., mechm., 834

Quinolinium cation, and isoquinolinium cation, pseudobase formn. by, 962

Quinolizidine(s), and *trans*-decalins, correlns. of ^{13}C nmr chem. shifts, 3778; struct. from nmr, 2705

Quinovosamine, synth. of Me ethers, 2425

Racemization, sulfonium ylids, kinetics and mechm., 2953

Radical-radical combination reaction, kinetics for *t*-butylsulfinyl rad., 555

Radicals, synth. of nitroxyls in piperidine and tetrahydro-pyridine series, 3381

Radiochemistry, neutron irradn. of $Fe(C_5H_6)(CO)_2$, mechm., 894

Radiolysis, adamantane and derivs., esr, 1206; C_2H_6 and C_2H_4 in presence of SF_6 , formn. of $\cdot SF_5$, 3631; $n-C_4H_{10}$ in flow and static conditions, kinetics and mechm., 2579; C_2H_6 at high press., mechm. of ionic reacns., 221; $2-C_4H_8$ liq., cat. of isomerizn. by thiols mechm., 2337; cyclo- C_6H_{12} liq. containing (*n*-PrS)₂ mechm., 1253; free ion yield in liq. aromatic hydrocarbons, 3495; free ion yield in solid neopentane, 3556; ion yields, electron ranges and mobilities in liq. hydrocarbons and Xe, 440; isotope effects in atom yields from HCl and DCl, 359; liq. alcs., spin trapping and identifcn. by esr of rads. formed, 3645; neo- C_5H_{12} in liq. and gas, kinetics and mechm., 2341; (*n*-Pr)₂O liq., mechm., 1181; pulse, alkali metal cations in tetrahydrofuran, formn. and decay kinetics of e^- solv., 3259; pulse, CCl_4 in aq. solns., kinetics of dimerizn. of CCl_3 , 1135; pulse, liq. amines and NH_3 , yields of e^- solv., 3269; solid CH_3CN , identifcn. of rads. produced from esr and decay studies, 2171, 2840

Radiotracer studies, $^{160}Tb(III)$ exch. in complexes, 1086

Raman spectrum (see also Ir spectrum, Vibrational spectrum), *S*-(arenediazo)cysteine, *S*-(arenediazo)tri-

phenylmethyl mercaptan and *S*-(arenediazo)phenylsulfone, 1914; arylazo complexes of Mo and W, vibrnl. anal., 2634; CF_3NO , vibrnl. anal., 3149; diMe ether - HCl (and DCl) complex in gas phase, equil. const., 674; electronic, rare earth garnets, 3445; $GaX_3 \cdot H_2O$ ($X = Cl, Br$), vibrnl. anal. and normal coord. calcns., 3274; halogeno- and pseudohalogeno-(dimethyl)germanes, 2622; $In(III)$ complexes, 3950; liq. and cryst. $MeOCOOMe$, detn. conformns., 1994; $MeO.CO.CH_2CN$ and $CD_3O.CO.CH_2CN$ liq., vibrnl. assigns., 3057; $Mn(CO)_6^+PF_6^-$, 213; resonance of Cu-tetrapyrindinoporphyrinazine, anomalous polarizn. in, 2851; solid GeH_4 and D-derivs., 327; struct. of $(GeF_2)_2$ in N_2 and Ar matrix, 95; $Ti_2Cl_9^-$, $Ti_2Br_9^-$ and $Zr_2Cl_9^-$ ions, 2880; $Ti(IV)$ salts, 231; $Zn(Py)_2Cl_2$ and $Zn(Py)_2Br_2$ crysts., interacn. of lattice and skeletal modes, 2005

Rare earth garnets, mag. susceptibilities from electronic Raman spectr., 3445

Rare earths, exch. of $Tb(III)$ in complexes, mechm., 1086

Rearrangement, pentadiene cations in $Fe(CO)_3$ complex, 2085; silyl groups from C to N, 3474; and solvol. of azoesters, by CF_3COOH in CCl_4 , 1114

Redox potentials, diazo compds. in sulfolane, 2430

Reduction, 1-alkyl-1-(3,4,5-trimethoxyphenyl)carbinols by Na in alcs., 2136; stereospecificity, of α -thiohemiaminal, 2714

Reductive cyclization, cyc. hydroxamic acid formn., 3432

Resorcinol homologues, synth. from 1-alkyl-1-(3,4,5-trimethoxyphenyl)carbinols, 2136

Rhamnoses, synth. of glucosyl- and galactosyl-, 3913

Rhenium(III), β -diketone complexes, prepn. and cryst. struct. of $ReCl_2(C_5H_7O_2)[P(C_6H_5)_3]_2$, 1704

Rhodium, synth. of complexes bonded to polymers, cat. of D_2 + protic solvent exch., 3000

Rhodium(I), chlorotris(triphenylphosphine)-, homog. cat. of $D_2-C_2H_5OH$ exch., 2216, 2226; hydrido-, dibenzo-phosphole as cat. for hydrogn., 775; phosphine complexes as cats. for homog. hydrogn. of olefins, 3758

Rhodium(III), prepn. linear tetraamine complexes, struct. from spect. data, 3469

Rotational barriers, benzal iodide, xylyl halides, from nmr, 2414

Ruthenium, $Ru_3O(Ac)_7$ as homog. cat. for oxidative H-transfer from 1-alkene-3-ols to yield ketones, 3825; synth. of complexes bonded to polymers, cat. of D_2 + protic solvent exch., 3000

Ruthenium(I), homog. cat. of hydrogn. of unsatd. carboxylic acids, kinetics and mechm., 3760

Ruthenium chlorides, in heterol. activn. of H_2 , 348

Ryanodine, approaches to synth., 640

Saponins, isoln. from *Phytolacca dodecandra*, struct., 702

Schiff-base-zinc complexes, redn. with borohydride, 1054

Schmidt reaction of [$^3H, ^{14}C$]acetate, 2818

S_N2 displacement at tertiary carbon, 3561

1,2,5-Selenadiazole, electronic spect. and vibrnl. anal., 100

Selenenyl chloride, 4-toluene-, reacn. with ethylene, episeleurenurane prepn., 1027

Selenium, addn. of arylselenium trichlorides and areneselenenyl chlorides to olefins, 3599; isoln. of an episeleurenurane, 1027; phase diagrams of system P(red) +

P_4Se_3 and of $P + S + Se$ from DTA, thermochem. of allotropic transformns. of P_4Se_3 , 2190

Shock tube, reacn. of NH_3 with H atoms, 1171

Sideritol, isoln. from *Sideritis angustifolia* and detn. struct., 2792

Sieves, molec., sorption and diffn. of n - C_7H_{16} in 5A, 2717

Sigma complexes, kinetics of reacn. of CN^- with 1,3,5-trinitrobenzene and related compds., 1, 8; kinetics of reacn. of OCH_3^- with picryl chloride, 18; SO_3^- with picramide and derivs., kinetics and equil. consts., 25; 1,3,5-trinitrobenzene with aromatic amines, 630; from 2,4,6-trinitrotoluene and isopropoxide ion, mechm., 1750

Silane(s), β -trifluoroethyl-, gas phase pyrol. kinetics for $CF_3CH_2SiF_x(CH_3)_{3-x}$ with $0 \leq x \leq 3$, 3158

Silicon, arylsilyl addns. of *t*-Bu nitronate, esr and kinetics of add. rad. decompn., 2901

Silver chromate, therm. behavior and elec. conduct. of solid and of solid solns. with Tl_2CrO_4 , 712

Silyldiazoalkanes, cycloaddn. with alkenes, 3474

Silylpyrazolines, and their rearr., 3474

Sodium acetate, kinetics of reacn. with $Pd(OAc)_2$, 1241

Sodium benzoate, phase diagram of system with H_2O , 3281

Sodium chloride, phase diagram of system $InCl_3 + NaCl + H_2O$, 3459

Solid phase synthesis of peptides, use of thallous alkoxide in transesterifcn., 2832

Solubility, $CaCO_3$, CaF_2 , and $SrSO_4$ in H_2O , effect of high press., possible hydrate formn., 3181; H_2O in org. solvents, stat. mech. model, 1668; sodium benzoate and potassium benzoate in H_2O , 3281

Solvation, effect on conformns. of pyridinealdehydes, 3986; Mg(II) and Al(III) by alcohols, ^{13}C nmr, 744

Solvent effects, effect of polarity on kinetics of reacns. of carbenes formed in therm. decompn. of 3-chloro- and of 3-bromo-3-ethyliazirine, 246; on stability of metal complexes, 1821

Solvolysis, acetol. of 2-PhEt-1- ^{14}C triflate, mechm. from tracer study of prods., 3955; acetol. of 2,4,7-trinitro-9-fluorenyl-*p*-toluenesulfonate catd. by aromatic hydrocarbons, kinetics and mechm., correln. with MO calcns., 3748; model calcns. of kinetic isotope effect in, 903; and rearr. of azoesters, by CF_3COOH in CCl_4 , 1114; reln. of obsd. kinetic isotope effect to rate consts. of mechm., theory, 1937; substd. benzyl nitrates, kinetics in H_2O , 2485; triphenyl-2- ^{14}C triflate, mechm., 2679

Songorine, synth. of hexacyc. relay, 2353

Sorption, n - C_7H_{16} in 5A zeolite, 2717

Sound, velocity, tech. for detn. in molten salts, 400

Spectrofluorimetry, laser excitn. to detn. chlorophyll concn. from fluoresc., 3723

Spin-lattice relaxation, deuteron, in *p*-azoxyanisole-(CD_3)₂, 2294; in solid *cis*-[$Co(NH_3)_4(H_2O)_2$]₂[SO_4]₃, by nmr, 900

Spin trapping, rads. formed in γ -radiol. of alcs., 3645

Stability constants, Ni(II), Zn(II), Mn(II) complexes with amines, solvent effects, 1821

Starfish, *Asterias forbesi* saponins, synth. of major aglycone, 4113

Statistical mechanics, expln. of solv. of H_2O in org. solvents, 1668; monotonicity of *S* production in chem. reacting systems, 2618

Steroids, cleavage of C2-C3 bond in 3-keto-5 β -steroids, 810; mass spect. of deuterated cyclopropano derivs., 517; from starfish, synth. of 3 β ,6 α ,dihydroxy-5 α -pregn-9(11)-en-20-one, 4113

Sterols, antheridiol biosynth., 462

Stratosphere, moisture content, varin. with height and time, 1527

Streptonigrin, ^{13}C nmr, 2331

Strontrium hexaferrite, formn. in system $Fe_2O_3 + Na_2CO_3 + SrSO_4$, amended X-ray diffrrn. indices for $SrFe_{12}O_{19}$, 3235

Strontium sulfate, formn. $SrFe_{12}O_{19}$ in system $Fe_2O_3 + Na_2CO_3 + SrSO_4$, 3235

Styrene(s), addn. of 4-chlorobenzenesulfonyl chloride to derivs., kinetics and mechm., 1807; 1H - 1H and ^{13}C - 1H coupling consts. in substd. styrenes, 3415; oxidn. catd. by $Tl(OAc)_2$ in MeOH soln., kinetics and mechm., 2667; polystyrene, glass trans. temp. by differential scanning calorimetry, effect of polydispersity in molec. wt., 3170

Styrene oxide, ring opening with $AcOH$, $PhCOOH$, and $EtOH$, anal. of prod. mixt. by nmr, 2730

Substituent effects, in alk. hydroly. of *N*-acylthioureas, 697; nitroalkane acidities, 1897

Substitution, nucleophilic, calcns. of kinetic isotope effects, 903

Sugars (see Carbohydrates, Disaccharides, Ketoses)

Sulfenyl chlorides, addn. to side chain Me-substd. styrenes, kinetics and mechm., 1807

Sulfite ion, σ -complexes with picramides, 25

Sulfone(s), allylic, concerted rearr.-desulfonyln., 2409

Sulfoxides, reacn. with alkylolithiums, mechm. of C-S bond cleavage, 761

Sulfur, cryst. and molec. struct. of benzylidenimine disulfide, 2985; phase diagrams of system $P + S + Se$ from DTA, 2190; review of prim. photodecompn. mechms. for SO_2 and SO_3 , 1424

Sulfur dioxide, mechm. for photoexcited luminesc., 2389; reacns. of electronically excited states with olefins, kinetics, 3451

Sulfur hexafluoride, electron scavenger in γ -radiol. of C_2H_6 at high press., 221; formn. and reactivity of $\cdot SF_5$ from during SF_6 -inhibited γ -radiol. C_2H_6 and C_2H_4 , 3631

Sulfuric acid, as solvent for weakly ionizd. CF_3SO_3H , 2975

Surfactants, thermochem. of micellizn. for ionic and nonionic, 1834; ultrasonic absorpn. in aq. micellar solns., 429

Tanshinone, synth., 88

Tantalum pentafluoride, complexes with MeF and EtF , 1H and ^{19}F nmr, struct., 4101; 1:1 and 1:2 complexes with $(Me)_2O$, struct. of complexes and kinetics of F exch. from ^{19}F nmr, 1958

Tellurium, Mössbauer spect. of thiourea complexes, 564

Terbium(III), exch. in complexes, mechm., 1086

Termination reactions, mechm. for *sec*-peroxy rads. at low temp. from prods. and kinetics, 1377

Tertiary alkylamines, reacn. with propiolate esters, 3569

Tertiary α -azido ketones and esters, prepn., 3561

Tertiary α -bromo ketones and esters, displacement, 3561

Tetraalkylammonium bromides, and bistetraalkylammonium bromides, mass spect., fragmentn. mechms.,

3438; ΔH_{solv} for LiCl , NaCl , R_4NBr ($\text{R} = \text{Me}$, Et , Pr , Bu) in H_2O and dioxane- H_2O mixts., 203

Tetra- α -benzyl- α -D-galactopyranosyl bromide, prepn. from 1-*p*-nitrobenzoate, 3337

Tetrachloroethylene, Cl atom initiated oxidn. in gas phase and inhibn. by O_3 , ozonol. reacn., kinetics, 3852; $\text{Hg}(\text{P}_4)$ initiated oxidn. in gas phase, kinetics, 3863; reacn. with $\text{O}(\text{P}_4)$, gas phase oxidn. initiated by $\text{O}(\text{P}_4)$, kinetics, 3870

1,1,2,2-Tetracyano-2,4-dimethylcyclobutane, prepn. from acetaldehyde and malononitrile, 3626

Tetracyanoquinodimethane- d_0 and - d_4 , synth., 4078

Tetracyclic diterpenoids, acid-catl. rearss., 706

Tetrahydro-1,3-oxazin-2-ones, synth. by thermol. of azidoformates, 4083

3,3,5,5-Tetramethyl-4-methylene-1-pyrazoline, kinetics and mechm. of therm. decompn., 4033

1,2,3,4-Tetraphenylnaphthalene, exciplex with dimethylaniline, decay kinetics, 1339

1,3,6,8-Tetraphenylpyrene, exciplex with dimethylaniline, decay kinetics, 1339

Tetrapyridinoporphyrazine, complex with Cu^{2+} , reson. Raman spect., 2851

Tetrathiofulvalene, comparison of exptl. (photoelectron spect.) and calcd. (extended Hückel and CNDO/2) energy levels, 3373

Tetrathiofulvalene- d_0 and - d_4 , synth., 4078

Tetrazenes, cationic complex with $\text{Ir}(\text{I})$, synth., phys. and spect. props., 3387

Tetrazole(s), 1-substd. 5-nitro- and 5-nitroso-amino, esr of rads. formed by γ -irradn., 1248

Thallium(III), cat. in oxidn. of styrene in MeOH soln., kinetics and mechm., 2667; intermeds. in catd. oxidn. of styrene in MeOH soln., decompn. kinetics of $\text{C}_6\text{H}_5\text{CH}(\text{OCH}_3)\text{CH}_2\text{Ti}(\text{OAc})_2$, 2667; oxidn. of ethylenes by $\text{Ti}(\text{NO}_3)_3$, kinetics and mechm., 3209

Thallium(I) chromate, therm. behavior and elec. conduct. of solid and of solid solns. with Ag_2CrO_4 , 712

Thallium metavanadate, cryst. struct., 3539

Thallous alkoxides, use in transesterificn. during solid phase synth. of peptides, 2832

Thermal analysis, DTA and TG of MSnIO_6 with $\text{M} = \text{NH}_4$, Na , K , Rb , Cs , 3187; DTA of systems $\text{P} + \text{Se}$, $\text{P} + \text{Se} + \text{S}$, thermochem. of allotropic transformns. of P_4Se_3 , 2190

Thermal decomposition (see also Pyrolysis, Thermolysis), 3-chloro- and 3-bromo-3-ethylidiazirine, effect of solvent polarity on kinetics of carbene reacns., 246; N_2H_2 in liq. NH_3 , kinetics, 2513; org. peroxides, struct. requirements for non-rad. mechm., 4090

Thermal isomerization, a cyc. hydroxamic acid acetate, 3432

Thermal rearrangements, *N*-benzyl-*N*-methylaniline, 293

Thermal transpiration, theory of kinetic model, 2073

Thermochemistry, addns. of Br_2 and pyridinium bromide by diff. scanning calorimetry and isotherm. grav. anal., 2560; aldol condensn. for CH_3CHO , 2037; allotropic transformns. of P_4Se_3 by DTA, 2190; app. molal heat capacity of alk. earth chlorides in H_2O , 3738; app. molal vol. and heat capacities of urea and diMe and tetraMe derivs. in H_2O and in D_2O , 1709; $D(\text{C}_6\text{F}_5\text{-X})$ by electron impact, $\text{X} = \text{F}$, Cl , Br , I , 4109; $D_0^0(\text{M-X})$ ($\text{M} = \text{Ca}$, Sr , Ba ; $\text{X} = \text{F}$, Cl , Br) from chemiluminesc. spect., 1688; excess vols. of binary cycloalkanol mixts., 2287; ΔH_{trans} in *n*-alkylammonium halides from temp. variation of nmr, 2421; ΔH_{subl} for aminobenzoic acids from vp, 2201; ΔH_{solv} for aromatic solutes in aq. H_2SO_4 and aq. HClO_4 , effect of substs., 1098; ΔH_{solv} $\text{C}_6\text{H}_5\text{NO}_2$ in C_6H_6 , 3918; H-bonds in $\text{Et}_2\text{O} + \text{CHCl}_3$ mixts., 2139; ΔH_{fus} , C_p and $H_T - H_0$ for CsMnCl_3 , Cs_2MnCl_4 , and Cs_2ZrCl_6 , 946; ΔH_{mix} and excess free energy in systems $\text{DMSO} + \text{H}_2\text{O}$ and propylene carbonate + H_2O , 718; ΔH_{solv} , ΔH_{mix} , and fp data for $\text{InCl}_3 + \text{H}_2\text{O} + \text{dioxane}$ and binary mixts., 3769; ΔH_{solv} of hydrated and anhydrt. InCl_3 in H_2O and of $\text{In}(\text{OH})_3$ and In_2O_3 in conc. HCl , 1954; ΔH_{solv} for LiCl , NaCl , R_4NBr ($\text{R} = \text{Me}$, Et , Pr , Bu) in H_2O and dioxane- H_2O mixts., 203; ΔH^0 , ΔS^0 for ion clustering in gas phase, $\text{Cl}^-(\text{HCl})_n \rightleftharpoons \text{Cl}^-(\text{HCl})_{n-1} + \text{HCl}$, from mass spect., 2449; ΔH and ΔS of micellizn. for ionic and nonionic surfactants, 1834; ΔH_{trans} for transformns. in solid Ti_2CrO_4 , solid Ag_2CrO_4 , and solid solns. of both, 712; ionizn. of aq. BzOH and substd. derivs. from calorimetry, Hammett correlns., 2906; ionizn. of aq. BzOH at various temps. from calorimetry, pK and ΔC_p^0 (ionizn.) in range 5–100 °C, 2912; ionizn. of Cl-substd. aliphatic acids in gas phase, 761; ionizn. of nitroethane in H_2O - EtOH mixts., 1910; sublimn. of polycyc. aromatic hydrocarbons by Knudsen cell – mass spect. tech., 557; V^E_{mix} for mixts. of methylcyclohexane with four *n*-alcohols, 788; vp, ΔH_{vap} and $\langle \Delta C_p \rangle$ for $\text{C}_6\text{F}_5\text{I}$, $\Delta H_{1,299^0}(\text{C}_6\text{F}_5\text{I}, \text{g})$ from direct combustn., 2673

Thermolysis (see also Pyrolysis, Thermal decomposition), 4-alkylidene-1-pyrazolines kinetics and mechm., sec. D-isotope effects, 4025; *N*-benzyl-*N*-methylaniline, 293; 1,2-dioxetane, mechm. from MO calcns., 3837; *cis*- and *trans*-3,6-diphenyl-3,4,5,6-tetrahydropyridazine, kinetics and mechm., 2111; flash, of *M* salicylate in He carrier with mass spect. detectn. of intermeds., mechm., 1983; formal sulfene-arene Diels-Alder add., 2409; 1-pyrazoline and 3-vinyl- and 3,5-divinyl- derivs., demonstr. of concerted mechm. from kinetics, 3134; substd. 1-pyrazolines in soln., kinetics, 4040; 3,3,5,5-tetramethyl-4-methylene-1-pyrazoline, kinetics and mechm. of decompn., 4033

2-Thiabicyclo[2.2.1]hept-5-ene, formn. by photocyclodaddn. of thiethane to cycloheptadiene, mechm., 3518

Thiapyrylium salts, reacn. with hydrazines, 2798

Thietane, photol. of vap., cycloaddn. to cyclopentadiene, mechm., 3518

Thietane, 1,1-dioxide, synth. from α -aminoketoximes, 2283

Thietanes, stereochem., 2283

Thioacylidenethiazoles, synth., 1738

α -Thiohemiaminal reduction, stereospecificity, 2714

Thiols, cat. of radiol. and photol. initiated isomerizn. of 2- C_4H_8 , mechm., 2337; H-bonding in mixts. with org. oxygen bases, from low temp. ir, 738

Thionupharoline, struct. from nmr, 2705

Thiophene, derivs. from photocyclzn. of 1-phenyl-4-thienyl-1,3-butadiene and related compds., 132

Thiophenols, reacn. with $t\text{-BuO}_2$ and $t\text{-C}_5\text{H}_{11}\text{O}_2$ rads., kinetics and mechm., 3682

Thiophosphinatopyrazoles, synth., 3981

Thiopyranthiones, synth. and reacns., 3021

Thiyl radicals, from photol. of thiols, esr, 102

L-Thyronine hydrochloride, monohydrate of Et ester, cryst. and molec. struct., 3042

Thyropropionic acid ethyl ester, triiodo-, cryst. and molec. struct., 3048

Tin, cryst. struct. and H-bonding in $K_2SnCl_4 \cdot H_2O$ and $KSnCl_3 \cdot H_2O$ from ir, 2380

Tin(II), ir of $KSnCl_3 \cdot H_2O$ crystals, vibrnl. anal. and H-bonding, 2928

Tin(IV), acetylacetones, Mössbauer spect., bonding and struct., 1361; ^{13}C nmr of organotin compds., prediction and detn. of chem. shifts, 2968; Mössbauer spect. of $M_2SnF_6 \cdot xH_2O$ and SnP_2O_7 , 1904

Tin(II) chloride, insertion reacn. with $[P(OC_6H_5)_3Co(CO)_3]_2$, kinetics, 3773

Titanium(III), struct. of partially hydrolyd. ion in acidic aq. solns. from esr, 2919

Titanium(IV), ^{19}F nmr of $TiF_6^{2-} - TiX_6^{2-}$, 667; solvol. of chloride in strong acids, 231

Titanium dioxide, influence of acidity of medium for prepn. on props. of TiO_2 gel, 2502

Titanium(IV) halides, reacns. with subst. phosphines, vibrnl. spect. of prod. anions, 2880

Todomatuic acid, isoln. from Douglas fir, 1192

Toluene ρ -sulfonate, effect of adsorbed ions of on kinetics of electroredn. of Cr(III), 3165

trans-1-(*p*-Tolyl)-1-(2-pyridyl)-3-(1-pyrrolidino)-prop-1-ene, cryst. struct., 1872

Transition metal chelates, quenchers of $O_2(^1\Delta_g)$ in soln., kinetics, 3728

1,2,4-Triazoles, *C*-amino- and *C*-azido-, mass spect., 2861

Trichloromethyl radical, spect. and dimerizn. kinetics in aq. solns. from pulse radiol. of aq. solns. of CCl_4 , 1135

(*Z*)-9-Tricosene, synth., 1923

Triester method of nucleotide synthesis, lactose-operator fragments, 3689

Trifluoracetic acid esters, and of CF_3COSR , dipole moments and hydrolyz. kinetics, influence of *S*-subst., 3113

β -Trifluoroethylsilanes, gas phase pyrol. kinetics for $CF_3CH_2SiF_x(CH_3)_{3-x}$ with $0 \leq x \leq 3$, 3158

Trifluoromethanesulfonic acid, ionizn. const. in H_2SO_4 , 2975

Trifluoromethyl hypofluorite, microwave spect., 942

Trifluoromethyl radicals, H-abstrn. from grp. IV tetramethyls, kinetics, 1662

Trifluoromitosmethane, ir and Raman spect., vibrnl. anal. and internal rottn., 3149

Triiodothyropionic acid ethyl ester, cryst. and molec. struct., 3048

Trimethylamine, adds. with BX_3 , mechm. of X exch., 2866; spin-lattice relaxn. of solid complexes with I_2 , ICl , BCl_3 , and BBr_3 from nmr, 1840

3,4,6-Tri-*O*-methyl-*D*-galactose, synth., 291

3,4,6-Tri-*O*-methyl-*D*-glucose, synth., 291

Tri-*O*-methylhexoses, synth., 291

Trimethylindium, molec. struct. in vap. phase from electron diffraction., 3936

6,7,8-Trimethylumazine, oxidn. by aq. MnO_4^{2-} , acid and base cat., mechm., 3884; oxidn. by aq. MnO_4^{2-} , prod. anal., 3879

3,4,6-Tri-*O*-methyl-*D*-mannose, synth., 291

Trimethylphosphine, spin-lattice relaxn. of solid complexes with I_2 , ICl , BCl_3 , and BBr_3 from nmr, 1840

1,3,5-Trinitrobenzene, and related compds., complex formn. with CN^- , kinetics, 1, 8

2,4,7-Trinitro-9-fluorenyl-*p*-toluenesulfonate, solvol. catd. by aromatic hydrocarbons, kinetics and mechm., correln. with MO calcns., 3748

2,4,6-Trinitrotoluene, complex formn. with isopropoxide, 1750

Triphenylvinyl- ^{14}C triflate, solvol., mechm., 2679

Triplet state, quenching of those of dye molec. by amines, kinetics and mechm., 2889

Tripotassium bis(oxalato)dioxovanadate(V) trihydrate, cryst. and molec. struct., 2184

Triprolidine hydrochloride, cryst. struct., 1872

Trishomocyclopropenyl cation, prepn. from tricyclo-[3.2.1.0^{2,4}]oct-8-yl and tricyclo[3.3.0.0^{2,8}]oct-4-yl derivs., nmr, 858

Triterpenoid saponins, molluscicidal, *ex Phytolacca dodecandra*, 702

Tropolone, detectn. and sepn. of non-aromatic primary amines, 3428

Tropolone amine salts, prepns., 3428

Tropylum ion, role in fragmentn. mechm. of electron-impact excited benzyl fluoride and fluorotoluenes, 867

Tryptophan, photostiml. fluoresc. and phosphoresc. in polar matrices at 77 K, kinetics, 407

Tungsten, anal. of vibrnl. spect. of arylazo complexes, 2634; cryst. and molec. struct. of $Me_2AsC(CF_3)$: $C(CF_3)_3AsMe_2WI_2(CO)_3$, 3331; electrochem. redn. of H_2O_2 on sodium tungsten bronzes, mechm., 2542; mass spect. study of species desorbed from W surface containing adsd. NH_3 , 1147

Ultrasonic absorption, aq. micellar solns. of surfactants, 429

Ultrasonic velocity, in binary cycloalkanol mixts., 2287

Urea, and 1,1- and 1,3-diMe- and tetraMe-, app. molal vol. and heat capacities in H_2O and in D_2O , effect as solutes on struct. of liq. H_2O , 1709

Usnic acid, 2-deacyl-, cryst. and molec. struct., 723

Uv radiation, absorptn. in atm., factors governing intensity, 1505

Uv spectrum (see also Electronic spectrum), and absorptn. cross-sections for stratospheric molec., a review, 1465; amines, alcohols, and thiols, assignment of Bohlmann bands using MO calcns., 3787; complexes of CrX_3 with heterocycl. lig., 2845; N_2H_2 in liq. NH_3 , 2513; N_2H_2 and N_2D_2 vap., vibrnl. anal. and struct. of excited state, 1006; O_3^- ion in NH_3 soln., 3941; 1,2,5-selenadiazole, 100

Vacuum, kinetic model for accommodn. pumping and therm. transpirn., 2073

Vanadium, cryst. struct. of $TiVO_3$, 3539; prepn. and cryst. struct. of PbV_2O_6 , 2701

Vanadium(V), cryst. and molec. struct. of $K_3[V(O)_2(C_2O_4)_2] \cdot 3H_2O$, 2184

Vanadium pentafluoride, formn. of complex anions, struct. from ^{19}F nmr, 2236

Vanadium pentoxide, use of $K_2O-V_2O_5$ melts in oxidn. of CO, mechm., 2068

Vapor pressure, aminobenzoic acids, detn. ΔH_{subl} , 2201; polycyclic aromatic hydrocarbons by Knudsen cell - mass spect. tech., ΔH_{subl} , 557

Vibrational relaxation, in SO_2 electronic excited states from luminesc., 2389; theory for nozzle flow studies, 939

Vibrational spectrum (see also Ir spectrum, Raman

spectrum), $\text{GaX}_3 \cdot \text{H}_2\text{O}$ ($\text{X} = \text{Cl}, \text{Br}$), anal. and normal coord. calcns., 3274; H_2O in cryst. hydrates, $\text{K}_2\text{SnCl}_4 \cdot \text{H}_2\text{O}$ and $\text{KSnCl}_3 \cdot \text{H}_2\text{O}$, evidence for H-bonds, 2380; protonated and Zwitterion glycylglycine, 2590; $\text{Zn}(\text{Py})_2\text{Cl}_2$ and $\text{Zn}(\text{Py})_2\text{Br}_2$ crysts., interacr. of lattice and skeletal modes, 2005

Vinyl cations, in solvol. of triphenylvinyl triflate, rearr. mechm., 2679

2-Vinylcyclopropyl bromide, *cis*- and *trans*-, kinetics and mechm. of hydroly., detn. ΔC_p^* , 2660

Vinylindole(s), synth. of derivs. by Wittig reacn., photocyclodehydrogen., 1294

Vinylphosphonium salts, reacn. with mercaptoaldehydes, synth. of dihydrothiophenes, 1934

Virial coefficients, 2nd and 3rd, calcd. from various forms of 14-12-8-6 potl. fns., comparison with exptl., 2444

Volume, apparent molal, alk. earth chlorides in H_2O , 3738; ΔV_{molar} for therm. transformns. in solid Ti_2CrO_4 , solid Ag_2CrO_4 and solid solns. of both, 712

Volume of activation, for ligand substn. in Co(III) complexes by laser initd. T-jump method, 910

Wagner-Meerwein rearrangement, vinylogous in benzonorbornene series, 640

Wallach rearrangement, of naphthylazoxy compds., 623

Water, acid ionizn. of nitroethane in H_2O -EtOH mixts., 1910; app. molal vol. and heat capacities of urea and diMe and tetraMe derivs. in H_2O and in D_2O , effect of these solutes on struct. of liq. H_2O , 1709; ΔH_{solva} for LiCl , NaCl , R_4NBr ($\text{R} = \text{Me, Et, Pr, Bu}$) in H_2O and dioxane- H_2O mixts., effect of ions on H_2O liq. struct., 203; ir of H_2O , HDO , and D_2O complexed with org. bases in CCl_4 solns., detn. H-bonded species from anharmonicities, 915; isotopic exch. with H_2 over unsupported noble metals, 2960; liq., ang. deformns. and distribn. fn. from mechanical model, 1945; in lower stratosphere, varin. with height and time, 1527; phase diagrams of systems with sodium and potassium benzoate, 3281; review of prim. photodecompr. mechms., 1424; solv. in org. solvents, stat. mech. model, 1668; sorption on NaX zeolite, mechm. from isotherms and sample length changes, 3699

Water-gas shift reaction, catd. by Ni(II) oxides, kinetics in region of Néel temp., 3063

Whitlockite, synthetic, synth. and cryst. struct., 1155

Wittig reaction, synth. of 3-(2-aryl)vinylindole derivs., 1294

Xenon, electron range and mobility in liq., 440

X-ray powder patterns, mixed succinates of Cu(II) with alkali metals, 418

Xylylidine derivatives, cyclizn. to polysubstd. indoles, 299

Zeolite, NaX , sorption of CH_4 , H_2O , NH_3 , and EtCl , mechm. from isotherms and sample length changes, 3699

Zeolite A, diffn. of $n\text{-C}_4\text{H}_{10}$ in partially ion-exchd. forms, 3523

Zinc, exch. between Zn vap. and Zn_2SiO_4 polycrysts., kinetics, 3932

Zinc(I), Zn^+ formn. by flash photol. of ZnSO_4 in aq. soln., use in prodn. e_{aq}^- by second photol. flash, 343

Zinc(II), acidity and stability consts. of amine complexes, solvent effects, 1821; ir and vibrnl. anal. of skeletal and lattice modes of cryst. $\text{Zn}(\text{Py})_2\text{Cl}_2$ and $\text{Zn}(\text{Py})_2\text{Br}_2$, 2005; prepn., spect. and phys. props. of $\text{Zn}(\text{pyridine})_2\text{(SO}_3\text{F})_2$, 3218; quenching of type II photodecompr. of $\text{MeCO-}n\text{-Pr}$ in C_6H_{12} soln. by Zn(II) chelate, kinetics, 688

Zirconium, ΔH_{fus} , C_p and $H_T - H_0$ for Cs_2ZrCl_6 , 946

Zirconium tetrachloride, reacns. with substd. phosphines, vibrnl. spect. of prod. anions, 2880

AUTHOR INDEX/REPERTOIRE DES AUTEURS

Under each name are listed, in chronological order of publication, all articles in which an author has participated.

Ackerman, M.
Solar ultraviolet flux below 50 kilometers. M. Ackerman, 1505.
Recent stratospheric spectra of NO and NO₂. M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Adair, D. A. W.
Chemical relaxations in aqueous micellar solutions by ultrasonic spectroscopy. I. Alkali metal hexyl and octyl sulfates. D. A. W. Adair, V. C. Reinsborough, N. Plavac, and J. P. Valleau, 429.

Adam, F. C.
Identification of intermediates in the photolysis of mercaptans in dilute glass matrices. II. A. J. Elliot and F. C. Adam, 102.

Adams, K. L.
A sequence of attaching the unit CH₂CH₂COCH₃ to 2,2,6-trimethylcyclohexanone. C. Schmidt, K. L. Adams, and U. Fechner, 1732.

Adeleke, B. B.
An electron spin resonance study of the arylsilyl adducts of phenyl *tert*-butyl nitrone and their decomposition kinetics. B. B. Adeleke, S.-K. Wong, and J. K. S. Wan, 2901.

Aharoni, C.
Adsorption and desorption of hydrogen, carbon monoxide, and their reaction products on a catalyst for the synthesis of methanol. C. Aharoni and H. Starer, 4044.

Albagli, A.
The rate of ionization of some aromatic hydrocarbons in ethanolic dimethyl sulfoxide. A. Albagli, J. R. Jones, and R. Stewart, 1059.

Alewood, P. F.
Cyclisations of azidoformates to tetrahydro-1,3-oxazin-2-ones and oxazolidin-2-ones. P. F. Alewood, M. Benn, and R. Reinfried, 4083.

Alexandre, M.
Etude des fluorures et oxyfluorures de chlore ClF, et ClOF, liquides par résonance magnétique nucléaire. M. Alexandre et P. Rigny, 3676.

Alias, K.
The effects of adsorbed ions on simple electrode reactions. II. The reduction of chromium(III) ion in the presence of toluene *p*-sulfonate anions. K. Alias and W. R. Fawcett, 3165.

Alleyne, C. S.
Infrared spectra of metal bisfluorosulfates. C. S. Alleyne, K. O'S. Mailer, and R. C. Thompson, 336.
Coordinating properties of the fluorosulfate ion. Tetrakis(pyridine) complexes of zinc(II), copper(II), and nickel(II) fluorosulfates. C. S. Alleyne and R. C. Thompson, 3218.

Aly, M. M.
Molecular rearrangements. Part IV. Aryl(alkyl)amines (I), thermal rearrangement of *N*-benzyl-*N*-methyl aniline. M. Z. A. Badr and M. M. Aly, 293.

Amberg, C. H.
The fluoridation of non-stoichiometric calcium hydroxyapatite. An infrared study. C. H. Amberg, H. C. Luk, and K. P. Wagstaff, 4001.

Anderson, A.
Far infrared spectra of crystalline iodine monobromide and iodine monochloride. H.-C. Leung and A. Anderson, 1081.

Ang, T. T.
A proton spin-lattice relaxation study of molecular motion in several addition complexes of trimethylamine and trimethylphosphine. T. T. Ang and B. A. Dunell, 1840.

ApSimon, J. W.
Essai de calcul des paramètres d'anisotropie des liaisons C—C, C—H, C=C et C=O par régression multi-linéaire sur des données expérimentales résonance magnétique nucléaire. J. W. ApSimon, J. Elguero, A. Fruchier, D. Mathieu et R. Phan-Tan-Luu, 2296.
The barrier to rotation about the N—N bond in *N*-nitrosamines as determined by nuclear magnetic resonance total line shape analysis. J. D. Cooney, S. K. Brownstein, and J. W. ApSimon, 3028.
Marine organic chemistry. II. Synthesis of 3 β ,6 α -dihydroxy-5 α -pregn-9(11)-en-20-one, the major sapogenin of the starfish *Asterias forbesi*. J. W. ApSimon and J. A. Eenkhoorn, 4113.

Armand, J.
Electrochemical reduction of pyrazines into dihydropyrazines preparation of dihydropyrazines. J. Armand, K. Chekir, and J. Pinson, 3971.

Armstrong, D. A.
Ion yields and fragmentation processes in the radiolysis of HCl and DCl. P. F. Carr, P. Christensen, D. E. Wilson, and D. A. Armstrong, 359.

Arnaud, R.
Isomérisation photochimique de l'azobenzène en solution. I. J. Ronayette, R. Arnaud, P. Lebourgeois et J. Lemaire, 1848.
Isomérisation photosensibilisée par des colorants et photoréduction de l'azobenzène en solution. II. J. Ronayette, R. Arnaud et J. Lemaire, 1858.
Isomérisation *cis-trans* de l'azobenzène catalysée par l'iode. III. R. Arnaud et J. Lemaire, 1868.

Arnold, D. R.
The photochemical reactivity of some benzoylthiophenes. II. Photocycloaddition. D. R. Arnold, R. J. Birtwell, and B. M. Clarke, Jr., 1681.

Arnold, S. J.
Infrared chemiluminescence from the reactions of oxygen atoms with halomethanes. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 271.
Infrared chemiluminescence from the reaction of oxygen atoms with chloroethylenes. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 2608.

Ashford, R. D.
Arrhenius parameter for some gas-phase cycloaddition reactions of singlet molecular oxygen. R. D. Ashford and E. A. Ogryzlo, 3544.

Atlani, P.
The oxidation of acetals by ozone. P. Deslongchamps, P. Atlani, D. Fréhel, A. Malaval, and C. Moreau, 3651.

Aubke, F.
Titanium(IV) chloro-derivatives of strong monobasic acids. J. R. Dalziel, R. D. Klett, P. A. Yeats, and F. Aubke, 231.

Axelson, D. E.
Additivity parameters for organotin ^{13}C chemical shifts. D. E. Axelson, S. A. Kandil, and C. E. Holloway, 2968.

Ayer, W. A.
The transformation of carvone into racemic grandisol. W. A. Ayer and L. M. Browne, 1352.
The structure of sideritol, a diterpenoid of the *ent*-atisane class. W. A. Ayer, J. H. Ball, B. Rodriguez, and S. Valverde, 2792.

Back, R. A.
The near-ultraviolet absorption spectrum of diimide vapor. R. A. Back, C. Willis, and D. A. Ramsay, 1006.
The near-ultraviolet absorption spectrum of diimide in liquid ammonia and its decomposition between -65 and -38°C . R. A. Back and C. Willis, 2513.

Bader, R. F. W.
The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 1310.
Virial partitioning of charge distributions and properties of diatomic hydrides; $\text{NaH} \leftrightarrow \text{HCl}$. R. F. W. Bader and R. R. Messer, 2268.
Erratum: The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 3077.

Badr, M. Z. A.
Molecular rearrangements. Part IV. Aryl(alkyl)amines (1), thermal rearrangement of *N*-benzyl-*N*-methyl aniline. M. Z. A. Badr and M. M. Aly, 293.

Baer, H. H.
Reactions of nitro sugars. XXXI. Formation of 2,3- and 3,4-unsaturated derivatives in the 6-deoxyhexose series. H. H. Baer and C.-W. Chiu, 111.
A stereospecific synthesis of L-desosamine. H. H. Baer and C.-W. Chiu, 122.
The addition of *N*-bromoacetamide to 2,3-unsaturated nitro sugars, a new approach to 2,3-diamino sugars. Synthesis of derivatives of 2,3-diamino-2,3-dideoxy-D-mannose and -D-talose. H. H. Baer and W. Rank, 2257.
Koenigs-Knorr syntheses of some α -1 \rightarrow 2 and β -1 \rightarrow 2 linked nitro disaccharides. H. H. Baer, J. M. J. Fréchet, and U. Williams, 3337.

Bailey, K.
A synthesis of 1-alkyl-3,5-dimethoxybenzenes. K. Bailey, 2136.

Bailey, M. G.
Methyl radicals in solid acetonitrile: decay or no decay. F. P. Sargent, M. G. Bailey, and E. M. Gardy, 2171.

Baird, M. C.
Evidence for restricted rotation in the ^1H and ^{19}F nuclear magnetic resonance spectra of cyclopentadienyl-perfluoroalkyliron complexes. K. Stanley, R. A. Zelonka, J. Thomson, P. Fiess, and M. C. Baird, 1781.

Balahura, R. J.
Preparation and characterization of nitrogen bonded nitrile and amide complexes of pentaamminecobalt(III)-linkage isomers of cyanopyridines. R. J. Balahura, 1762.

Ball, J. H.
The structure of sideritol, a diterpenoid of the *ent*-atisane class. W. A. Ayer, J. H. Ball, B. Rodriguez, and S. Valverde, 2792.

Ballard, J. G.

^{121}Sb Mössbauer spectroscopy: stereochemical activity of the 5s electrons in some Sb(III) halide complexes. J. G. Ballard, T. Birchall, J. B. Milne, and W. D. Moffett, 2375.

Bancroft, G. M.

Spectroscopic studies of cationic h^5 -cyclopentadienyl iron carbonyl derivatives. G. M. Bancroft, K. D. Butler, L. E. Manzer, A. Shaver, and J. E. H. Ward, 782.

Mössbauer spectra, bonding, and structure in Sn(IV) acetylacetones. G. M. Bancroft and T. K. Sham, 1361.

Bandrauk, A. D.

Electric field gradients in alkali halide molecules. J.-P. Laplante and A. D. Bandrauk, 2143.

Banerjee, S.

The mechanism of bromination of 2(1*H*)-pyrimidinone, its *N*-methyl and *N,N'*-dimethyl derivatives in aqueous acidic solution. O. S. Tee and S. Banerjee, 451.

Banville, J.

Reactions of keten acetals. Part I. A simple synthesis of some naturally occurring anthraquinones. J. Banville, J.-L. Grandmaison, G. Lang, and P. Brassard, 80.

Barbe, G.

The molecular structure of trimethylindium by vapor phase electron diffraction. G. Barbe, J. L. Hencher, Q. Shen, and D. G. Tuck, 3936.

Barbeau, C.

Structure cristalline et moléculaire du cyclopentadiényle-carbonyle-bistriphénylphosphine-manganèse (benzénate). $\text{MnC}_5\text{CO[P(C_6H_5)_3]}_2 \cdot \text{C}_6\text{H}_6$. C. Barbeau et R. J. Dubey, 1140.

Barham, D.

Occurrence of strontium-iron oxide $\text{SrFe}_{12}\text{O}_{19}$ in the $\text{Fe}_2\text{O}_3-\text{Na}_2\text{O}-\text{SrSO}_4$ system. R. J. Routil and D. Barham, 3235.

Barker, G. K.

Characterization of monohalogen and monopseudohalogen derivatives of dimethylgermane. G. K. Barker, J. E. Drake, and R. T. Hemmings, 2622.

Barnes, D. J.

Isotope effects on chemical equilibria. Part II. Some further secondary isotope effects of the second kind. D. J. Barnes, P. D. Golding, and J. M. W. Scott, 1966.

Barnett, G.

Decomposition mechanism of 1,2-dioxetane. G. Barnett, 3837.

Barradas, R. G.

Kinetics of dehydration of aromatic aldehydes determined by the rotating disc electrode technique. R. G. Barradas, O. Kutowy, and D. W. Shoesmith, 1635.

Barrett, P. F.

The kinetics of the insertion reaction of tin(II) chloride with hexacarbonylbis(triphenylphosphite)dicobalt. P. F. Barrett, 3773.

Barrick, J. C.

Crystal and molecular structure of benzylidenimine disulfide. J. C. Barrick, C. Calvo, and F. P. Olsen, 2985.

Barton, M. A.

Solid-phase synthesis of selectively protected peptides: use of thallous alkoxide as catalyst in the transesterification step. J. Y. Savoie and M. A. Barton, 2832.

Basco, N.

Hydrated electrons produced by the flash photolysis of Co^+ , Ni^+ , Zn^+ , and Cd^+ ions. N. Basco, S. K. Vidyarthi, and D. C. Walker, 343.

Bassindale, A. R.

Cycloaddition reactions of silyldiazoalkanes involving rearrangements from carbon to nitrogen. A. R. Bassindale and A. G. Brook, 3474.

Batiste, J. L. H.

The charge transfer spectra of d^8 transition metal halide complexes and the 1849 Å photolysis of aqueous PtCl_4^{2-} . J. L. H. Batiste and R. Rumfeldt, 174.

Beauchamp, A. L.

Structure cristalline et moléculaire du *cis*-dithiocyanatobis(phénanthroline-1,10)mercure(II), $\text{Hg}(\text{SCN})_2(\text{C}_{12}\text{H}_8\text{N}_2)_2$. A. L. Beauchamp, B. Saperas et R. Rivest, 2923.

Bebault, G. M.

Synthesis of 4-*O*- α -D-mannopyranosyl-L-rhamnopyranose. G. M. Bebault and G. G. S. Dutton, 678.

Synthesis of 4-*O*- β -D-galactopyranosyl-L-rhamnopyranose. G. M. Bebault, G. G. S. Dutton, and N. A. Funnell, 3844.

Becker, C. A. L.

Strong crystalline field perturbation calculations for d^3 , d^7 penta-coordinate complexes. II. The square pyramid. J. A. Varga and C. A. L. Becker, 579.

Begleiter, A.

Studies relating to aziridine antitumor antibiotics. Part II. ^{13}C and ^1H nuclear magnetic resonance spectra of mitomycin C and structurally related streptonigrin. J. W. Lown and A. Begleiter, 2331.

Bell, T. N.
 Kinetics of the abstraction of H from group IV methyls by CF_3 and CD_3 radicals. T. N. Bell, P. Slade, and A. G. Sherwood, 1662.

Kinetics of the thermal decomposition of β -trifluoroethylsilanes and hot molecule kinetics of $(\text{CF}_3\text{CH}_2\text{SiF}_3)$. T. N. Bell, R. Berkley, A. E. Platt, and A. G. Sherwood, 3158.

Belzile, R.
 Vibrational spectra and structures of the solid phases of germane. N. D. The, J.-M. Gagnon, R. Belzile, and A. Cabana, 327.

Benezra, C.
 Steric and electronic factors in 1,3-dipolar cycloadditions. The stereochemical course of the addition of dimethyl aryl- and alkyl diazomethylphosphonates to norbornadiene. H. Cohen and C. Benezra, 66.

Benjamins, H.
 Conformations of bridged diphenyls. V. A nuclear magnetic resonance comparative study of the conformations of identically substituted diphenyl ethers, sulfides, methanes, ketones, sulfoxides, and sulfones. H. Benjamins and W. D. Chandler, 597.

Conformations of bridged diphenyls. VI. Substituent effects and internal rotation in triply *ortho*-substituted diphenyl ethers. H. Benjamins, F. H. Dar, and W. D. Chandler, 3297.

Benn, M.
 A salamander alkaloid synthesis. M. Benn and R. Shaw, 2936.

Cyclisations of azidoformates to tetrahydro-1,3-oxazin-2-ones and oxazolidin-2-ones. P. F. Alewood, M. Benn, and R. Reinfried, 4083.

Bennett, J. E.
 Product studies of the mutual termination reactions of *sec*-alkylperoxy radicals: evidence for non-cyclic termination. J. E. Bennett and R. Summers, 1377.

Benoit, R. L.
 Some thermodynamic properties of the dimethylsulfoxide-water and propylene carbonate - water systems at 25 °C. S. Y. Lam and R. L. Benoit, 718.

Benson, G. C.
 Excess volumes, ultrasonic velocities, and adiabatic compressibilities for binary cycloalkanol mixtures at 25 °C. O. Kiyohara, J.-P. E. Grolier, and G. C. Benson, 2287.

Benton, B. W.
 The halogen-scrambling mechanism leading to formation of the mixed boron trihalide adducts of trimethylamine. B. W. Benton and J. M. Miller, 2866.

Berkley, R.
 Kinetics of the thermal decomposition of β -trifluoroethylsilanes and hot molecule kinetics of $(\text{CF}_3\text{CH}_2\text{SiF}_3)$. T. N. Bell, R. Berkley, A. E. Platt, and A. G. Sherwood, 3158.

Berlinsky, A. J.
 Photoelectron spectrum and electronic structure of tetrathiofulvalene (TTF). A. J. Berlinsky, J. F. Carolan, and L. Weiler, 3373.

Bernath, G.
 Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 2123.

Erratum: Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 3256.

Bernstein, H. J.
 Thermodynamics and spectroscopy of the hydrogen bonded complex formed between hydrogen-(deuterium) chloride and dimethyl ether in the gas phase by Raman scattering. A. S. Gilbert and H. J. Bernstein, 674.

Resonance Raman spectra of Cu-tetrapyridinoporphyrazine. S. Sunder and H. J. Bernstein, 2851.

Berry, J. M.
 The synthesis of 4-*O*- α -D-glucopyranosyl-L-rhamnopyranose. J. M. Berry and G. G. S. Dutton, 681.

Synthesis of 3,4,6-tri-*O*-methyl-D-glucose, -D-galactose, and -D-mannose. J. M. Berry, Y.-M. Choy, and G. G. S. Dutton, 2911.

Bertrand, B. J. M.
 Oxidation of CO to CO_2 in melts containing V_2O_5 and alkali oxides. A. Block-Bolten, B. J. M. Bertrand, and S. N. Flengas, 2068.

Bhatnager, O. N.
 Solvation enthalpies of some alkali metal and tetraalkylammonium salts in dioxane-water mixtures. O. N. Bhatnager and A. N. Campbell, 203.

Some thermodynamic properties of indium trichloride, of indium hydroxide, and of indium trioxide. A. N. Campbell, E. M. Kartzmark, and O. N. Bhatnagar, 1954.

Bicca de Alencastro, R.
 A low temperature infrared study on the association of thiols with organic oxygen bases. R. Bicca de Alencastro, 738.

Bilodeau, J.
 The photochemical isomerization of *N*-bromo- α , β -unsaturated lactams; an intermolecular allylic bromination process involving a probable bromine radical chain. D. Gravel, J. Hébert, J. Bilodeau, E. Cavalieri, and J.-P. Daris, 645.

Birchall, G. R.
Some derivatives of 1-benzazepine. Part II. G. R. Birchall and A. H. Rees, 610.

Birchall, T.
 ^{121}Sb Mössbauer spectroscopy: stereochemical activity of the 5s electrons in some Sb(III) halide complexes. J. G. Ballard, T. Birchall, J. B. Milne, and W. D. Moffett, 2375.

Birnbaum, G. I.
The complete stereostructure of capsidiol. X-Ray analysis and ^{13}C nuclear magnetic resonance of eremophilane derivatives having *trans*-vicinal methyl groups. G. I. Birnbaum, A. Stoessl, S. H. Grover, and J. B. Stothers, 993.

Birtwell, R. J.
The photochemical reactivity of some benzoylthiophenes. II. Photocycloaddition. D. R. Arnold, R. J. Birtwell, and B. M. Clarke, Jr., 1681.

Bishop, C. T.
Synthesis of 2-*O*-, 3-*O*-, and 4-*O*- β -D-glucopyranosyl-*L*-rhamnose, and of 2-*O*- β -D-galactopyranosyl-*L*-rhamnose. R. King and C. T. Bishop, 3913.

Blackburn, B. J.
Pyridine-catalyzed halogenation of aromatic compounds. I. Bromination. G. E. Dunn and B. J. Blackburn, 2552.

Blackburn, E. V.
The photobromination of (+)-1-cyano-2-methylbutane. D. D. Tanner, T. C. S. Ruo, and E. V. Blackburn, 2242.

Blackstock, S. M.
Protonation of polymethylphenols. S. M. Blackstock, K. E. Richards, and G. J. Wright, 3313.

Blanchard, L.-P.
Effect of molecular weight on glass transition by differential scanning calorimetry. L.-P. Blanchard, J. Hesse, and S. L. Malhotra, 3170.

Block-Bolten, A.
Oxidation of CO to CO_2 in melts containing V_2O_5 and alkali oxides. A. Block-Bolten, B. J. M. Bertrand, and S. N. Flengas, 2068.

Bock, E.
Deuteron relaxation study of the reorienting methyl groups in *p*-azoxyanisole. M. Wiszniewska, R. Y. Dong, E. Tomchuk, and E. Bock, 2294.

A study of d-orbital effects in ester.. of trifluorothiolacetic acid. A comparison of evidence from dipole moment and kinetic data. E. Bock, A. Queen, S. Brownlee, T. A. Nour, and M. N. Paddon-Row, 3113.

Bolker, H. I.
Reductive cleavage of acetals and ketals by borane. B. Fleming and H. I. Bolker, 885.

Bolton, J. R.
An electron spin resonance study of the spin adducts of OH and HO_2 radicals with nitrones in the ultraviolet photolysis of aqueous hydrogen peroxide solutions. J. R. Harbour, V. Chow, and J. R. Bolton, 3549.

Bonneau, M.-M.
 Cinétique de la pyrolyse du sous-oxyde de carbone et de sa réaction avec l'oxyde nitreux. M.-M. Bonneau et C. Ouellet, 167.

Bonnet, B.
Composés d'addition de SbF_3 avec H_2O et HF. Formation d'ions hydronium. B. Bonnet, J. Rozière, R. Fourcade et G. Mascherpa, 2077.

Boorman, P. M.
Group V chalcogenide complexes of boron trihalides. P. M. Boorman and D. Potts, 2016.

Borrett, D. S.
The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 1310.
Erratum: The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 3077.

Boschi, R. A. A.
The high resolution photoelectron spectra of some iodoalkanes, iodo cycloalkanes, iodoalkenes, and fluorooiodohydrocarbons. R. A. A. Boschi and D. R. Salahub, 1217.

Bourns, A. N.
Isotope effect studies on elimination reactions. IX. The nature of the transition state for the E2 reaction of 2-aryl-ethylammonium ions with ethoxide in ethanol. P. J. Smith and A. N. Bourns, 749.

Branton, G. R.
A kinetic model of the accommodation pumping phenomenon. G. R. Branton and S. A. Ryce, 2073.
Erratum: A kinetic model of the accommodation pumping phenomenon. G. R. Branton and S. A. Ryce, 3468.

Brassard, P.
Reactions of keten acetals. Part I. A simple synthesis of some naturally occurring anthraquinones. J. Banville, J.-L. Grandmaison, G. Lang, and P. Brassard, 80.
Synthèse de méthyl-3 furouquinones. R. Huot et P. Brassard, 88.
Friedel-Crafts condensations with maleic anhydrides. III. The synthesis of polyhydroxylated naphthoquinones. R. Huot and P. Brassard, 838.

Brewer, D.
On the mechanism of quenching by amines: a new method for investigation of interactions with triplet states. R. H. Young, D. Brewer, R. Kayser, R. Martin, D. Feriozi, and R. A. Keller, 2889.

Bricard, J.

Stratospheric aerosols physicochemistry. J. Bricard and D. Vigla, 1479.

Briguet, C.

Oxydation du cyclohexène par le nitrate cérique d'ammonium. C. Briguet, C. Freppel, J.-C. Richer et M. Zador, 3201.

Brisse, F.

The conformational requirements for the transition state of Bogert-Cook-Bardhan-Sengupta cyclizations. F. Brisse, A. Lectard, and C. Schmidt, 1123.

Comments on the crystal structure of polypivalolactone and deviation of ester groups from *trans* planarity. J. Cornibert, N. V. Hien, F. Brisse, and R. H. Marchessault, 3742.**Bron, J.**

Model calculations of kinetic isotope effects in nucleophilic substitution reactions. J. Bron, 903.

Partition function ratios of the methyl halides differing only in isotopic substitution. J. Bron, 3078.

Brook, A. G.

Cycloaddition reactions of silyldiazoalkanes involving rearrangements from carbon to nitrogen. A. R. Bassindale and A. G. Brook, 3474.

Brown, I. D.Alchemists' gold, $Hg_{2.86}AsF_6$; An X-ray crystallographic study of a novel disordered mercury compound containing metallically bonded infinite cations. I. D. Brown, B. D. Cutforth, C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 791.Studies of β -diketone complexes of rhenium. VI. The crystal and molecular structure of *cis*-dichloropentane-2,4-dionato-*trans*-bis(triphenylphosphine)rhenium(III). I. D. Brown, C. J. L. Lock, and Che'ng Wan, 1704.**Brown, J.**

Water-soluble lysine-containing polypeptides. I. The synthesis and characterization of several sequential lysine-glycine polypeptides including a preliminary study of their interaction with DNA. J. Brown, J. R. Langlois, D. R. Lauren, B. K. Stoochnoff, and R. E. Williams, 3140.

Brown, R. K.

Base catalyzed isomerization of epoxides to bicyclic allylic alcohols, potential intermediates for the total synthesis of the DL-aldohexoses. K. Ranganayakulu, U. P. Singh, T. P. Murray, and R. K. Brown, 988.

Browne, L. M.

The transformation of carvone into racemic grandisol. W. A. Ayer and L. M. Browne, 1352.

Brownlee, S.

A study of d-orbital effects in esters of trifluorothiolic acid. A comparison of evidence from dipole moment and kinetic data. E. Bock, A. Queen, S. Brownlee, T. A. Nour, and M. N. Paddon-Row, 3113.

Brownstein, S.

Complexes of tantalum and antimony pentafluorides with dimethyl ether and trimethylamine. S. Brownstein and M. J. Farrall, 1958.

Complex fluoroanions in solution. V. Vanadium pentafluoride. S. Brownstein and G. Latremouille, 2236.

Complex fluoroanions in solution. VI. Complexes of methyl and ethyl fluorides with group VB pentafluorides. S. Brownstein, 4101.

Brownstein, S. K.The barrier to rotation about the N—N bond in *N*-nitrosamines as determined by nuclear magnetic resonance total line shape analysis. J. D. Cooney, S. K. Brownstein, and J. W. ApSimon, 3028.**Bruderlein, F. T.**The synthesis and stereochemistry of (\pm) -(4a,13b-*trans*)-2,3,4,4a,8,9,13b,14-octahydro-1*H*-benzo[6,7]cyclohepta[1,2,3-*de*]pyrido[2,1-*a*]-isoquinoline hydrochloride (taclamine hydrochloride), a novel psychotropic agent. F. T. Bruderlein, L. G. Humber, and K. Pelz, 2119.**Brusset, H.**

Etude de l'influence de l'ionicite du milieu réactionnel sur les propriétés texturales de gels d'oxyde de titane. H. Brusset, H.-G. Mendelbaum et C. Flicoteaux, 2502.

Buchanan, G. W.Carbon-13 nuclear magnetic resonance studies of *ortho*-substituted anisoles and diphenyl ethers. G. W. Buchanan, G. Montaudo, and P. Finocchiaro, 767.

Carbon-13 nuclear magnetic resonance spectra of carcinogenic polynuclear hydrocarbons. I. 3-Methylcholanthrene and related benanzracenes. R. S. Ozubko, G. W. Buchanan, and I. C. P. Smith, 2493.

Carbon-13 nuclear magnetic resonance studies of some methyl substituted diphenylmethanes. G. W. Buchanan, G. Montaudo, and P. Finocchiaro, 3196.

A carbon-13 nuclear magnetic resonance investigation of some substituted methyl phenyl sulfides, sulfoxides, and sulfones. G. W. Buchanan, C. Reyes-Zamora, and D. E. Clarke, 3895.

Buckley, P.

The microwave spectrum of trifluoromethyl hypofluorite. P. Buckley and J. P. Weber, 942.

Budd, D. E.

An efficient and selective monohydrido rhodium(I) homogeneous hydrogenation catalyst containing a cyclic phosphine. D. E. Budd, D. G. Holah, A. N. Hughes, and B. C. Hui, 775.

Bühler, K.

The formation of dibenzoyl peroxide in the autoxidation of benzaldehyde in the presence of lithium chloride. K. Bühler, W. Diesch, and A. K. Ghosh, 1700.

Bullock, J. I.

Some metal halide - phosphorus halide - alkyl halide complexes. Part III. The μ -trihalohexahalo-limetallate ions of titanium and zirconium. *J. I. Bullock, F. W. Parrett, and N. J. Taylor*, 2880.

Buncel, E.

Kinetic and thermodynamic studies of the reactions of sulfite ion with picramide, *N*-methylpicramide, and *N,N*-dimethylpicramide in aqueous solution. *E. Buncel, A. R. Norris, K. E. Russell, and P. J. Sheridan*, 25.

Orientation in the Wallach rearrangement for the naphthyl azoxy series. *A. Dolenko and E. Buncel*, 623.

Structural investigation of sigma complexes of aromatic amines with 1,3,5-trinitrobenzene. *E. Buncel and J. G. K. Webb*, 630.

The reaction of 2,4,6-trinitroluene and 2,4,6-trinitrotoluene-*d*₃ with sodium isopropoxide in isopropyl alcohol. *E. Buncel, A. R. Norris, K. E. Russell, P. Sheridan, and H. Wilson*, 1750.

Kinetic and equilibrium studies of the reactions of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*₃ with sodium and potassium *t*-butoxide in *t*-butanol. *E. Buncel, A. R. Norris, K. E. Russell, and H. Wilson*, 2306.

Bunting, J. W.

Quaternary nitrogen heterocycles. III. Kinetic and thermodynamic control of pseudobase formation from the 1-methyl-3-nitroquinolinium cation. *J. W. Bunting and W. G. Meathrel*, 303.

Quaternary nitrogen heterocycles. IV. The 1-methyl-4-nitroquinolinium and 4,4-diido-1, 1-dimethyl-1,4-dihydroquinolinium cations - two methylation products of 4-nitroquinoline and their reactions in aqueous solutions. *J. W. Bunting and W. G. Meathrel*, 951.

Quaternary nitrogen heterocycles. V. Substituent effects on the equilibrium constants for pseudobase formation from quinolinium and isoquinolinium cations. *J. W. Bunting and W. G. Meathrel*, 962.

Quaternary nitrogen heterocycles. VI. Equilibria and kinetics of pseudobase formation from some heteroaromatic dications. *J. W. Bunting and W. G. Meathrel*, 975.

Quaternary nitrogen heterocycles. VII. Reactions of some tricyclic heteroaromatic cations in basic solutions. *J. W. Bunting and W. G. Meathrel*, 981.

Reversible inhibition of carboxypeptidase A. II. Inhibition of esterase activity by dicarboxylic acid anions. *J. W. Bunting and C. D. Myers*, 2053.

The hydrolysis of esters related to *O*-hippuryl-2-hydroxybutanoic acid by carboxypeptidase A. *J. W. Bunting and J. Murphy*, 2640.

The hydrolysis of benzoate esters by carboxypeptidase A and the pH-rate profile for the hydrolysis of *O*-hippuryl-L-3-phenyllactic acid. *J. W. Bunting, J. Murphy, C. D. Myers, and G. G. Cross*, 2648.

Substrate activation in the carboxypeptidase a catalysis of ester hydrolysis. *J. Murphy and J. W. Bunting*, 3829.

Burneau, A.

Etude comparée des spectres d'absorption dans le proche infrarouge des complexes 1-1 entre l'eau et les bases, en mélanges ternaires. *A. Burneau et J. Corset*, 915.

Burnell, E. E.

A proton magnetic resonance study of 1,4-dichlorobenzene-¹³C partially oriented in nematic phases. *E. E. Burnell, P. Diehl, and W. Niederberger*, 151.

A proton magnetic resonance study of 1,4-dibromobenzene-¹³C partially oriented in nematic phases. *E. E. Burnell and M. A. J. Sweeney*, 3565.

Burnell, R. H.

Quaternary bases from *Hunteria eburnea* pichon. *R. H. Burnell, A. Chapelle, and M. F. Khalil*, 2327.

Burns, G.

Trajectory studies of atomic recombination reactions. VI. Recombination of oxygen atoms in argon. *W. H. Wong and G. Burns*, 1988.

Burns, J. A.

The mass spectrometry of the pyrolysis products of some tetraalkylammonium and bis-tetraalkylammonium bromides. *R. E. Verrall and J. A. Burns*, 3438.

Bushnell, G. W.

The crystal structure of *cis*-chlorobis(triethylphosphine)-1,10-phenanthrolineplatinum(II) fluoroborate, (PtCl(PEt₃)₂(phen))BF₄, a complex containing monodentate 1,10-phenanthroline. *G. W. Bushnell, K. R. Dixon, and M. A. Khan*, 1367.

The crystal and molecular structure of diazido-2,2'-bipyridinecopper (II). *G. W. Bushnell and M. A. Khan*, 3125.

Butler, D. N.

Chemistry of proximal π -bond systems. Part II. Synthesis of 2,3-dimethylenebicyclo[2.2.2]octa-5,7-diene. *D. N. Butler and R. A. Snow*, 447.

Butler, K. D.

Spectroscopic studies of cationic h^1 -cyclopentadienyl iron carbonyl derivatives. *G. M. Bancroft, K. D. Butler, L. E. Manzer, A. Shaver, and J. E. H. Ward*, 782.

Butler, R. N.

An electron spin resonance study of radicals formed by γ -irradiation of 1-substituted 5-nitro-amino and 5-nitroso-aminotetrazoles. *R. C. Catton and R. N. Butler*, 1248.

Butterick, J. R.

Studies on theoretical psychotogens. Synthesis of *O*-methylated analogs of catecholamine neurotransmitters and metabolic precursors. *J. R. Butterick and A. M. Unrau*, 2873.

Erratum: Studies on theoretical psychotogens. Synthesis of *O*-methylated neurotransmitters and metabolic precursors. *J. R. Butterick and A. M. Unrau*, 4112.

Cabana, A.

Vibrational spectra and structures of the solid phases of germane. N. D. The, J.-M. Gagnon, R. Belzile, and A. Cabana, 327.

Caligaris, R. E.

Comments on the 14-12-8-6 potential function. R. E. Caligaris, O. H. Scalise, J. R. Grigera, V. H. Smith, Jr., and A. J. Thakkar, 2444.

Callaghan, P. D.

Routes to *N*-aryl-*N'*-thioaroylhydrazines and related *sym*- and *unsym*-hydrazone sulfides, and a note on the so-called *N*-phenyl-*N'*-thiobenzoyldiimide. P. Wolkoff, S. Hammerum, P. D. Callaghan, and M. S. Gibson, 879.

Calvo, C.

Crystallographic studies of cobalt arsenate. III. Crystal structure of $\text{Co}_{6.95}\text{As}_{3.66}\text{O}_{16}$. N. Krishnamachari and C. Calvo, 46.

Crystal structure of synthetic Mg-whitlockite, $\text{Ca}_1\text{Mg}_2\text{H}_2(\text{PO}_4)_{14}$. R. Gopal, C. Calvo, J. Ito, and W. K. Sabine, 1155.

Crystal structure of 1-(bis-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, $\text{C}_{17}\text{H}_{14}\text{Cl}_2\text{N}_2\text{O}$. C. Calvo, P. C. Ip, N. Krishnamachari, and J. Warkentin, 2613.

Crystal structure of lead meta vanadate, PbV_2O_6 . B. D. Jordan and C. Calvo, 2701.

Crystal and molecular structure of benzylideneimine disulfide. J. C. Barrick, C. Calvo, and F. P. Olsen, 2985.

Camerman, A.

Thyroid hormone stereochemistry. II. Molecular structure of thyronine·HCl ethyl ester monohydrate. A. Camerman and N. Camerman, 3042.

Thyroid hormone stereochemistry. III. Molecular structure of triiodothyropropionic acid ethyl ester. N. Camerman and A. Camerman, 3048.

Camerman, N.

Thyroid hormone stereochemistry. II. Molecular structure of thyronine·HCl ethyl ester monohydrate. A. Camerman and N. Camerman, 3042.

Thyroid hormone stereochemistry. III. Molecular structure of triiodothyropropionic acid ethyl ester. N. Camerman and A. Camerman, 3048.

Cameron, D. M.

Thermolysis of some 4-alkylidene-1-pyrazolines. R. J. Crawford, D. M. Cameron, and H. Tokunaga, 4025.

Campbell, A. N.

Solvation enthalpies of some alkali metal and tetraalkylammonium salts in dioxane-water mixtures. O. N. Bhatnager and A. N. Campbell, 203.

Some thermodynamic properties of indium trichloride, of indium hydroxide, and of indium trioxide. A. N. Campbell, E. M. Kartzmark, and O. N. Bhatnagar, 1954.

Some electrical and thermodynamic properties of the system: indium trichloride - dioxane - water. A. N. Campbell, 3769.

Campbell, S. J.

The synthesis and reactions of chiral sulfonium ylids. S. J. Campbell and D. Darwish, 2953.

Canham, G. W. R.

Ligand abstraction in the reaction of aryl diazonium ions with some iron complexes containing coordinated cysteine, maleonitriledithiol or triarylphosphine. J. A. Carroll, D. R. Fisher, G. W. R. Canham, and D. Sutton, 1914.

Canonne, P.

Sur la réduction de polyméthylidihydro-2,3 phenalenones-1 par l'hydure de lithium et d'aluminium. E. Costakis, P. Canonne et R. St-Jean, 3106.

Cantú, A. A.

Redox behavior of diazotized amines in aprotic solvents. R. M. Elofson, F. F. Gadallah, A. A. Cantú, and K. F. Schulz, 2430.

Canuel, L.

Stereochemical implications from the conformational analysis of the seven-membered ring in 5-oxabenzocyloheptene. L. Canuel and M. St-Jacques, 3581.

Carlow, J. S.

Revision of the Shannon and Prewitt effective ionic radii of tetravalent elements. O. Knop and J. S. Carlow, 2175.

Carlsson, D. J.

The quenching of type II photodecomposition of 2-pentanone in *n*-hexane solution by metal chelates. J. Flood, K. E. Russell, D. J. Carlsson, and D. M. Wiles, 688.

The quenching of singlet oxygen ($^1\Delta_g$) by transition metal chelates. D. J. Carlsson, T. Suprunchuk, and D. M. Wiles, 3728.

Carolan, J. F.

Photoelectron spectrum and electronic structure of tetrathiofulvalene (TTF). A. J. Berlinsky, J. F. Carolan, and L. Weiler, 3373.

Carr, P. F.

Ion yields and fragmentation processes in the radiolysis of HCl and DCl. P. F. Carr, P. Christensen, D. E. Wilson, and D. A. Armstrong, 359.

Carroll, J. A.
Ligand abstraction in the reaction of aryl diazonium ions with some iron complexes containing coordinated cysteine, maleonitriledithiol or triarylphosphine. J. A. Carroll, D. R. Fisher, G. W. R. Canham, and D. Sutton, 1914.

Carruthers, R. J.
A synthesis of specifically substituted pyrenes: 2,7-dimethylpyrene. R. H. Mitchell and R. J. Carruthers, 3054.

Cary, L. W.
Molluscicidal saponins of *Phytolacca dodecandra*: lemmatotoxin. R. M. Parkhurst, D. W. Thomas, W. A. Skinner, and L. W. Cary, 702.

Casey, E. J.
Anodic charging of electrodes at low temperature studied by electron spin resonance. C. L. Gardner and E. J. Casey, 930.

Castillo, M.
Biosynthesis of corydaline and of ochotensimine. H. L. Holland, M. Castillo, D. B. MacLean, and I. D. Spenser, 2818.

Caton, R. B.
Electronic and vibrational relaxation in sulfur dioxide vapor. R. B. Caton and A. R. Gangadharan, 2389.

Catton, R. C.
An electron spin resonance study of radicals formed by γ -irradiation of 1-substituted 5-nitro-amino and 5-nitroso-aminotetrazoles. R. C. Catton and R. N. Butler, 1248.

Cavalieri, E.
The photochemical isomerization of *N*-bromo- α,β -unsaturated lactams; an intermolecular allylic bromination process involving a probable bromine radical chain. D. Gravel, J. Hébert, J. Bilodeau, E. Cavalieri, and J. P. Daris, 645.

Cazianis, C. T.
Spin-labelled ligands. C. T. Cazianis and D. R. Eaton, 2454.
Lewis acid catalyzed rearrangements of nitroxide radicals. C. T. Cazianis and D. R. Eaton, 2463.
Simultaneous electron spin - nuclear spin transitions in solid solutions of methyl radicals. C. T. Cazianis and D. R. Eaton, 2471.

Cessna, A. J.
Rearrangement studies with ^{14}C . XXXIX. 1,2-Phenyl shifts in solvolyses of triphenylvinyl-2- ^{14}C triflate. C. C. Lee, A. J. Cessna, B. A. Davis, and M. Oka, 2679.

Chandler, W. D.
Erratum: Conformation of bridged diphenyls. III. Crystal structure of 2-(2'-carbomethoxy-4'-nitro-phenoxy)-1,3,5-trichlorobenzene. E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 182.
Conformations of bridged diphenyls. V. A nuclear magnetic resonance comparative study of the conformations of identically substituted diphenyl ethers, sulfides, methanes, ketones, sulfoxides, and sulfones. H. Benjamins and W. D. Chandler, 597.
Conformations of bridged diphenyls. VI. Substituent effects and internal rotation in triply *ortho*-substituted diphenyl ethers. H. Benjamins, F. H. Dar, and W. D. Chandler, 3297.

Chapelle, A.
Quaternary bases from *Hunteria eburnea* pichon. R. H. Burnell, A. Chapelle, and M. F. Khalil, 2327.

Charlton, J. L.
The oxidation of heterocyclic thiones. J. L. Charlton, S. M. Loosmore, and D. M. McKinnon, 3021.
The synthesis of specifically deuterated phenanthrenes. J. L. Charlton, B. Kostyk, and H. K. Lai, 3577.

Chastel, R.
Thermodynamique de composés azotés. I. Etude calorimétrique des enthalpies de sublimation des trois acides aminobenzoïques. R. Sabbah, R. Chastel et M. Laffitte, 2201.

Chattopadhyay, A.
Determination of trace cadmium in biological materials by neutron and photon activation analyses. R. E. Jervis, B. Tiefenbach, and A. Chattopadhyay, 3008.

Chau, T.-M.
Etude conformationnelle des alcényl phénylcétones par spectrographies infrarouge, ultraviolette et par l'utilisation de l'effet Overhauser nucléaire et de complexe de lanthanide $\text{Eu}(\text{dpm})_3$ en résonance magnétique nucléaire. N. Thoai et T.-M. Chau, 1331.

Chauhan, M. S.
Some reactions of isothiazoline-3- and -5-thiones. M. S. Chauhan, M. E. Hassan, and D. M. McKinnon, 1738.

Chekir, K.
Electrochemical reduction of pyrazines into dihydropyrazines preparation of dihydropyrazines. J. Armand, K. Chekir, and J. Pinson, 3971.

Chen, F. M. F.
Diverse reactivity of *N*-aryl- α -ureidoacetals on catalysis by molecular sieves or acids. T. P. Forrest, G. A. Dauphinee, and F. M. F. Chen, 2725.

Chen, K. S.
The effects of α -halogen substitution on the configuration of alkyl radicals in solution by electron spin resonance. K. S. Chen and J. K. Kochi, 3529.

Chen, M. F.
Nitrosation with lithium nitrite. M. F. Chen and S. F. MacDonald, 1760.

Chen, S.-C.
One step synthesis of thietane 1,1-dioxide derivatives from α -aminoketoximes. S.-C. Chen and Y. L. Chow, 2283.

Chenier, J. H. B.
Arrhenius parameters for reaction of the *tert*-butylperoxy and 2-ethyl-2-propylperoxy radicals with some non-hindered phenols, aromatic amines, and thiophenols. J. H. B. Chenier, E. Furimsky, and J. A. Howard, 3682.

Cheyne, B. M.
Asymmetry in the ^{125}Te Mössbauer spectra of tellurium thiourea complexes: sign of the nuclear quadrupole moment of the 3/2 state. B. M. Cheyne and C. H. W. Jones, 564.

Chia, L. S.
Chlorine nuclear quadrupole resonance spectra of 1-substituted 2-chloropolyfluorocycloalkenes. L. S. Chia, W. R. Cullen, M. C. L. Gerry, and P. S. Yiaw, 3484.

Cobalt-59 nuclear quadrupole resonance studies on five-coordinate cobalt complexes. L. S. Chia, W. R. Cullen, and M. C. L. Gerry, 3695.

Chiang, Y.
Secondary isotope effects on the ionization of 2-nitropropane. A. J. Kresge, D. A. Drake, and Y. Chiang, 1889.

Chien, D. H. T.
Effects of solvent on the 1,2-hydrogen shift to a divalent carbon. M. T. H. Liu and D. H. T. Chien, 246.

Childs, R. F.
Protonation of methyl substituted phenols in super acids. R. F. Childs and B. D. Parrington, 3303.

Chip, G. K.
Photochemical ring enlargements of two α -cyanocycloalkanones. G. K. Chip and T. R. Lynch, 2249.

Chiu, C.-W.
Reactions of nitro sugars. XXXI. Formation of 2,3- and 3,4-unsaturated derivatives in the 6-deoxyhexose series. H. H. Baer and C.-W. Chiu, 111.

A stereospecific synthesis of L-desosamine. H. H. Baer and C.-W. Chiu, 122.

Chow, V.
An electron spin resonance study of the spin adducts of OH and HO_2 radicals with nitrones in the ultraviolet photolysis of aqueous hydrogen peroxide solutions. J. R. Harbour, V. Chow, and J. R. Bolton, 3549.

Chow, Y. L.
Association of a europium shift reagent with dialkylnitrosamines. R. A. Perry and Y. L. Chow, 315.

One step synthesis of thietane 1,1-dioxide derivatives from α -aminoketoximes. S.-C. Chen and Y. L. Chow, 2283.

Choy, Y.-M.
The structure of the capsular polysaccharide of *Klebsiella* K-type 72; occurrence of 3,4-*O*-(1-carboxyethylidene)-L-rhamnose. Y.-M. Choy and G. G. S. Dutton, 684.

Synthesis of 3,4,6-tri-*O*-methyl-D-glucose, -D-galactose, and -D-mannose. J. M. Berry, Y.-M. Choy, and G. G. S. Dutton, 2911.

Christensen, P.
Ion yields and fragmentation processes in the radiolysis of HCl and DCl. P. F. Carr, P. Christensen, D. E. Wilson, and D. A. Armstrong, 359.

Christensen, P. A.
The product of homotropylium cation photolysis. P. A. Christensen, Y. Y. Huang, A. Meesters, and T. S. Sorensen, 3424.

Chum, K.
The proton magnetic resonance spectrum of *p*-methylbenzylbromide. Conformational preference of the bromomethyl rotor. K. Chum, J. B. Rowbotham, and T. Schaefer, 3489.

Chung, H. L.
Coordination compounds of indium. Part XXVI. Ligand exchange studies with trifluoromethyl- β -diketonato-(dimethyl)indium(III) compounds. H. L. Chung and D. G. Tuck, 3944.

Cicerone, R. J.
Stratospheric chlorine: a possible sink for ozone. R. S. Stolarski and R. J. Cicerone, 1610.

Clark, H. C.
 ^{13}C nuclear magnetic resonance studies of organometallic compounds. III. *cis*-Methylplatinum(II) derivatives. H. C. Clark and J. E. H. Ward, 570.

^{13}C nuclear magnetic resonance studies of organometallic compounds. IV. *cis*-Dimethylplatinum(II) derivatives. H. C. Clark, L. E. Manzer, and J. E. H. Ward, 1165.

^{13}C nuclear magnetic resonance studies of organometallic compounds. V. Di- and trimethylplatinum(IV) derivatives. H. C. Clark, L. E. Manzer, and J. E. H. Ward, 1973.

Clark, P. W.
Preparation and nuclear magnetic resonance study of phosphorus compounds containing alkenyl functional groups. P. W. Clark, J. L. S. Curtis, P. E. Garrou, and G. E. Hartwell, 1714.

Clarke, B. M., Jr.
The photochemical reactivity of some benzoylthiophenes II. Photocycloaddition. D. R. Arnold, R. J. Birtwell, and B. M. Clarke, Jr., 1681.

Clarke, D. E.
A carbon-13 nuclear magnetic resonance investigation of some substituted methyl phenyl sulfides, sulfoxides, and sulfones. G. W. Buchanan, C. Reyes-Zamora, and D. E. Clarke, 3895.

Clarke, E. C. W.
Phase diagrams for the sodium and potassium benzoate - water systems. E. C. W. Clarke and D. N. Glew, 3281.

Cocivera, M.
Photo-CIDNP studies of 2-butanone and 3-pentanone in solution. S. P. Vaish, R. D. McAlpine, and M. Cocivera, 2978.

Cohen, H.
Steric and electronic factors in 1,3-dipolar cycloadditions. The stereochemical course of the addition of dimethyl aryl- and alkyl diazomethylphosphonates to norbornadiene. H. Cohen and C. Benezra, 66.

Cohen, M.
The dipole polarizability of the hydrogen molecular ion: a variational two-center calculation. R. P. McEachran, S. Smith, and M. Cohen, 3463.

Cohen, M. D.
Conformational isomerism and oriented polycrystal formation of dimethyl carbonate. J. E. Katon and M. D. Cohen, 1994.

Cole, K. C.
The molecular structure of 2,5-dihydrofuran from the analysis of the nematic liquid crystal nuclear magnetic resonance spectrum. K. C. Cole and D. F. R. Gilson, 281.

Collin, G. J.
Vacuum ultraviolet photolysis of trimethylethylene. G. J. Collin and C. M. Gaucher, 34.
Radioisomerization and photoisomerization of liquid 2-butenes in the presence of sulfur compounds. G. J. Collin, P. M. Perrin, and F. X. Garneau, 2337.
Réactions des ions iso- $C_4H_8^+$ et $t-C_4H_9^+$ avec l'isobutène en phases liquide et gazeuse. G. J. Collin, 2341.

Colter, A. K.
Chemical behavior of charge-transfer complexes. VI. Catalysis of acetolysis of 2,4,7-trinitro-9-fluorenyl *p*-toluenesulfonate by aromatic hydrocarbon donors. A. K. Colter, A. L. McKenna, III, and M. A. Kasem, 3748.

Comisarow, M. B.
Selective-phase ion cyclotron resonance spectroscopy. M. B. Comisarow and A. G. Marshall, 1997.

Cone, R.
Degenerate rearrangements in a cyclohexenyl cation. Independent ring carbon interchange and hydrogen interchange processes. R. Cone, R. P. Haseltine, P. Kazmaier, and T. S. Sorensen, 3320.

Congdon, W. I.
The alkaline hydrolysis of *N*-acylthioureas. W. I. Congdon and J. T. Edward, 697.

Contreras, J. G.
The crystal and molecular structure of dichloro(acetylacetonato)-2,2'-bipyridylindium(III). J. G. Contreras, F. W. B. Einstein, and D. G. Tuck, 3793.

Cooney, J. D.
The barrier to rotation about the N—N bond in *N*-nitrosamines as determined by nuclear magnetic resonance total line shape analysis. J. D. Cooney, S. K. Brownstein, and J. W. ApSimon, 3028.

Corbin, J. L.
Nitrogen-sulfur ligand systems via reduction of Schiff's base - zinc complexes derived from benzothiazolines. J. L. Corbin and D. E. Work, 1054.

Cornibert, J.
Comments on the crystal structure of polypivalolactone and deviation of ester groups from *trans* planarity. J. Cornibert, N. V. Hien, F. Brisse, and R. H. Marchessault, 3742.

Corset, J.
Etude comparée des spectres d'absorption dans le proche infrarouge des complexes 1-1 entre l'eau et les bases, en mélanges ternaires. A. Burneau et J. Corset, 915.

Costakis, E.
Sur la réduction de polyméthylidihydro-2,3 phenalenones-1 par l'hydrure de lithium et d'aluminium. E. Costakis, P. Canonne et R. St-Jean, 3106.

Courbis, P.
Nouvelle voie d'accès aux β -cétophosphonates γ , δ -éthyléniques. G. Peiffer et P. Courbis, 2894.

Court, R. H.
Some rhodium(III) complexes of linear tetraamines. R. W. Halliday and R. H. Court, 3469.

Coutts, R. T.
The synthesis of analogs of the hallucinogen 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM). II. Some ring-methoxylated 1-amino- and 2-amino-indanes. R. T. Coutts and J. L. Malicky, 381.
The synthesis of some analogs of the hallucinogen 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM). III. Some derivatives of 3-phenylalanine. R. T. Coutts and J. L. Malicky, 390.
The synthesis of four possible *in vitro* metabolites of the hallucinogen 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM). R. T. Coutts and J. L. Malicky, 395.
The synthesis and properties of 4-acetoxy-2,3-dihydro-3-oxo-4*H*-naphth[1,2-*b*][1,4]oxazine, an analog of known carcinogenic hydroxamic acids. R. T. Coutts and M. Wohllebe, 3432.

Crawford, R. J.
 Carbonyl ylides and the rearrangement of (+)-*trans*-2,3-diisopropenylloxirane. J.-C. Paladini and R. J. Crawford, 2098.
 Concertedness in the thermolysis of some 1-pyrazolines. R. J. Crawford and M. Ohno, 3134.
 Thermolysis of some 4-alkylidene-1-pyrazolines. R. J. Crawford, D. M. Cameron, and H. Tokunaga, 4025.
 Thermolysis of 3,3,5,5-tetramethyl-4-methylene-1-pyrazoline and the thermal isomerization of some alkylidenecyclopropanes. R. J. Crawford and H. Tokunaga, 4033.
 Erratum: Concertedness in the thermolysis of some 1-pyrazolines. R. J. Crawford and M. Ohno, 4112.

Cremieux, L.
 Photolyse du chlorure d'éthyle gazeux en-dessous et au-dessus du potentiel d'ionisation. L. Cremieux et J. A. Herman, 3098.

Cross, G. G.
 The hydrolysis of benzoate esters by carboxypeptidase A and the pH-rate profile for the hydrolysis of *O*-hippuryl-L-3-phenyllactic acid. J. W. Bunting, J. Murphy, C. D. Myers, and G. G. Cross, 2648.

Crutzen, P.
 A review of upper atmospheric photochemistry. P. Crutzen, 1569.

Csizmadia, I. G.
 An *ab initio* study of the effect of substituents on protonation of the carbonyl group. A. C. Hopkinson and I. G. Csizmadia, 546.

Cullen, W. R.
 The preparation of *cis* 1,3-bis(dimethylarsino)-2,2,4,4-tetramethylcyclobutane and its group VIB metal carbonyl derivatives. W. R. Cullen and J. T. Price, 1108.
 Chlorine nuclear quadrupole resonance spectra of 1-substituted 2-chloropolyfluorocycloalkenes. L. S. Chia, W. R. Cullen, M. C. L. Gerry, and P. S. Yiaw, 3484.
 Cobalt-59 nuclear quadrupole resonance studies on five-coordinate cobalt complexes. L. S. Chia, W. R. Cullen, and M. C. L. Gerry, 3695.

Cundasawmy, N. E.
 Identification d'un nouveau alcaloïde de canneberges. K. Jankowski, S. Godin et N. E. Cundasawmy, 2064.

Curtis, J. L. S.
 Preparation and nuclear magnetic resonance study of phosphorus compounds containing alkenyl functional groups. P. W. Clark, J. L. S. Curtis, P. E. Garrou, and G. E. Hartwell, 1714.

Cutforth, B. D.
 Alchemists' gold, $Hg_{2.86}AsF_6$; An X-ray crystallographic study of a novel disordered mercury compound containing metallically bonded infinite cations. I. D. Brown, B. D. Cutforth, C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 791.

Cvetanović, R. J.
 Excited state chemistry in the stratosphere. R. J. Cvetanović, 1452.

Dalziel, J. R.
 Titanium(IV)chloro-derivatives of strong monobasic acids. J. R. Dalziel, R. D. Klett, P. A. Yeats, and F. Aubke, 231.

Danchura, W.
 Proton magnetic resonance study of conformational equilibria of the pyridinealdehydes in solution. Comparison with other methods. W. Danchura, T. Schaefer, J. B. Rowbotham, and D. J. Wood, 3986.

Danyluk, S. S.
Cis-trans conformational dependence of the carboxylate pK_{in} glycylsarcosine. R. A. Morton and S. S. Danyluk, 2348.

Daoust, V.
 The methyl ethers of 2-amino-2,6-dideoxyglucopyranose (quinovosamine). M. B. Perry and V. Daoust, 2425.
 The methyl ethers of 2-amino-2,6-dideoxy-D-galactopyranose (D-fucosamine). M. B. Perry and V. Daoust, 3251.

Dar, F. H.
 Conformations of bridged diphenyls. VI. Substituent effects and internal rotation in triply *ortho*-substituted diphenyl ethers. H. Benjamins, F. H. Dar, and W. D. Chandler, 3297.

Daris, J. P.
 The photochemical isomerization of *N*-bromo- α,β -unsaturated lactams; an intermolecular allylic bromination process involving a probable bromine radical chain. D. Gravel, J. Hébert, J. Bilodeau, E. Cavalieri, and J. P. Daris, 645.

Darwish, D.
 The synthesis and reactions of chiral sulfonium ylids. S. J. Campbell and D. Darwish, 2953.

Das, K. C.
 The stereospecificity of α -thiohemiaminal reduction. A 300 MHz proton magnetic resonance investigation of deuteride reduction products from 6,6'-dihydroxythiobinupharidine and 6-hydroxythiobinupharidine. R. T. LaLonde, C. F. Wong, and K. C. Das, 2714.

DasGupta, A.
 Theoretical studies of some nonbenzenoid hydrocarbons. II. A. DasGupta and N. K. DasGupta, 155.

DasGupta, N. K.
 Theoretical studies of some nonbenzenoid hydrocarbons. II. A. DasGupta and N. K. DasGupta, 155.

Dass, S. C.
 Microwave spectrum of *N*-methyl morpholine. S. C. Dass and R. Kewley, 434.
 The infrared and Raman spectra of trifluoronitrosomethane. H. F. Shurvell, S. C. Dass, and R. D. Gordon, 3149.

Daudel, R.
The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 1310.
Erratum: The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 3077.

Dauphinee, G. A.
Mechanism and stereochemistry of the hydrolysis of 4-arylamino-1,2,3,4-tetrahydroquinolines. T. P. Forrest, G. A. Dauphinee, and W. F. Miles, 884.
Diverse reactivity of *N*-aryl- α -ureidoacetals on catalysis by molecular sieves or acids. T. P. Forrest, G. A. Dauphinee, and F. M. F. Chen, 2725.

Dave, V.
On the reaction of *p*-cresol with 4-aminoantipyrine. V. Dave, J. B. Stothers, and E. W. Warnhoff, 2932.

Davidson, D. W.
Isoxazole hydrate. S. R. Gough, S. K. Garg, J. A. Ripmeester, and D. W. Davidson, 3193.
Di-(1-adamantyl)iminoxy. Preparation and dipole moment. D. Lindsay, E. C. Horswill, D. W. Davidson, and K. U. Ingold, 3554.

Davidson, J. A.
The quenching of $O_2(^1\Sigma, ^+)$ by aliphatic hydrocarbons. J. A. Davidson and E. A. Ogryzlo, 240.

Davies, C. G.
Alchemists' gold, $Hg_{2.86}AsF_6$: An X-ray crystallographic study of a novel disordered mercury compound containing metallically bonded infinite cations. I. D. Brown, B. D. Cutforth, C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 791.
The preparation and crystal structure of $[I_2]^{+}[Sb_2F_{11}]^{-}$. C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. M. Sowa, 2048.

Davis, B. A.
Rearrangement studies with ^{14}C . XXXIX. 1,2-Phenyl shifts in solvolyses of triphenylvinyl-2- ^{14}C triflate. C. C. Lee, A. J. Cessna, B. A. Davis, and M. Oka, 2679.

Davis, D. D.
A kinetics review of atmospheric reactions involving H_xO_y compounds. D. D. Davis, 1405.

Dawson, D. A.
A reconsideration of the validity of correlating substituent-induced proton chemical shifts in aromatic derivatives with reactivity parameters. D. A. Dawson, G. K. Hamer, and W. F. Reynolds, 39.

Dawson, P. T.
The state of hydrogen desorbing from intermediates formed by ammonia interaction with tungsten surfaces. Y. K. Peng and P. T. Dawson, 1147.
The adsorption, desorption, and exchange reactions of oxygen, hydrogen, and water on platinum surfaces. I. Oxygen interaction. Y. K. Peng and P. T. Dawson, 3507.

Dean, P. A. W.
The ^{19}F nuclear magnetic resonance spectra of octahedral fluorothiocyanato-*N*- and fluorocyanato-*N*-titanates(IV). P. A. W. Dean and B. J. Ferguson, 667.

De Filippo, D.
Cobalt(II) and nickel(II) complexes with nitrogen, sulfur, and selenium containing heterocyclic ligands. C. Preti, G. Tosi, D. De Filippo, and G. Verani, 2021.

De Jongh, D. C.
The behavior of 1-phenyl-2-benzimidazolinethione and 1-phenyl-2-benzimidazolinone upon electron impact and pyrolysis. D. C. K. Lin, M. L. Thomson, and D. C. De Jongh, 2359.

Delay, D.
Synthèse d' α -L-fucopyranosides. M.-E. Rafestin, D. Delay et M. Monsigny, 210.

De Mayo, P.
Erratum: Primary bond formation in the addition of cyclopentenone to chloroethylenes. R. O. Loutfy and P. De Mayo, 3296.

Denariez-Roberge, M.-M.
Etude de la formation d'exciplexes du 1,3,6,8-tetraphenylpyrène et du 1,2,3,4-tetraphenylnaphtalène. C. Rullière et M.-M. Denariez-Roberge, 1339.

Denielou, L.
Détermination de la vitesse du son dans les sels fondus. Technique et applications. L. Denielou, J.-P. Petitet et C. Tequi, 400.

de Silva, S. O.
The Wittig synthesis and photocyclodehydrogenation of 3-(2-aryl)vinylindole derivatives. S. O. de Silva and V. Snieckus, 1294.

Deslongchamps, P.
The oxidation of acetals by ozone. P. Deslongchamps, P. Atlani, D. Fréhel, A. Malaval, and C. Moreau, 3651.

Desnoyers, J. E.
Apparent molal volumes and heat capacities of urea and methyl-substituted ureas in H_2O and D_2O at 25 °C. P. R. Philip, G. Perron, and J. E. Desnoyers, 1709.
Apparent molal volumes and heat capacities of alkaline earth chlorides in water at 25 °C. G. Perron, J. E. Desnoyers, and F. J. Millero, 3738.

Destrade, C.
Champ de force de valence et modes normaux de vibration de la glycylglycine et du monochlorhydrate monohydrate de glycylglycine. C. Destrade, E. Dupart, M. Joussot-Dubien et C. Garrigou-Lagrange, 2590.

Dhar, H. P.
Gas-solid exchange reaction: zinc vapor and polycrystalline zinc orthosilicate. E. A. Secco, H. P. Dhar, and C.-H. Su, 3932.

Dice, D. R.
Photolysis of thietane-cyclopentadiene mixtures. Reactions of monomeric thioformaldehyde. D. R. Dice and R. P. Steer, 3518.

Dickinson, R. E.
Climatic effects of stratospheric chemistry. R. E. Dickinson, 1616.

Diehl, P.
A proton magnetic resonance study of 1,4-dichlorobenzene-¹³C partially oriented in nematic phases. E. E. Burnell, P. Diehl, and W. Niederberger, 151.

Diesch, W.
The formation of dibenzoyl peroxide in the autoxidation of benzaldehyde in the presence of lithium chloride. K. Bühler, W. Diesch, and A. K. Ghosh, 1700.

Dimmock, J. R.
Hydride reductions of 1-phenyl-1-nonen-3-one: mass spectrometry of 1-phenyl-1-nonen-3-ols and relative stereochemistry of the diastereoisomeric 4-dimethylaminomethyl-1-phenyl-1-nonen-3-ols. W. G. Taylor and J. R. Dimmock, 2522.

Di Paolo, T.
On the hydrogen bond breaking ability of fluorocarbons containing higher halogens. T. Di Paolo and C. Sandorfy, 3612.

Dixon, J.
Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 2123.
Erratum: Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 3256.

Dixon, K. R.
The stereospecific synthesis of neutral and cationic tertiary phosphine complexes of platinum(II). K. R. Dixon, K. C. Moss, and M. A. R. Smith, 692.
The crystal structure of *cis*-chlorobis(triethylphosphine)-1,10-phenanthrolineplatinum(II) fluoroborate, (PtCl₂(PEt₃)₂(phen))BF₄, a complex containing monodentate 1,10-phenanthroline. G. W. Bushnell, K. R. Dixon, and M. A. Khan, 1367.

Doetsch, I. H.
Sorption and diffusion of *n*-heptane in 5A zeolite. I. H. Doetsch, D. M. Ruthven, and K. F. Loughlin, 2717.

Dolenko, A.
Orientation in the Wallach rearrangement for the naphthyl azoxy series. A. Dolenko and E. Buncel, 623.

Dolphin, D.
The preparation of proto- and deuterio- derivatives of the tetra-cyanoquinodimethane-tetrathiofulvalene complex. D. Dolphin, W. Pegg, and P. Wirz, 4078.

Dong, R. Y.
Deuteron relaxation study of the reorienting methyl groups in *p*-azoxyanisole. M. Wiszniewska, R. Y. Dong, E. Tomchuk, and E. Bock, 2294.

Donvito, T. N.
¹³C chemical shifts of methylquinolizidines and correlations with the chemical shifts of methyl substituted *trans*-decalins. R. T. LaLonde and T. N. Donvito, 3778.

Dove, J. E.
Shock tube studies of the reactions of hydrogen atoms. I. The reaction H + NH₃ → H₂ + NH₂. J. E. Dove and W. S. Nip, 1171.

Drake, D. A.
Secondary isotope effects on the ionization of 2-nitropropane. A. J. Kresge, D. A. Drake, and Y. Chiang, 1889.

Drake, J. E.
Characterization of monohalogen and monopseudo-halogen derivatives of dimethylgermane. G. K. Barker, J. D. Drake, and R. T. Hemmings, 2622.

Drakenberg, T.
Mercury(II) complexation of cysteine, methyl cysteinate, and S-methylcysteine in acidic media. G. A. Neville and T. Drakenberg, 616.

Drew, R. E.
The crystal structure of tripotassium bis(oxalato)dioxovanadate(V) trihydrate. R. E. Drew, F. W. B. Einstein, and S. E. Gransden, 2184.

Dubey, R. J.
Structure cristalline et moléculaire du cyclopentadiényle-carbonyle-bistriphénylphosphine-maganèse (benzénate). MnC₅CO[P(C₆H₅)₃]₂·C₆H₆. C. Barbeau et R. J. Dubey, 1140.

Ducep, J.-B.
Sulfur-free penicillin derivatives. VI. Synthesis of the 1-oxacephem ring system. S. Wolfe, J.-B. Ducep, K.-C. Tin, and S.-L. Lee, 3996.

Duer, W. C.
The dimerization constant of nitrobenzene in benzene: a critique of partition as a thermodynamic method. S. Goldman and W. C. Duer, 3918.

Duncan, G. R.
Selective hydrolysis and oxidation of the bismethylenedioxy protective group during angular methyl migration in corticosteroid analogs. L. P. Makhubu, Z. G. Hajos, and G. R. Duncan, 1744.

Dunell, B. A.
Application of adiabatic rapid passage nuclear magnetic resonance techniques to the study of molecular motions in solids. J. A. Ripmeester and B. A. Dunell, 191.
A nuclear magnetic resonance investigation of molecular motion in solid *cis*-diaquotetramminecobalt(III)sulfate. B. A. Dunell, J. F. Natrass, and S. E. Ulrich, 900.
A proton spin-lattice relaxation study of molecular motion in several addition complexes of trimethylamine and trimethylphosphine. T. T. Ang and B. A. Dunell, 1840.
A study of molecular motion in *cis*- and *trans*-dichlorodiamminepalladium(II). S. E. Ulrich and B. A. Dunell, 3378.

Dunn, G. E.
Pyridine-catalyzed halogenation of aromatic compounds. I. Bromination. G. E. Dunn and B. J. Blackburn, 2552.
Pyridine-catalyzed halogenation of aromatic compounds. II. A study of the bromine adducts of pyridinium bromide using differential scanning calorimetry and isothermal gravimetric analysis. G. R. Taylor, H. D. Gesser, and G. E. Dunn, 2560.

Dupart, E.
Champ de force de valence et modes normaux de vibration de la glycylglycine et du monochlorhydrate monohydrate de glycylglycine. C. Destrade, E. Dupart, M. Joussot-Dubien et C. Garrigou-Lagrange, 2590.

Durocher, G.
Isothermal and photostimulated emissions of indole and tryptophan in two polar matrices at 77 °K. D. Muller, M. Ewald, and G. Durocher, 407.
Fluorescence différée et émissions photostimulées du carbazole et de la diphenylamine dans une matrice rigide d'éther à 77 °K. D. Muller, M. Ewald et G. Durocher, 3707.

Durst, T.
Carbon-sulfur bond cleavage in the reaction of alkylolithiums with sulfoxides. T. Durst, M. J. LeBelle, R. Van den Elzen, and K. C. Tin, 761.
Dimetallation of β -lactams. Introduction of 3-substituents in *N*-unsubstituted β -lactams. T. Durst, R. Van Den Elzen, and R. Legault, 3206.

Dütsch, H. U.
The ozone distribution in the atmosphere. H. U. Dütsch, 1491.

Dutton, G. G. S.
Synthesis of 4-*O*- α -D-mannopyranosyl-L-rhamnopyranose. G. M. Bebault and G. G. S. Dutton, 678.
The synthesis of 4-*O*- α -D-glucopyranosyl-L-rhamnopyranose. J. M. Berry and G. G. S. Dutton, 681.
The structure of the capsular polysaccharide of *Klebsiella* K-type 72; occurrence of 3,4-*O*-(1-carboxy-ethylidene)-L-rhamnose. Y.-M. Choy and G. G. S. Dutton, 684.
Synthesis of 3,4,6-tri-*O*-methyl-D-glucose, -D-galactose, and -D-mannose. J. M. Berry, Y.-M. Choy, and G. G. S. Dutton, 2911.
Synthesis of 4-*O*- β -D-galactopyranosyl-L-rhamnopyranose. G. M. Bebault, G. G. S. Dutton, and N. A. Funnell, 3844.

Eaton, D. R.
Spin-labelled ligands. C. T. Cazianis and D. R. Eaton, 2454.
Lewis acid catalyzed rearrangements of nitroxide radicals. C. T. Cazianis and D. R. Eaton, 2463.
Simultaneous electron spin - nuclear spin transitions in solid solutions of methyl radicals. C. T. Cazianis and D. R. Eaton, 2471.

Edmiston, C.
The effect of bond function polarization on the l.c.a.o-m.o.-s.c.f. calculation of bond angles and energy barriers. J. O. Jarvie, A. Rauk, and C. Edmiston, 2778.

Edward, J. T.
The alkaline hydrolysis of *N*-acythioureas. W. I. Congdon and J. T. Edward, 697.

Edwards, O. E.
Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 2123.
Erratum: Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 3256.
 S_N2 displacement at tertiary carbon. O. E. Edwards and C. Grieco, 3561.

Enkhoorn, J. A.
Marine organic chemistry. II. Synthesis of 3 β , 6 α -dihydroxy-5 α -pregn-9(11)-en-20-one, the major sapogenin of the starfish *Asterias forbesi*. J. W. ApSimon and J. A. Enkhoorn, 4113.

Egan, R. W.
Chemistry of transition metals. IV. Reactions of alkyl halides with the metals of the first transition period. R. W. Egan and J. F. Harrod, 536.

Ehhalt, D. H.
Sampling of stratospheric trace constituents. D. H. Ehhalt, 1510.

Einstein, F. W. B.
The crystal structure of tripotassium bis(oxalato)dioxovanadate(V) trihydrate. R. E. Drew, F. W. B. Einstein, and S. E. Gransden, 2184.

The crystal and molecular structure of dichloro(acetylacetone)-2,2'-bipyridylindium(III). J. G. Contreras, F. W. B. Einstein, and D. G. Tuck, 3793.

Elfaki, H. A.
Kinetics of oxidation of ferrocyanide by iodate ion. Y. Sulfab and H. A. Elfaki, 2001.

Elguero, J.
Essai de calcul des paramètres d'anisotropie des liaisons C—C, C—H, C=C et C=O par régression multi-linéaire sur des données expérimentales résonance magnétique nucléaire. J. W. ApSimon, J. Elguero, A. Fruchier, D. Mathieu et R. Phan-Tan-Luu, 2296.

Systèmes aromatiques à 10 électrons π dérivés de l'aza-3a-pentalène. XI. Etude par résonance magnétique nucléaire de l'imidazo[1, 2-*b*]pyrazole et du pyrazolo[1, 5-*a*]benzimidazole. J. Elguero, A. Fruchier, L. Knutsson, R. Lazaro et J. Sandström, 2744.

Elliot, A. J.
Identification of intermediates in the photolysis of mercaptans in dilute glass matrices. II. A. J. Elliot and F. C. Adam, 102.

Elofson, R. M.
Redox behavior of diazotized amines in aprotic solvents. R. M. Elofson, F. F. Gadallah, A. A. Cantú, and K. F. Schulz, 2430.

Embree, D. J.
The ion kinetic energy spectra of benzyl fluoride and the isomeric fluorotoluenes. S. Safe, W. D. Jamieson, and D. J. Embree, 867.

Enanoza, R. M.
Organic sulfur mechanisms. 16. Competing reverse Diels-Alder and desulfonylation-rearrangement reactions in the thermolysis of a cyclic sulfone. J. F. King, R. M. Enanoza, and E. G. Lewars, 2409.

Engel, P. S.
Photochemical and thermal decomposition of 1-pyrazolines. P. S. Engel and L. Shen, 4040.

Ernst, L.
Proton magnetic resonance studies of rotational isomerism in halotoluene derivatives. XI. Experimental and theoretical barriers to rotation in $\alpha, \alpha, 2, 4, 6$ -pentabromo-, α, α -dibromo-2,4,6-trichloro-, and α, α -dibromo-2,6-dichlorotoluene. J. Peeling, L. Ernst, and T. Schaefer, 849.

Barrier to internal rotation in 2,6-dichlorobenzal iodide and some α, α' -*m*-xylyl halides. Experimental evidence for the transition state conformation in benzal halides. J. Peeling, J. B. Rowbotham, L. Ernst, and T. Schaefer, 2414.

Esser, J.
The γ -radiolysis of liquid cyclohexane containing di-*n*-propyl disulfide. J. A. Stone and J. Esser, 1253.

Evans, M. J. B.
Surface area effects on the sorption of hydrogen by palladium. M. J. B. Evans, 1200.

Ewald, M.
Isothermal and photostimulated emissions of indole and tryptophan in two polar matrices at 77°K. D. Muller, M. Ewald, and G. Durocher, 407.

Fluorescence différée et émissions photostimulées du carbazole et de la diphenylamine dans une matrice rigide d'éther à 77°K. D. Muller, M. Ewald et G. Durocher, 3707.

Fairlie, J. C.
Ring C functionalized diterpenoids. Part III. 12-Substituted *ent*-beyeranes. J. C. Fairlie, A. J. McAlees, R. McCrindle, and E. Neidert, 706.

Falk, M.
Infrared studies of water in crystalline hydrates: $K_2CuCl_4 \cdot 2H_2O$. G. H. Thomas, M. Falk, and O. Knop, 1029.

Infrared studies of water in crystalline hydrates: location of hydrogen atoms and evidence for a bifurcated hydrogen bond in $K_2SnCl_4 \cdot H_2O$. M. Falk, C.-H. Huang, and O. Knop, 2380.

Infrared spectra of water in crystalline hydrates: $KSnCl_3 \cdot H_2O$, an untypical monohydrate. M. Falk, C.-H. Huang, and O. Knop, 2928.

Molecular size distribution in random polyfunctional condensation with or without ring formation: computer simulation. M. Falk and R. E. Thomas, 3285.

Falle, H. R.
Electron spin resonance studies of aliphatic ammonium ion radicals in aqueous sulfuric acid glasses. H. R. Falle and F. P. Sargent, 3401.

An electron spin resonance study of hydrogen atom reactions with butenes trapped in aqueous sulfuric acid glasses. H. R. Falle and F. P. Sargent, 3410.

Farmer, C. B.
Infrared measurements of stratospheric composition. C. B. Farmer, 1544.

Farrall, M. J.
Complexes of tantalum and antimony pentafluorides with dimethyl ether and trimethylamine. S. Brownstein and M. J. Farrall, 1958.

Fawcett, W. R.
The effects of adsorbed ions on simple electrode reactions. II. The reduction of chromium(III) ion in the presence of toluene *p*-sulfonate anions. K. Alias and W. R. Fawcett, 3165.

Fechner, U.
A sequence of attaching the unit $\text{CH}_2\text{CH}_2\text{COCH}_3$ to 2,2,6-trimethylcyclohexanone. C. Schmidt, K. L. Adams, and U. Fechner, 1732.

Fenby, D. V.
Complex formation in ether-chloroform systems: comparison of thermodynamic and spectroscopic results. N. F. Pasco, D. V. Fenby, and L. G. Hepler, 2139.

Ferguson, B. J.
The ^{19}F nuclear magnetic resonance spectra of octahedral fluorothiocyanato-*N*- and fluorocyanato-*N*-titanates(IV). P. A. W. Dean and B. J. Ferguson, 667.

Feriozi, D.
On the mechanism of quenching by amines: a new method for investigation of interactions with triplet states. R. H. Young, D. Brewer, R. Kayser, R. Martin, D. Feriozi, and R. A. Keller, 2889.

Ferland, J. M.
Synthetic cardenolides and related products. III. Isocardenolides. J. M. Ferland, 1652.

Field, T. B.
Composition and stability of iron and copper citrate complexes in aqueous solution. T. B. Field, J. L. McCourt, and W. A. E. McBryde, 3119.

Fiess, P.
Evidence for restricted rotation in the ^1H and ^{19}F nuclear magnetic resonance spectra of cyclopentadienylperfluoroalkyliron complexes. K. Stanley, R. A. Zelonka, J. Thomson, P. Fiess, and M. C. Baird, 1781.

Finocchiaro, P.
Carbon-13 nuclear magnetic resonance studies of *ortho*-substituted anisoles and diphenyl ethers. G. W. Buchanan, G. Montaudo, and P. Finocchiaro, 767.
Carbon-13 nuclear magnetic resonance studies of some methyl substituted diphenylmethanes. G. W. Buchanan, G. Montaudo, and P. Finocchiaro, 3196.

Fischer, A.
Formation of adducts in the nitration of 2,3- and 3,4-dimethylbenzonitriles, and their rearomatization. A 1,3 nitro shift. A. Fischer and C. C. Greig, 1231.
Formation of adducts in the nitration of *p*-xylene. Exchange and rearomatization reactions of *p*-xylene adducts. A. Fischer and J. N. Ramsay, 3960.

Fischer, S.
Syntheses of some phosphino- and phosphinato-azoles. S. Fischer, L. K. Peterson, and J. F. Nixon, 3981.

Fisher, D. R.
Ligand abstraction in the reaction of aryl diazonium ions with some iron complexes containing coordinated cysteine, maleonitriledithiol or triarylphosphine. J. A. Carroll, D. R. Fisher, G. W. R. Canham, and D. Sutton, 1914.

Fleming, B.
Reductive cleavage of acetals and ketals by borane. B. Fleming and H. I. Bolker, 888.

Flengas, S. N.
Drop calorimetry of the complex compounds CsMnCl_3 , Cs_2MnCl_4 , and Cs_2ZrCl_6 . A. S. Kucharski and S. N. Flengas, 946.
Oxidation of CO to CO_2 in melts containing V_2O_5 and alkali oxides. A. Block-Bolten, B. J. M. Bertrand, and S. N. Flengas, 2068.

Fletcher, J. W.
Pulse radiolytic formation of solvated electrons, ion-pairs, and alkali metal anions in tetrahydrofuran. G. A. Salmon, W. A. Seddon, and J. W. Fletcher, 3259.
Pulse radiolysis of liquid methylamine, ethylamine, and ammonia: the yield of solvated electrons. W. A. Seddon, J. W. Fletcher, F. C. Sopchysyn, and J. Jevcak, 3269.

Flicoteaux, C.
Etude de l'influence de l'ionicite du milieu réactionnel sur les propriétés texturales de gels d'oxyde de titane. H. Brusset, H.-G. Mendelbaum et C. Flicoteaux, 2502.

Fliszár, S.
Etude théorique d'hydrocarbures simples par la méthode PCILO. J. Grignon et S. Fliszár, 2760.
Distributions de charges et effets chimiques. VI. Etude PCILO des répartitions de charges dans les hydrocarbures éthyéniques. J. Grignon et S. Fliszár, 2766.
Charge distributions and chemical effects. VII. *Ab initio* population analyses of alkanes. G. Kean and S. Fliszár, 2772.

Etude de l'oxydation des éthylènes $\text{RCH}=\text{CH}_2$ et $\text{R}_1(\text{R}_2)\text{C}=\text{CH}_2$ par le $\text{Ti}(\text{NO}_3)_3$ dans le méthanol. J. Grignon et S. Fliszár, 3209.

Charge distributions and chemical effects. VIII. Ionization potentials of normal and branched alkanes. H. Henry and S. Fliszár, 3799.

Flood, J. The quenching of type II photodecomposition of 2-pentanone in *n*-hexane solution by metal chelates. J. Flood, K. E. Russell, D. J. Carlsson, and D. M. Wiles, 688.

Fontanella, J. C. Recent stratospheric spectra of NO and NO_2 . M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Forrest, J. E. Cleavage of the methylenedioxy ring in the Grignard reaction of 3,4-methylenedioxybenzonitrile. J. E. Forrest, R. A. Heacock, and T. P. Forrest, 3784.

Forrest, T. P. Mechanism and stereochemistry of the hydrolysis of 4-arylamino-1,2,3,4-tetrahydroquinaldines. T. P. Forrest, G. A. Dauphinee, and W. F. Miles, 884.

Diverse reactivity of *N*-aryl- α -ureidoacetals on catalysis by molecular sieves or acids. T. P. Forrest, G. A. Dauphinee, and F. M. F. Chen, 2725.

Cleavage of the methylenedioxy ring in the Grignard reaction of 3,4-methylenedioxybenzonitrile. J. E. Forrest, R. A. Heacock, and T. P. Forrest, 3784.

Conformations of sugars: proton dihedral angles from *gauche* coupling constants. T. P. Forrest, 4095.

Forst, W. Mechanism of hydrogen peroxide pyrolysis. A. Tessier and W. Forst, 794.

Foster, T. Restricted rotation in α -carbonyl radicals. T. Foster, D. Klapstein, and P. R. West, 524.

Photolysis of aqueous solutions of hydrogen peroxide containing β -ammonio alcohols. T. Foster and P. R. West, 3589.

Fourcade, R. Composés d'addition de SbF_5 avec H_2O et HF. Formation d'ions hydronium. B. Bonnet, J. Rozière, R. Fourcade et G. Mascherpa, 2077.

Fournier-Breault, M.-J. Metals intercalated in graphite. II. The Friedel-Crafts reactions with AlCl_3 -graphite. J.-M. Lalancette, M.-J. Fournier-Breault, and R. Thiffault, 589.

Fraser, R. R. Direct formation of the carbonyl anion of diisopropyl formamide. R. R. Fraser and P. R. Hubert, 185.

Fraser-Reid, B. Anhydro sugar formation in acid and base hydrolyses of 3,4-di-*O*-methylsulfonyl-*D*-mannitol: a rapid route to 1,4:3,6-dianhydro-*D*-iditol (*D*-isoidide). D. R. Hicks and B. Fraser-Reid, 3367.

Fréchet, J. M. J. Koenigs-Knorr syntheses of some α -1 \rightarrow 2 and β -1 \rightarrow 2 linked nitro disaccharides. H. H. Baer, J. M. J. Fréchet, and U. Williams, 3337.

Freeman, C. G. Revised rate constants for quenching reactions of excited CO_2^+ , N_2O^+ , and N_2^+ . C. G. Freeman and L. F. Phillips, 426.

Freeman, G. R. Electron mobilities and ranges in liquid C_1 - C_3 hydrocarbons and in xenon: effects of temperature and field strength. M. G. Robinson and G. R. Freeman, 440.

Radioysis of liquid di-*n*-propyl ether: alcohol formation and solvated electrons. R. A. Vermeer and G. R. Freeman, 1181.

Epithermal electron ranges and thermal electron mobilities in liquid aromatic hydrocarbons. K. Shinsaka and G. R. Freeman, 3495.

Electron mobilities and ranges in solid neopentane: effect of liquid-solid phase change. K. Shinsaka and G. R. Freeman, 3556.

Electric field induced light emission and conductance-loss transients in liquid anthracene. K. Shinsaka and G. R. Freeman, 3559.

Fréhel, D. The oxidation of acetals by ozone. P. Deslongchamps, P. Atlani, D. Fréhel, A. Malaval, and C. Moreau, 3651.

Freppel, C. Oxydation du cyclohexène par le nitrate cérique d'ammonium. C. Briguet, C. Freppel, J.-C. Richer et M. Zador, 3201.

Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. I. Synthèse des alcènes et hydroboration. C. Freppel, M.-A. Poirier, J.-C. Richer, Y. Maroni et G. Manuel, 4133.

Frimout, D. Recent stratospheric spectra of NO and NO_2 . M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Fruchier, A. Essai de calcul des paramètres d'anisotropie des liaisons C—C, C—H, C=C et C=O par régression multi-linéaire sur

des données expérimentales résonance magnétique nucléaire. J. W. ApSimon, J. Elguero, A. Fruchier, D. Mathieu et R. Phan-Tan-Luu, 2296.

Systèmes aromatiques à 10 électrons π dérivés de l'aza-3a-pentalène. XI. Etude par résonance magnétique nucléaire de l'imidazo [1,2-*b*] pyrazole et du pyrazolo [1,5-*a*] benzimidazole. J. Elguero, A. Fruchier, L. Knutsson, R. Lazaro et J. Sandström, 2744.

Fujiwara, M.
Observations of stratospheric aerosol layers by optical radar. M. Hirono, M. Fujiwara, O. Uchino, and T. Itabe, 1560.

Funnell, N. A.
Synthesis of 4-*O*- β -D-galactopyranosyl-L-rhamnopyranose. G. M. Bebault, G. G. S. Dutton, and N. A. Funnell, 3844.

Funt, B. L.
The interaction of electrochemically produced radical cations with substituted styrenes. B. L. Funt and V. Verigin, 1643.

Furimsky, E.
An electron spin resonance study of the *tert*-butylsulfinyl radical. J. A. Howard and E. Furimsky, 555.
Arrhenius parameters for reaction of the *tert*-butylperoxy and 2-ethyl-2-propylperoxy radicals with some non-hindered phenols, aromatic amines, and thiophenols. J. H. B. Chenier, E. Furimsky, and J. A. Howard, 3682.

Gaboriaud, R.
Autoprotolysis constants of water-*N*-methylacetamide mixtures. A new application of the Hammett relationship to acidity constants. J.-C. Halle, R. Harivel, and R. Gaboriaud, 1774.

Gadallah, F. F.
Redox behavior of diazotized amines in aprotic solvents. R. M. Elofson, F. F. Gadallah, A. A. Cantú, and K. F. Schulz, 2430.

Gagnon, J.-M.
Vibrational spectra and structures of the solid phases of germane. N. D. The, J.-M. Gagnon, R. Belzile, and A. Cabana, 327.

Galinier, G.
Laser spectrofluorimetry of chlorophylls. R. M. Leblanc, G. Galinier, A. Tessier, and L. Lemieux, 3723.

Gan, L. H.
Kinetic studies of the reactions of cyanide ion and 1,3,5-trinitrobenzene in ethanol, *n*-propanol and isopropanol, and *t*-butanol at 25.0 °C. L. H. Gan and A. R. Norris, 1.

Kinetic and equilibrium studies of the reactions of cyanide ion with 1,3,5-trinitrobenzene, 2,4,6-trinitroanisole, and 2,4,6-trinitrotoluene in isopropanol. L. H. Gan and A. R. Norris, 8.

Kinetic studies of the reaction of picryl chloride with sodium methoxide in methanol. L. H. Gan and A. R. Norris, 18.

Gangadharan, A. R.
Electronic and vibrational relaxation in sulfur dioxide vapor. R. B. Caton and A. R. Gangadharan, 2389.

Ganne, M.
Structure cristalline de TiVO₃. M. Ganne, Y. Piffard et M. Tournoux, 3539.

Garcia G., E.
Aziridine induced isomerization of maleisoimides to maleimides. P. Joseph-Nathan, V. Mendoza, and E. Garcia G., 129.

Gardner, C. L.
Anodic charging of electrodes at low temperature studied by electron spin resonance. C. L. Gardner and E. J. Casey, 930.

Gardy, E. M.
Methyl radicals in solid acetonitrile: decay or no decay. F. P. Sargent, M. G. Bailey, and E. M. Gardy, 2171.
The detection of alkoxy and other radicals in the gamma radiolysis of alcohols by an electron spin resonance and spin trapping method. F. P. Sargent and E. M. Gardy, 3645.

Garg, S. K.
Isoxazole hydrate. S. R. Gough, S. K. Garg, J. A. Ripmeester, and D. W. Davidson, 3193.

Garneau, F. X.
Radioisomerization and photoisomerization of liquid 2-butenes in the presence of sulfur compounds. G. J. Collin, P. M. Perrin, and F. X. Garneau, 2337.

Garratt, D. G.
The isolation of an episelenurane from the reaction of 4-tolueneselenenyl chloride with ethylene. D. G. Garratt and G. H. Schmid, 1027.
The rates and products of addition of 4-chlorobenzenesulfenyl chloride to a series of side chain methyl substituted styrenes. G. H. Schmid and D. G. Garratt, 1807.
The addition of arylselenium trichlorides *vs.* areneselenenyl chlorides to *cis*- and *trans*-1-phenylpropene. D. G. Garratt and G. H. Schmid, 3599.

Garrigou-Lagrange, C.
Champ de force de valence et modes normaux de vibration de la glycylglycine et du monochlorhydrate monohydrate de glycylglycine. C. Destrade, E. Dupart, M. Joussot-Dubien et C. Garrigou-Lagrange, 2590.

Garrou, P. E.
Preparation and nuclear magnetic resonance study of phosphorus compounds containing alkenyl functional groups. P. W. Clark, J. L. S. Curtis, P. E. Garrou, and G. E. Hartwell, 1714.

Gaucher, C. M.
Vacuum ultraviolet photolysis of trimethylethylene. G. J. Collin and C. M. Gaucher, 34.

Gauthier, M. J. E.
Production de $O_2(b^1\Sigma_g^+)$, $\nu' = 0, 1$ et 2 par la réaction $O(2^1D_2) + O_2(X^3\Sigma_g^-)$. M. J. E. Gauthier et D. R. Snelling, 4007.

Gawłowski, J.
Radiolysis of ethane + sulfur hexafluoride and ethylene + sulfur hexafluoride gaseous systems. Formation of SF_5 radical and its reactivity. J. Gawłowski and J. A. Herman, 3631.

Gero, S. D.
Carbon-13 nuclear magnetic resonance spectra of 1,4-oxathiane derivatives. W. A. Szarek, D. M. Vyas, A.-M. Sepulchre, S. D. Gero, and G. Lukacs, 2041.

Application of carbon-13 nuclear magnetic resonance spectroscopy to the structural determination of chlorodeoxy sugars. W. A. Szarek, D. M. Vyas, G. Lukacs, and S. D. Gero, 3394.

Gerry, M. C. L.
Chlorine nuclear quadrupole resonance spectra of 1-substituted 2-chloropolyfluorocycloalkenes. L. S. Chia, W. R. Cullen, M. C. L. Gerry, and P. S. Yiaw, 3484.

Cobalt-59 nuclear quadrupole resonance studies on five-coordinate cobalt complexes. L. S. Chia, W. R. Cullen, and M. C. L. Gerry, 3695.

Gesser, H. D.
Pyridine-catalyzed halogenation of aromatic compounds. II. A study of the bromine adducts of pyridinium bromide using differential scanning calorimetry and isothermal gravimetric analysis. G. R. Taylor, H. D. Gesser, and G. E. Dunn, 2560.

Ghosh, A. K.
The formation of dibenzoyl peroxide in the autoxidation of benzaldehyde in the presence of lithium chloride. K. Bühler, W. Diesch, and A. K. Ghosh, 1700.

Gibson, A. R.
w-Aldehydo sugars prepared by ninhydrin oxidation. A. R. Gibson, L. D. Melton, and K. N. Slessor, 3905.

Gibson, M. S.
Routes to *N*-aryl-*N'*-thioaroylhydrazines and related *sym*- and *unsym*-hydrazone sulfides, and a note on the so-called *N*-phenyl-*N'*-thiobenzoyldiimide. P. Wolkoff, S. Hammerum, P. D. Callaghan, and M. S. Gibson, 879.

Giguère, P. A.
Sur le spectre électronique de l'ion ozonide, O_3^- . P. A. Giguère and K. Herman, 3941.

Gilbert, A. S.
Thermodynamics and spectroscopy of the hydrogen bonded complex formed between hydrogen(deuterium) chloride and dimethyl ether in the gas phase by Raman scattering. A. S. Gilbert and H. J. Bernstein, 674.

Gilchrist, A. B.
Cationic aryltetrazene complexes of iridium. A. B. Gilchrist and D. Sutton, 3387.

Gilles, L.
Spectra and decay of trichloromethyl radicals in aqueous solution. B. Lesigne, L. Gilles, and R. J. Woods, 1135.

Gillespie, R. J.
Alchemists' gold, $Hg_{2.46}AsF_6$; An X-ray crystallographic study of a novel disordered mercury compound containing metallically bonded infinite cations. I. D. Brown, B. D. Cutforth, C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 791.

The preparation and crystal structure of $[I_2]^{+}[Sb_2F_{11}]^-$. C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. M. Sowa, 2048.

Gilson, D. F. R.
The molecular structure of 2,5-dihydrofuran from the analysis of the nematic liquid crystal nuclear magnetic resonance spectrum. K. C. Cole and D. F. R. Gilson, 281.

Polymorphism in *n*-alkyl ammonium halides. A wide line nuclear magnetic resonance study of the chlorides C_{11} — C_{15} . J. Tsau and D. F. R. Gilson, 2421.

Girard, A.
Recent stratospheric spectra of NO and NO_2 . M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Given, R.
Homogeneous catalysis of hydrogen isotope exchange between D_2 and ethanol by chlorotris(triphenylphosphine) rhodium(I). I. In benzene—ethanol. G. Strathdee and R. Given, 2216.

Homogeneous catalysis of hydrogen isotope exchange between D_2 and ethanol by chlorotris(triphenylphosphine) rhodium(I). II. In chloroform—ethanol. G. Strathdee and R. Given, 2226.

The synthesis and application of anchored catalysts in hydrogen isotope exchange systems. D_2 — protic solvent exchange. G. Strathdee and R. Given, 3000.

Glew, D. N.
Phase diagrams for the sodium and potassium benzoate — water systems. E. C. W. Clarke and D. N. Glew, 3281.

Godin, S.
Identification d'un nouveau alcaloïde de canneberges. K. Jankowski, S. Godin et N. E. Cundasawmy, 2064.

Golding, P. D.
Isotope effects on chemical equilibria. Part II. Some further secondary isotope effects of the second kind. D. J. Barnes, P. D. Golding, and J. M. W. Scott, 1966.

Goldman, S.
The determination and statistical mechanical interpretation of the solubility of water in benzene, carbon tetrachloride, and cyclohexane. S. Goldman, 1668.

The dimerization constant of nitrobenzene in benzene: a critique of partition as a thermodynamic method. S. Goldman and W. C. Duer, 3918.

Gopal, R.
Crystal structure of synthetic Mg-whitlockite, $\text{Ca}_{18}\text{Mg}_2\text{H}_2(\text{PO}_4)_{14}$. R. Gopal, C. Calvo, J. Ito, and W. K. Sabine, 1155.

Gordon, R. D.
The infrared and Raman spectra of trifluoromethylsulfide. H. F. Shurvell, S. C. Dass, and R. D. Gordon, 3149.

GORIN, P. A. J.
Deuterium isotope effect on shifts of ^{13}C magnetic resonance signals of sugars: signal assignment studies. P. A. J. Gorin, 458.

Structure of a phosphomannan, as determined by the effect of lanthanide ions on its carbon-13 magnetic resonance spectrum. P. A. J. Gorin and M. Mazurek, 3070.

Gough, S. R.
Isoxazole hydrate. S. R. Gough, S. K. Garg, J. A. Ripmeester, and D. W. Davidson, 3193.

Govil, G.
The conformation of β -pseudouridine about the glycosidic bond as studied by ^1H homonuclear Overhauser measurements and molecular orbital calculations. R. K. Nanda, R. Tewari, G. Govil, and I. C. P. Smith, 371.

Graham, R.
Photochemistry of NO_x and HNO_x compounds. H. S. Johnston and R. Graham, 1415.

Gramont, L.
Recent stratospheric spectra of NO and NO_2 . M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Grandmaison, J.-L.
Reactions of keten acetals. Part I. A simple synthesis of some naturally occurring anthraquinones. J. Banville, J.-L. Grandmaison, G. Lang, and P. Brassard, 80.

Gransden, S. E.
The crystal structure of tripotassium bis(oxalato)dioxovanadate(V) trihydrate. R. E. Drew, F. W. B. Einstein, and S. E. Gransden, 2184.

Gravel, D.
o-Nitrophenylethylene glycol: a photosensitive protecting group for aldehydes and ketones. J. Hébert and D. Gravel, 187.

The photochemical isomerization of *N*-bromo- α , β -unsaturated lactams; an intermolecular allylic bromination process involving a probable bromine radical chain. D. Gravel, J. Hébert, J. Bilodeau, E. Cavalieri, and J. P. Daris, 645.

Greidanus, J. W.
Chemistry of 2-substituted adamantanes. V. Photolysis of 2-adamantyl azidoformate. J. W. Greidanus, 1062.

Greig, C. C.
Formation of adducts in the nitration of 2,3- and 3,4-dimethylbenzonitriles, and their rearomatization. A 1,3 nitro shift. A. Fischer and C. C. Greig, 1231.

Grieco, C.
 $\text{S}_\text{N}2$ displacement at tertiary carbon. O. E. Edwards and C. Grieco, 3561.

Griffith, E. A. H.
Erratum: Conformation of bridged diphenyls. III. Crystal structure of 2-(2'-carbomethoxy-4'-nitrophenoxy)-1,3,5-trichlorobenzene. E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 182.

Griffith, T. J.
The kinetics of the isotopic exchange of oxygen-18 with the oxygen of copper(II) molybdate. D. G. Klissurski, R. A. Ross, and T. J. Griffith, 3847.

Grigera, J. R.
Comments on the 14-12-8-6 potential function. R. E. Caligaris, O. H. Scalise, J. R. Grigera, V. H. Smith, Jr., and A. J. Thakkar, 2444.

Grignon, J.
Etude théorique d'hydrocarbures simples par la méthode PCILO. J. Grignon et S. Fliszár, 2760.

Distributions de charges et effets chimiques. VI. Etude PCILO des répartitions de charges dans les hydrocarbures éthyléniques. J. Grignon et S. Fliszár, 2766.

Etude de l'oxydation des éthylènes $\text{RCH}=\text{CH}_2$ et $\text{R}_1(\text{R}_2)\text{C}=\text{CH}_2$ par le $\text{Ti}(\text{NO}_3)_3$ dans le méthanol. J. Grignon et S. Fliszár, 3209.

Grigsby, R. D.
The mass spectra of derivatives of polymeric acid. R. D. Grigsby, W. D. Jamieson, A. G. McInnes, W. S. G. Maass, and A. Taylor, 4117.

Grindley, T. B.
Conformational analysis of *trans-syn-trans*-4,5:9,10-biscyclohexano-1,3,6,8-tetraoxecane: a low-energy pathway for boat-chair-boat (BCB) interconversion. T. B. Grindley and W. A. Szarek, 2566.

Conformational studies on 1,3-dioxepanes. Part IV. Applications of geminal coupling constants to conformational analysis of 1,3-dioxepanes. T. B. Grindley and W. A. Szarek, 4062.

Conformational studies on 1,3-dioxepanes. Part V. The effect of introduction of an sp^2 -hybridized carbon atom. T. B. Grindley and W. A. Szarek, 4072.

Grolier, J.-P. E.
Excess volumes, ultrasonic velocities, and adiabatic compressibilities for binary cycloalkanol mixtures at 25 °C. O. Kiyohara, J.-P. E. Grolier, and G. C. Benson, 2287.

Grover, S. H.
 ^{13}C nuclear magnetic resonance studies. 38. Examination of the long-range shielding effects of the hydroxyl group in alicyclic systems. S. H. Grover and J. B. Stothers, 870.

The complete stereostructure of capsidiol. X-Ray analysis and ^{13}C nuclear magnetic resonance of eremophilane derivatives having *trans*-vicinal methyl groups. G. I. Birnbaum, A. Stoessl, S. H. Grover, and J. B. Stothers, 993.

Guastalla, G.
cis-Activation by oxyanions coordinated to chromium(III): aquation and base hydrolysis of nitratopentaammine-chromium(III) ion. G. Guastalla and T. W. Swaddle, 527.

Guthrie, J. P.
The aldol condensation of acetaldehyde: the equilibrium constant for the reaction and the rate constant for the hydroxide catalyzed retro-aldol reaction. J. P. Guthrie, 2037.

Habeeb, J. J.
Coordination compounds of indium. Part XXVII. Addition compounds of acetato(dimethyl)indium(III). J. J. Habeeb and D. G. Tuck, 3950.

Hachey, J.-M.
L'oxydation chromique et les esters chromiques. J.-C. Richer et J.-M. Hachey, 2475.

Hajos, Z. G.
Selective hydrolysis and oxidation of the bismethylenedioxy protective group during angular methyl migration in corticosteroid analogs. L. P. Makhubu, Z. G. Hajos, and G. R. Duncan, 1744.

Hall, L. D.
A selective determination of the proton nuclear relaxation times of the alkaloid vindoline: an extension via Fourier transform measurements. L. D. Hall and C. M. Preston, 829.

Halle, J.-C.
Autoprotolysis constants of water-*N*-methylacetamide mixtures. A new application of the Hammett relationship to acidity constants. J.-C. Halle, R. Harivel, and R. Gaboriaud, 1774.

Halliday, R. W.
Some rhodium(III) complexes of linear tetraamines. R. W. Halliday and R. H. Court, 3469.

Hamer, G. K.
A reconsideration of the validity of correlating substituent-induced proton chemical shifts in aromatic derivatives with reactivity parameters. D. A. Dawson, G. K. Hamer, and W. F. Reynolds, 39.

An investigation of substituent effects on coupling constants to vinyl protons in styrene derivatives. W. F. Reynolds, I. R. Peat, and G. K. Hamer, 3415.

Hammerum, S.
Routes to *N*-aryl-*N'*-thioaroylhydrazines and related *sym*- and *unsym*-hydrazonyl sulfides, and a note on the so-called *N*-phenyl-*N'*-thiobenzoyldiimide. P. Wolkoff, S. Hammerum, P. D. Callaghan, and M. S. Gibson, 879.

Hanessian, S.
Elimination, oxidation, and transposition reactions in conformationally biased carbohydrates: methyl 4,6-*O*-benzylidene- α -D-altropyranosides containing the phenylthio group. S. Hanessian and A. P. A. Staub, 1258.

Carbanions in carbohydrate chemistry: synthesis of *C*-glycosyl malonates. S. Hanessian and A. G. Pernet, 1266.

Carbanions in carbohydrate chemistry: approaches to chemical precursors of *C*-nucleosides. S. Hanessian and A. G. Pernet, 1280.

Harbour, J. R.
An electron spin resonance study of the spin adducts of OH and HO₂ radicals with nitrones in the ultraviolet photolysis of aqueous hydrogen peroxide solutions. J. R. Harbour, V. Chow, and J. R. Bolton, 3549.

Harivel, R.
Autoprotolysis constants of water-*N*-methylacetamide mixtures. A new application of the Hammett relationship to acidity constants. J.-C. Halle, R. Harivel, and R. Gaboriaud, 1774.

Harris, D. J.
Protonation and acid-catalyzed rearrangement of 1,2-diazepines. D. J. Harris, M. T. Thomas, V. Snieckus, and E. Klingsberg, 2798.

The synthesis of 1,2-diazepines from thiapyrylium salts. D. J. Harris, G. Y.-P. Kan, V. Snieckus, and E. Klingsberg, 2805.

Harrison, A. G.
Bimolecular reactions of trapped ions. VIII. Reactions in propane and propane-methane mixtures. B. H. Solka, A. Y.-K. Lau, and A. G. Harrison, 1798.

Rearrangement reactions in the electron impact fragmentation of isobutene. M. S.-H. Lin and A. G. Harrison, 1813.

Harrod, J. F.
Chemistry of transition metals. IV. Reactions of alkyl halides with the metals of the first transition period. R. W. Egan and J. F. Harrod, 536.

Hartwell, G. E.
Preparation and nuclear magnetic resonance study of phosphorus compounds containing alkenyl functional groups. P. W. Clark, J. L. S. Curtis, P. E. Garrou, and G. E. Hartwell, 1714.

Haseltine, R. P.
Degenerate rearrangements in a cyclohexenyl cation. Independent ring carbon interchange and hydrogen interchange processes. R. Cone, R. P. Haseltine, P. Kazmaier, and T. S. Sorensen, 3320.

Hasinoff, B. B.
The kinetic activation volumes for the binding of iodide to cobalamin (vitamin B₁₂) studied on a high pressure laser temperature jump apparatus. B. B. Hasinoff, 910.

Hassan, M. E.
Some reactions of isothiazoline-3- and -5-thiones. M. S. Chauhan, M. E. Hassan, and D. M. McKinnon, 1738.

Hay, G. W.
Photochemistry of glycosyl azides. J. Plenkiewicz, G. W. Hay, and W. A. Szarek, 183.

Heacock, R. A.
Chemistry of aminochromes. Part XVIII. The effects of pH and substituents on some aminochrome-thiol reactions. W. S. Powell and R. A. Heacock, 1019.

Cleavage of the methylenedioxy ring in the Grignard reaction of 3,4-methylenedioxybenzonitrile. J. E. Forrest, R. A. Heacock, and T. P. Forrest, 3784.

Hébert, J.
o-Nitrophenylethylene glycol: a photosensitive protecting group for aldehydes and ketones. J. Hébert and D. Gravel, 187.

The photochemical isomerization of *N*-bromo- α , β -unsaturated lactams; an intermolecular allylic bromination process involving a probable bromine radical chain. D. Gravel, J. Hébert, J. Bilodeau, E. Cavalieri, and J.-P. Daris, 645.

Heicklen, J.
Photolysis of SO₂ in the presence of foreign gases. VI. Acetylene and allene. M. Luria and J. Heicklen, 3451.

The chlorine-atom sensitized oxidation and the ozonolysis of C₂Cl₄. E. Mathias, E. Sanhueza, I. C. Hisatsune, and J. Heicklen, 3852.

The Hg 6(³P)-photosensitized oxidation of C₂Cl₄. E. Sanhueza and J. Heicklen, 3863.

The reaction of O(³P) with C₂Cl₄. E. Sanhueza and J. Heicklen, 3870.

Heissner, C. J.
Metabolites of *Hyalodendron* sp.: bisdethiodi(methylthio)hyalodendrin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 325.

Metabolites of an unidentified fungus: a new 5,6-dihydro-2-pyrone related to pestalotin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 825.

Heitke, B. T.
Mass spectra of C-amino- and C-azido-1,2,4-triazoles. B. T. Heitke and C. G. McCarty, 2861.

Heller, C. A.
A study of the donor properties of the phenoxachalcogenines. I. Tetracyanoethylene and chloranil as acceptors (I). C. A. Heller, R. A. Zingaro, and E. A. Meyers, 3814.

Hemmings, R. T.
Characterization of monohalogen and monopseudothalogen derivatives of dimethylgermane. G. K. Barker, J. E. Drake, and R. T. Hemmings, 2622.

Hencher, J. L.
The molecular structure of trimethylindium by vapor phase electron diffraction. G. Barbe, J. L. Hencher, Q. Shen, and D. G. Tuck, 3936.

Henry, H.
Charge distributions and chemical effects. VIII. Ionization potentials of normal and branched alkanes. H. Henry and S. Fliszar, 3799.

Henry, P. M.
Interaction of palladium(II) acetate with sodium and lithium acetate in acetic acid. R. N. Pandey, and P. M. Henry, 1241.

Hepler, L. G.
Thermodynamics of ionization of nitroethane in water-ethanol solvent mixtures. T. Matsui, L. G. Hepler, and E. M. Woolley, 1910.

Complex formation in ether-chloroform systems: comparison of thermodynamic and spectroscopic results. N. F. Pasco, D. V. Fenby, and L. G. Hepler, 2139.

Thermodynamics of ionization of benzoic acid and substituted benzoic acids in relation to the Hammett equation. T. Matsui, H. C. Ko, and L. G. Hepler, 2906.

Colorimetric heats of ionization of aqueous benzoic acid from 5-100 °C and derived thermodynamic quantities. T. Matsui, H. C. Ko, and L. G. Hepler, 2912.

Herman, J. A.
Photolyse du chlorure d'éthyle gazeux en-dessous et au-dessus du potentiel d'ionisation. L. Cremieux et J. A. Herman, 3098.

Radiolysis of ethane + sulfur hexafluoride and ethylene + sulfur hexafluoride gaseous systems. Formation of SF₅ radical and its reactivity. J. Gawłowski and J. A. Herman, 3631.

Herman, K.

Sur le spectre électronique de l'ion ozonide, O_3^- . P. A. Giguère and K. Herman, 3941.

Herring, F. G.

A study of the effect of solvent and temperature on the electron paramagnetic resonance parameters and linewidths of copper(II) bis(diethylthiocarbamate). F. G. Herring and R. L. Tapping, 4016.

Hesse, J.

Effect of molecular weight on glass transition by differential scanning calorimetry. L.-P. Blanchard, J. Hesse, and S. L. Malhotra, 3170.

Hesstvedt, E.

Reduction of stratospheric ozone from high-flying aircraft, studied in a two-dimensional photochemical model with transport. E. Hesstvedt, 1592.

Hiatt, R.

Unusual reactions of peroxides. II. Decomposition of diphenylmethyl peroxides. R. Hiatt, D. J. Leblanc, and C. Thankachan, 4090.

Hicks, D. R.

Anhydro sugar formation in acid and base hydrolyses of 3,4-di-O-methylsulfonyl-D-mannitol: a rapid route to 1,4:3,6-dianhydro-D-iditol (D-isoidide). D. R. Hicks and B. Fraser-Reid, 3367.

Hien, N. V.

Comments on the crystal structure of polypivalolactone and deviation of ester groups from *trans* planarity. J. Cornibert, N. V. Hien, F. Brisse, and R. H. Marchessault, 3742.

Hirono, M.

Observations of stratospheric aerosol layers by optical radar. M. Hirono, M. Fujiwara, O. Uchino, and T. Itabe, 1560.

Hisatsune, I. C.

The chlorine-atom sensitized oxidation and the ozonolysis of C_2Cl_4 . E. Mathias, E. Sanhueza, I. C. Hisatsune, and J. Heicklen, 3852.

Ho, P.-t.

A vinylogous Wagner rearrangement in the benzonorbornene series. K. Wiesner, P.-t. Ho, and H. Ohtani, 640.

A stereospecific synthesis of the denudatine skeleton: stereospecificity of the C/D ring construction by diene addition. K. Wiesner, P.-t. Ho, and S. Oida, 1042.

Ho, T.-L.

A synthesis of muscalure, the housefly sex attractant. T.-L. Ho and C. M. Wong, 1923.

Hocking, M. B.

Isomeric mixture analysis of some ring-opening reactions of styrene oxide. M. B. Hocking, 2730.

Hofmann, D. J.

Stratospheric aerosol determinations. D. J. Hofmann, 1519.

Holah, D. G.

An efficient and selective monohydrido rhodium(I) homogeneous hydrogenation catalyst containing a cyclic phosphine. D. E. Budd, D. G. Holah, A. N. Hughes, and B. C. Hui, 775.

Reactions of sodium tetrahydroborate and cyanotrihydroborate with divalent Co, Ni, Cu, Pd, and Pt chlorides in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and K. Wright, 2990.

Further studies on the homogeneous hydrogenation of olefins catalyzed by a cyclic phosphine complex of rhodium(I) hydride. D. G. Holah, I. M. Hoodless, A. N. Hughes, B. C. Hui, and D. Martin, 3758.

Holland, H. L.

Biosynthesis of corydaline and of ochotensimine. H. L. Holland, M. Castillo, D. B. MacLean, and I. D. Spenser, 2818.

Holland, P. T.

The γ -radiolysis of ethane. III. The effect of density on ion scavenging reactions above the critical temperature. P. T. Holland and J. A. Stone, 221.

Holloway, C. E.

Additivity parameters for organotin ^{13}C chemical shifts. D. E. Axelson, S. A. Kandil, and C. E. Holloway, 2968.

Holy, A.

A nuclear magnetic resonance study of nucleoside conformation in solution. The effect of structure and conformation on the magnetic nonequivalence of the 5'-methylene hydrogens. F. E. Hruska, D. J. Wood, T. N. McCaig, A. A. Smith, and A. Holy, 497.

Holzbecher, J.

The determination of traces of bismuth by solid state luminescence. D. E. Ryan, H. Rollier, and J. Holzbecher, 1942.

Hoodless, I. M.

Further studies on the homogeneous hydrogenation of olefins catalyzed by a cyclic phosphine complex of rhodium(I) hydride. D. G. Holah, I. M. Hoodless, A. N. Hughes, B. C. Hui, and D. Martin, 3758.

Hopkinson, A. C.

An *ab initio* study of the effect of substituents on protonation of the carbonyl group. A. C. Hopkinson and I. G. Csizmadia, 546.

Horning, D. E.

Intramolecular bromoamination. Part I. D. E. Horning and J. M. Muchowski, 1321.

Five-membered heterocyclic thiones. Part V. The sulfurization of 5-lithioisothiazoles. D. E. Horning and J. M. Muchowski, 2950.

Horswill, E. C.

The electron paramagnetic resonance spectra of hydrazyl and some 1-substituted hydrazyl radicals in solution. V. Malatesta, D. Lindsay, E. C. Horswill, and K. U. Ingold, 864.
Di-(1-adamantyl)iminoxy. Preparation and dipole moment. D. Lindsay, E. C. Horswill, D. W. Davidson, and K. U. Ingold, 3554.

Howard, J. A.

An electron spin resonance study of the *tert*-butylsulfinyl radical. J. A. Howard and E. Furimsky, 555.
Arrhenius parameters for reaction of the *tert*-butylperoxy and 2-ethyl-2-propylperoxy radicals with some non-hindered phenols, aromatic amines, and thiophenols. J. H. B. Chenier, E. Furimsky, and J. A. Howard, 3682.

Howie, R. A.

Redetermination of the Mössbauer ^{119}Sn chemical shifts in K, Cs, and Cu hexafluostannates. F. W. D. Woodhams, R. A. Howie, and O. Knop, 1904.

Hruska, F. E.

A nuclear magnetic resonance study of nucleoside conformation in solution. The effect of structure and conformation on the magnetic nonequivalence of the 5'-methylene hydrogens. F. E. Hruska, D. J. Wood, T. N. McCaig, A. A. Smith, and A. Holy, 497.

Proton magnetic resonance studies of 2'-deoxythymidine its 3'- and 5'-monophosphates and 2'-deoxythymidyl-(3',5')-2'-deoxythymidine in aqueous solution. D. J. Wood, F. E. Hruska, and K. K. Ogilvie, 3353.

Hsia, J. C.

New synthesis of nitroxyl radicals of the piperidine and tetrahydropyridine series. L. T. L. Wong, R. Schwenk, and J. C. Hsia, 3381.

Huang, C.-H.

Infrared studies of water in crystalline hydrates: location of hydrogen atoms and evidence for a bifurcated hydrogen bond in $\text{K}_2\text{SnCl}_4 \cdot \text{H}_2\text{O}$. M. Falk, C.-H. Huang, and O. Knop, 2380.

Infrared spectra of water in crystalline hydrates: $\text{KSnCl}_3 \cdot \text{H}_2\text{O}$, an untypical monohydrate. M. Falk, C.-H. Huang, and O. Knop, 2928.

Huang, Y. Y.

The product of homotropylum cation photolysis. P. A. Christensen, Y. Y. Huang, A. Meesters, and T. S. Sorenson, 3424.

Huber, H.

Matrix infrared and laser Raman spectra, molecular structures and normal coordinate analyses of germanium difluoride monomer GeF_2 , and dimer $(\text{GeF}_2)_2$. H. Huber, E. P. Kündig, G. A. Ozin, and A. Vander Voet, 95.

Hubert, P. R.

Direct formation of the carbonyl anion of diisopropyl formamide. R. R. Fraser and P. R. Hubert, 185.

Huckin, S. N.

The acylation of β -keto ester dianions. S. N. Huckin and L. Weiler, 1343.

C-Acylation of ketones. S. N. Huckin and L. Weiler, 1379.

Aldol type condensations of β -keto ester dianions. S. N. Huckin and L. Weiler, 2157.

Hudson, R. D.

Absorption cross sections of stratospheric molecules. R. D. Hudson, 1465.

Hughes, A. N.

An efficient and selective monohydrido rhodium(I) homogeneous hydrogenation catalyst containing a cyclic phosphine. D. E. Budd, D. G. Holah, A. N. Hughes, and B. C. Hui, 775.

Reactions of sodium tetrahydromonoborate and cyanotrihydromonoborate with divalent Co, Ni, Cu, Pd, and Pt chlorides in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and K. Wright, 2990.

Further studies on the homogeneous hydrogenation of olefins catalyzed by a cyclic phosphine complex of rhodium(I) hydride. D. G. Holah, I. M. Hoodless, A. N. Hughes, B. C. Hui, and D. Martin, 3758.

Hughes, C. G.

Azatropolones. Part II. The Schmidt reaction of 2-methoxy-5-methylbenzoquinone. C. G. Hughes, E. G. Lewars, and A. H. Rees, 3327.

Hui, B. C.

Catalytic activation of molecular hydrogen by ruthenium chloride complexes in *N,N*-dimethylacetamide solution. B. C. Hui and B. R. James, 348.

An efficient and selective monohydrido rhodium(I) homogeneous hydrogenation catalyst containing a cyclic phosphine. D. E. Budd, D. G. Holah, A. N. Hughes, and B. C. Hui, 775.

Reactions of sodium tetrahydromonoborate and cyanotrihydromonoborate with divalent Co, Ni, Cu, Pd, and Pt chlorides in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and K. Wright, 2990.

Further studies on the homogeneous hydrogenation of olefins catalyzed by a cyclic phosphine complex of rhodium(I) hydride. D. G. Holah, I. M. Hoodless, A. N. Hughes, B. C. Hui, and D. Martin, 3758.

Catalytic hydrogenation of unsaturated carboxylic acids using *N,N*-dimethylacetamide solutions of ruthenium(I) chlorides. B. C. Hui and B. R. James, 3760.

Humber, L. G.

The synthesis and stereochemistry of (\pm) -(4a,13b-*trans*)-2,3,4,4a,8,9,13b,14-octahydro-1*H*-benzo[6,7]cyclohepta[1,2,3-*de*]pyrido[2,1-*a*]-isoquinoline hydrochloride (taclamine hydrochloride), a novel psychotropic agent. F. T. Bruderlein, L. G. Humber, and K. Pelz, 2119.

Huot, R.
Synthèse de méthyl-3 furoquinones. R. Huot et P. Brassard, 88.
Friedel-Crafts condensations with maleic anhydrides. III. The synthesis of polyhydroxylated naphthoquinones. R. Huot and P. Brassard, 838.

Hutchings, D. A.
Homogeneous gas-phase pyrolyses using a wall-less reactor. IV. Comparative surface-nonsurface effects with cyclopropane. D. M. Kulich, J. E. Taylor, and D. A. Hutchings, 216.

Hutchinson, D. A.
Chemically induced dynamic electron polarization. IV. The photolysis of 1,4-naphthoquinone. S.-K. Wong, D. A. Hutchinson, and J. K. S. Wan, 251.

Hyfantis, G. J., Jr.
Structure of radicals produced by γ -radiolysis. Part 3. Radicals derived from adamantane, adamantyl derivatives, and diamantane. G. J. Hyfantis, Jr. and A. C. Ling, 1206.

Ingold, K. U.
The electron paramagnetic resonance spectra of hydrazyl and some 1-substituted hydrazyl radicals in solution. V. Malatesta, D. Lindsay, E. C. Horswill, and K. U. Ingold, 864.
Di-(1-adamantyl)iminoxy. Preparation and dipole moment. D. Lindsay, E. C. Horswill, D. W. Davidson, and K. U. Ingold, 3554.

Ip, P. C.
Crystal structure of 1-(bis-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, $C_{17}H_{14}Cl_2N_2O$. C. Calvo, P. C. Ip, N. Krishnamachari, and J. Warkentin, 2613.
New route to cyclic azomethine imines. P. C. Ip, K. Ramakrishnan, and J. Warkentin, 3671.

Ireland, P. R.
Alchemists' gold, $Hg_{2.86}AsF_6$; An X-ray crystallographic study of a novel disordered mercury compound containing metallically bonded infinite cations. I. D. Brown, B. D. Cutforth, C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. E. Velaris, 791.
The preparation and crystal structure of $[I_2]^+[Sb_2F_{11}]^-$. C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. M. Sowa, 2048.

Itabe, T.
Observations of stratospheric aerosol layers by optical radar. M. Hirono, M. Fujiwara, O. Uchino, and T. Itabe, 1560.

Itakura, K.
Synthesis of lactose-operator gene fragments by the improved triester method. K. Itakura, N. Katagiri, and S. A. Narang, 3689.

Ito, J.
Crystal structure of synthetic Mg-whitlockite, $Ca_{18}Mg_2H_2(PO_4)_{14}$. R. Gopal, C. Calvo, J. Ito, and W. K. Sabine, 1155.

Iwacha, D. J.
Synthesis of nucleotides from $O^2,2'$ -cyclouridine. K. K. Ogilvie and D. J. Iwacha, 1787.

Iwanow, A.
The hydride reduction of hemiaminals of thiobinupharidine and the structure of thionupharoline. T. I. Martin, D. B. MacLean, J. T. Wróbel, A. Iwanow, and W. Starzec, 2705.

Jablonski, C. R.
Acid catalyzed rearrangements of structurally constrained tricarbonyl(*trans*-pentadienyl)iron cations. C. R. Jablonski and T. S. Sorensen, 2085.

James, B. R.
Catalytic activation of molecular hydrogen by ruthenium chloride complexes in *N,N*-dimethylacetamide solution. B. C. Hui and B. R. James, 348.
Catalytic hydrogenation of unsaturated carboxylic acids using *N,N*-dimethylacetamide solutions of ruthenium(I) chlorides. B. C. Hui and B. R. James, 3760.

James, M. N. G.
Structural studies of histamine H1 effector molecules: the crystal structure of the antihistaminic drug (+)-chlorpheniramine maleate; [(+)-S-1-(*p*-chlorophenyl)-1-(2-pyridyl)-3-*N,N*-dimethylpropylamine maleate]. M. N. G. James and G. J. B. Williams, 1872.
The crystal and molecular structure of the antihistaminic drug triprolidine hydrochloride monohydrate [*trans*-1-(*p*-tolyl)-1-(2-pyridyl)-3-(1-pyrrolidino)-prop-1-ene]. M. N. G. James and G. J. B. Williams, 1880.

Jamieson, W. D.
The ion kinetic energy spectra of benzyl fluoride and the isomeric fluorotoluenes. S. Safe, W. D. Jamieson, and D. J. Embree, 867.

The mass spectra of derivatives of polyporic acid. R. D. Grigsby, W. D. Jamieson, A. G. McInnes, W. S. G. Maass, and A. Taylor, 4117.

Jankowski, K.
Identification d'un nouveau alcaloïde de canneberges. K. Jankowski, S. Godin et N. E. Cundasawmy, 2064.

Janzen, A. F.
Proton magnetic resonance studies of rotational isomerism in halotoluenes. X. Estimates of conformational preferences and rotational barriers in benzyl fluoride and some dichloro derivatives. J. B. Rowbotham, A. F. Janzen, J. Feeling, and T. Schaefer, 481.

Jarvie, J. O.
The effect of bond function polarization on the I.c.a.o.-m.o.-s.c.f. calculation of bond angles and energy barriers. J. O. Jarvie, A. Rauk, and C. Edmiston, 2778.

A theoretical study of the conformational changes in hydrazine. J. O. Jarvie and A. Rauk, 2785.

Jervis, R. E.
A kinetic study of isotopic exchange between terbium ion and its EDTA complex in aqueous buffer systems and the possible role of buffer anion. R. E. Jervis and K. Neelakantan, 1086.

Determination of trace cadmium in biological materials by neutron and photon activation analyses. R. E. Jervis, B. Tiefenbach, and A. Chattopadhyay, 3008.

Jevcak, J.
Pulse radiolysis of liquid methylamine, ethylamine, and ammonia: the yield of solvated electrons. W. A. Seddon, J. W. Fletcher, F. C. Sopchyshyn, and J. Jevcak, 3269.

Jirkovsky, I.
Studies on enaminoketones. I. Jirkovsky, 55.

Johnson, A. L.
Bicyclooctanone rearrangement, [3.2.1] → [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo [3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 4143.

Johnson, D. W.
Redox interchange reactions of halogenoplatinum(IV) complexes. pH Dependence of the hexabromoplatinate(IV)-iodide reactions. D. W. Johnson and A. Poë, 3083.

Johnston, H. S.
Photochemistry of NO_x and HNO_x compounds. H. S. Johnston and R. Graham, 1415.

Jolicoeur, C.
Enthalpy-entropy compensation for micellization and other hydrophobic interactions in aqueous solutions. C. Jolicoeur and P. R. Philip, 1834.

Jones, C. H. W.
Asymmetry in the ^{125}Te Mössbauer spectra of tellurium thiourea complexes: sign of the nuclear quadrupole moment of the 3/2 state. B. M. Cheyne and C. H. W. Jones, 564.

Jones, J. B.
The specificity of the nucleophilic site of α -chymotrypsin and its potential for the resolution of alcohols. Enzyme-catalyzed hydrolyses of some (+)-, (-)-, and (\pm)-2-butyl, -2-octyl, and - α -phenethyl esters. Y. Y. Lin, D. N. Palmer, and J. B. Jones, 469.

Jones, J. R.
The rate of ionization of some aromatic hydrocarbons in ethanolic dimethyl sulfoxide. A. Albagli, J. R. Jones, and R. Stewart, 1059.

Jordan, B. D.
Crystal structure of lead meta vanadate, PbV_2O_6 . B. D. Jordan and C. Calvo, 2701.

Joseph-Nathan, P.
Aziridine induced isomerization of maleisoimides to maleimides. P. Joseph-Nathan, V. Mendoza, and E. García G., 129.

Joussot-Dubien, M.
Champ de force de valence et modes normaux de vibration de la glycylglycine et du monochlorhydrate monohydrate de glycylglycine. C. Destrade, E. Dupart, M. Joussot-Dubien et C. Garrigou-Lagrange, 2590.

Julien, M.
Etude cinétique des interactions électrostatiques entre la phosphatase alcaline intestinale de veau et ses substrats. M. Julien et L. Ouellet, 3087.

Kadai, T.
The high temperature and dilute acid (HTDA) procedure as a general method of replacing aromatic hydrogen by deuterium. II. N. H. Werstiuk and T. Kadai, 2169.

Kakushima, M.
Metabolites of *Hyalodendron* sp.: bisdethiodi(methylthio)hyalodendrin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 325.

Metabolites of an unidentified fungus: a new 5,6-dihydro-2-pyrone related to pestalotin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 825.

Kan, G. Y.-P.
The synthesis of 1,2-diazepines from thiapyrylium salts. D. J. Harris, G. Y.-P. Kan, V. Snieckus, and E. Klingsberg, 2805.

Kanal, H.
Isomerization of 1-olefins by dihalogeno-bis(nitrile)-palladium complexes [$\text{PdX}_2(\text{RCN})_2$]. S. Sakaki, H. Kanai, and K. Tarama, 2857.

Kandil, S. A.
Additivity parameters for organotin ^{13}C chemical shifts. D. E. Axelson, S. A. Kandil, and C. E. Holloway, 2968.

Kanellakopulos-Drossopulos, W.
The radiochemistry of organoiron compounds. IV. $\text{FeCp}(\text{CO})_2$. W. Kanellakopulos-Drossopulos and D. R. Wiles, 894.

Kane-Maguire, C. J.
Electronic Raman spectroscopy and magnetic susceptibilities. J. A. Koningstein and C. J. Kane-Maguire, 3445.

Kartzmark, E. M.
Some thermodynamic properties of indium trichloride, of indium hydroxide and of indium trioxide. A. N. Campbell, E. M. Kartzmark, and O. N. Bhatnagar, 1954.
Solubility of indium trichloride and some double salts. E. M. Kartzmark, 3459.

Kasem, M. A.
Chemical behavior of charge-transfer complexes. VI. Catalysis of acetolysis of 2,4,7-trinitro-9-fluorenyl *p*-toluenesulfonate by aromatic hydrocarbon donors. A. K. Colter, A. L. McKenna, III, and M. A. Kasem, 3748.

Katagiri, N.
Synthesis of lactose-operator gene fragments by the improved triester method. K. Itakura, N. Katagiri, and S. A. Narang, 3689.

Katon, J. E.
Conformational isomerism and oriented polycrystal formation of dimethyl carbonate. J. E. Katon and M. D. Cohen, 1994.
The vibrational spectra of methyl cyanoacetate and methyl cyanoacetate-*d*₃. D. Sinha and J. E. Katon, 3057.

Kayser, R.
On the mechanism of quenching by amines: a new method for investigation of interactions with triplet states. R. H. Young, D. Brewer, R. Kayser, R. Martin, D. Feriozi, and R. A. Keller, 2889.

Kazinoti, P. I.
A new chlorinated cyclopentenone produced by a *Cryptosporiopsis* species. G. M. Strunz, P. I. Kazinoti, and M. A. Stillwell, 3623.

Kazmaier, P.
Degenerate rearrangements in a cyclohexenyl cation. Independent ring carbon interchange and hydrogen interchange processes. R. Cone, R. P. Haseltine, P. Kazmaier, and T. S. Sorensen, 3320.

Kean, G.
Charge distributions and chemical effects. VII. *Ab initio* population analyses of alkanes. G. Kean and S. Fliszár, 2772.

Kebarle, P.
Intrinsic acidities of α , β , γ chlorosubstituted aliphatic acids from gas phase equilibria measurements. R. Yamdagni and P. Kebarle, 861.
The hydrogen bond energies in ClHCl⁻ and Cl⁻(HCl)_n. R. Yamdagni and P. Kebarle, 2449.
Erratum: Intrinsic acidities of α , β , γ chlorosubstituted aliphatic acids from gas phase equilibria measurements. R. Yamdagni and P. Kebarle, 2551.

Kell, G. S.
Distribution function and angular deformations of a model related to vitreous ice and liquid water. G. S. Kell, 1945.

Keller, R. A.
On the mechanism of quenching by amines: a new method for investigation of interactions with triplet states. R. H. Young, D. Brewer, R. Kayser, R. Martin, D. Feriozi, and R. A. Keller, 2889.

Kemp-Jones, A. V.
The trishomocyclopropenyl cation. I. Direct observation. S. Masamune, M. Sakai, A. V. Kemp-Jones, and T. Nakashima, 855.
The trishomocyclopropenyl cation. II. An ethano-bridged derivative. S. Masamune, M. Sakai, and A. V. Kemp-Jones, 858.

Kettrup, A.
2,3-Dioximes of various substituted acetoacetamides and their metal chelates. A. Kettrup and K. Striegler, 661.

Kewley, R.
Microwave spectrum of *N*-methyl morpholine. S. C. Dass and R. Kewley, 434.
Microwave spectrum of methoxyacetonitrile. R. Kewley, 509.

Khalil, M. F.
Quaternary bases from *Hunteria eburnea* pitchon. R. H. Burnell, A. Chapelle, and M. F. Khalil, 2327.

Khan, M. A.
The crystal structure of *cis*-chlorobis(triethylphosphine)-1,10-phenanthrolineplatinum(II) fluoroborate, (PtCl₂(PEt₃)₂(phen))BF₄, a complex containing monodentate 1,10-phenanthroline. G. W. Bushnell, K. R. Dixon, and M. A. Khan, 1367.
The crystal and molecular structure of diazido-2,2'-bipyridinecopper(II). G. W. Bushnell and M. A. Khan, 3125.

Khan, Z. H.
Formation of the radical cations of some tetracyclic aromatic hydrocarbons in boric acid glass. Z. H. Khan and B. N. Khanna, 827.

Khanna, B. N.
Formation of the radical cations of some tetracyclic aromatic hydrocarbons in boric acid glass. Z. H. Khan and B. N. Khanna, 827.

Kiehlmann, E.
The mechanism of the transition metal-catalyzed reaction of 1,1'-carbonyldipyrroles with aldehydes and ketones. L. K. Peterson, E. Kiehlmann, A. R. Sanger, and K. I. Thé, 2367.

Kim, J.-H.

Kinetics of proton transfer reactions of carbon acids. IV. Primary deuterium isotope effect in the reaction of di-(4-nitrophenyl)methane-*d*₂ with *t*-butoxide. J.-H. Kim and K. T. Leffek, 592.

Kimbell, G. H.

Infrared chemiluminescence from the reactions of oxygen atoms with halomethanes. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 271.

Infrared chemiluminescence from the reaction of oxygen atoms with chloroethylenes. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 2608.

King, J. F.

Organic sulfur mechanisms. 16. Competing reverse Diels-Alder and desulfonylation-rearrangement reactions in the thermolysis of a cyclic sulfone. J. F. King, R. M. Enanoza, and E. G. Lewars, 2409.

King, R. R.

Synthesis of 2-*O*-, 3-*O*-, and 4-*O*- β -D-glucopyranosyl-L-rhamnose, and of 2-*O*- β -D-galactopyranosyl-L-rhamnose. R. R. King and C. T. Bishop, 3913.

Kirk, A. D.

Chloride quantum yields from photolysis of chloropentammine and chloropentakisalkylamino chromium(III) complexes. C. F. C. Wong and A. D. Kirk, 3384.

Kiyohara, O.

Excess volumes, ultrasonic velocities, and adiabatic compressibilities for binary cycloalkanol mixtures at 25 °C. O. Kiyohara, J.-P. E. Grolier, and G. C. Benson, 2287.

Klapstein, D.

Restricted rotation in α -carbonyl radicals. T. Foster, D. Klapstein, and P. R. West, 524.

Klett, R. D.

Titanium(IV)chloro- derivatives of strong monobasic acids. J. R. Dalziel, R. D. Klett, P. A. Yeats, and F. Aubke, 231.

Kliegel, W.

Crystal and molecular structure of 4,4-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boranatacyclopentane. S. J. Rettig, J. Trotter, and W. Kliegel, 2531.

Klingsberg, E.

Protonation and acid-catalyzed rearrangement of 1,2-diazepines. D. J. Harris, M. T. Thomas, V. Sniekus, and E. Klingsberg, 2798.

The synthesis of 1,2-diazepines from thiapyrylium salts. D. J. Harris, G. Y.-P. Kan, V. Sniekus, and E. Klingsberg, 2805.

Klissurski, D. G.

The kinetics of the isotopic exchange of oxygen-18 with the oxygen of copper(II) molybdate. D. G. Klissurski, R. A. Ross, and T. J. Griffith, 3847.

Knop, O.

Infrared studies of water in crystalline hydrates: K₂CuCl₄·2H₂O. G. H. Thomas, M. Falk, and O. Knop, 1029.

Redetermination of the Mössbauer ¹¹⁹Sn chemical shifts in K, Cs, and Cu hexafluostannates. F. W. D. Woodhams, R. A. Howie, and O. Knop, 1904.

Revision of the Shannon and Prewitt effective ionic radii of tetravalent elements. O. Knop and J. S. Carlow, 2175.

Infrared studies of water in crystalline hydrates: location of hydrogen atoms and evidence for a bifurcated hydrogen bond in K₂SnCl₄·H₂O. M. Falk, C.-H. Huang, and O. Knop, 2380.

Infrared spectra of water in crystalline hydrates: KSnCl₃·H₂O, an untypical monohydrate. M. Falk, C.-H. Huang, and O. Knop, 2928.

Knutsson, L.

Systèmes aromatiques à 10 électrons π dérivés de l'aza-3a-pentalène. XI. Etude par résonance magnétique nucléaire de l'imidozo [1,2-*b*] pyrazole et du pyrazolo [1,5-*a*] benzimidazole. J. Elguero, A. Fruchier, L. Knutsson, R. Lazar et J. Sandström, 2744.

Ko, H. C.

Thermodynamics of ionization of benzoic acid and substituted benzoic acids in relation to the Hammett equation. T. Matsui, H. C. Ko, and L. G. Hepler, 2906.

Colorimetric heats of ionization of aqueous benzoic acid from 5–100 °C and derived thermodynamic quantities. T. Matsui, H. C. Ko, and L. G. Hepler, 2912.

Kobrinsky, P. C.

The reaction of methyl radicals with molecular hydrogen. P. C. Kobrinsky and P. D. Pacey, 3665.

Kochi, J. K.

The effects of α -halogen substitution on the configuration of alkyl radicals in solution by electron spin resonance. K. S. Chen and J. K. Kochi, 3529.

Koda, S.

A CNDO/2 calculation on the reaction of ground state oxygen atoms with olefins. S. Koda, 287.

Kogami, K.

A new synthesis of 4-(4-methyl-4-hydroxyamyl)- Δ ³-cyclohexenecarboxaldehyde. K. Kogami, O. Takahashi, and J. Kumanotani, 125.

Kong, P.-C.

Cinétique de l'interaction de l'inosine avec le [Pt(dien)Br]Br. J.-Y. Séguin, P.-C. Kong et M. Zador, 2603.

Koningstein, J. A.

Electronic Raman spectroscopy and magnetic susceptibilities. J. A. Koningstein and C. J. Kane-Maguire, 3445.

Kopecky, K. R.

1,4-Diphenyl-1,4-butadiyl diradicals from thermolysis of *cis*- and *trans*-3,6-diphenyl-3,4,5,6-tetrahydropyridazine. K. R. Kopecky and J. Soler, 2111.

Koshy, K. M.

The nucleophilic displacement of the nitrate group. I. The hydrolysis of a series of benzyl nitrates in water. K. M. Koshy and R. E. Robertson, 2485.

Kostyk, B.

The synthesis of specifically deuterated phenanthrenes. J. L. Charlton, B. Kostyk, and H. K. Lai, 3577.

Kotowycz, G.

A carbon-13 nuclear magnetic resonance study of binding of copper(II) to pyrimidine nucleotides and nucleosides. G. Kotowycz, 924.

Krajewski, J. J.

Reaction of acetaldehyde and malononitrile. 2,2,4,4-Tetracyano-3,5-dimethylcyclohexylmalononitrile. J. J. Krajewski and J. W. Moyer, 3626.

Krech, M. J.

Determination of ΔH_{f298° (C_6F_5I, g) from studies of the combustion of iodopentafluorobenzene in oxygen and calculation of $D(C_6F_5-X)$ bond dissociation energies. M. J. Krech, S. J. W. Price, and W. F. Yared, 2673.

Kresge, A. J.

Secondary isotope effects on the ionization of 2-nitropropane. A. J. Kresge, D. A. Drake, and Y. Chiang, 1889.
The nitroalkane anomaly. A. J. Kresge, 1897.

Kricka, L. J.

Some derivatives of 2,5-xylidine and their cyclization to indoles. L. J. Kricka and J. M. Vernon, 299.

Krishnamachari, N.

Crystallographic studies of cobalt arsenate. III. Crystal structure of $Co_{6.95}As_{1.62}O_{16}$. N. Krishnamachari and C. Calvo, 46.

Crystal structure of 1-(bis-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, $C_{17}H_{14}Cl_2N_2O$. C. Calvo, P. C. Ip, N. Krishnamachari, and J. Warkentin, 2613.

G. Kruger

Synthesis of $3\beta,14\beta,19$ -oxygenated cardenolides. G. Kruger, 4139.

Krupay, B. W.

The kinetics of the water-gas shift reaction on nickel(II) oxide catalysts in the Néel temperature region. B. W. Krupay and R. A. Ross, 3063.

Kucharski, A. S.

Drop calorimetry of the complex compounds $CsMnCl_3$, Cs_2MnCl_4 , and Cs_2ZrCl_6 . A. S. Kucharski and S. N. Flengas, 946.

Kulich, D. M.

Homogeneous gas-phase pyrolyses using a wall-less reactor. IV. Comparative surface-nonsurface effects with cyclopropane. D. M. Kulich, J. E. Taylor, and D. A. Hutchings, 216.

Kumanotani, J.

A new synthesis of 4-(4-methyl-4-hydroxyamyl)- Δ^3 -cyclohexenecarboxaldehyde. K. Kogami, O. Takahashi, and J. Kumanotani, 125.

Kündig, E. P.

Matrix infrared and laser Raman spectra, molecular structures and normal coordinate analyses of germanium difluoride monomer GeF_2 , and dimer $(GeF_2)_2$. H. Huber, E. P. Kündig, G. A. Ozin, and A. Vander Voet, 95.

Kutowy, O.

Kinetics of dehydration of aromatic aldehydes determined by the rotating disc electrode technique. R. G. Barradas, O. Kutowy, and D. W. Shoesmith, 1635.

Labib, N. I.

The master equation for the dissociation of a dilute diatomic gas. XI. Vibrational freezing in a nozzle flow. N. I. Labib and H. O. Pritchard, 939.

Entropy production in chemically reacting systems. H. O. Pritchard, N. I. Labib, and D. L. S. McElwain, 2618.

Laffitte, M.

Thermodynamique de composés azotés. I. Etude calorimétrique des enthalpies de sublimation des trois acides aminobenzoïques. R. Sabbah, R. Chastel et M. Laffitte, 2201.

Lai, H. K.

The synthesis of specifically deuterated phenanthrenes. J. L. Charlton, B. Kostyk, and H. K. Lai, 3577.

Lalancette, J.-M.

Metals intercalated in graphite. II. The Friedel-Crafts reactions with $AlCl_3$ -graphite. J.-M. Lalancette, M.-J. Fournier-Breault, and R. Thiffault, 589.

LaLonde, R. T.

The stereospecificity of α -thiohemiaminal reduction. A 300 MHz proton magnetic resonance investigation of deuteride

reduction products from 6,6'-dihydroxythiobinupharidine and 6-hydroxythiobinupharidine. R. T. LaLonde, C. F. Wong, and K. C. Das, 2714.

¹³C chemical shifts of methylquinolizidines and correlations with the chemical shifts of methyl substituted *trans*-decalins. R. T. LaLonde and T. N. Donvito, 3778.

Lam, S. Y. Some thermodynamic properties of the dimethylsulfoxide-water and propylene carbonate-water systems at 25 °C. S. Y. Lam and R. L. Benoit, 718.

Landberg, B. E. Reactions of functionalized 1,3-dipoles. J. W. Lown and B. E. Landberg, 798.

Lang, G. Reactions of keten acetals. Part I. A simple synthesis of some naturally occurring anthraquinones. J. Banville, J.-L. Grandmaison, G. Lang, and P. Brassard, 80.

Langford, C. H. Nuclear magnetic resonance studies of solvation of halides: ¹⁹F studies of solvent and counterion effects on chemical shift. J. P. K. Tong, C. H. Langford, and T. R. Stengle, 1721.

Langlois, J. R. Water-soluble lysine-containing polypeptides. I. The synthesis and characterization of several sequential lysine-glycine polypeptides including a preliminary study of their interaction with DNA. J. Brown, J. R. Langlois, D. R. Lauren, B. K. Stoochnoff, and R. E. Williams, 3140.

Laplante, J.-P. Electric field gradients in alkali halide molecules. J.-P. Laplante and A. D. Bandrauk, 2143.

Latremouille, G. Complex fluoroanions in solution. V. Vanadium pentafluoride. S. Brownstein and G. Latremouille, 2236.

Lau, A. Y.-K. Bimolecular reactions of trapped ions. VIII. Reactions in propane and propane-methane mixtures. B. H. Solka, A. Y.-K. Lau, and A. G. Harrison, 1798.

Lauren, D. R. Water-soluble lysine-containing polypeptides. I. The synthesis and characterization of several sequential lysine-glycine polypeptides including a preliminary study of their interaction with DNA. J. Brown, J. R. Langlois, D. R. Lauren, B. K. Stoochnoff, and R. E. Williams, 3140.

Lazaro, R. Systèmes aromatiques à 10 électrons π dérivés de l'aza-3a-pentalène. XI. Etude par résonance magnétique nucléaire de l'imidazo [1,2-*b*] pyrazole et du pyrazolo [1,5-*a*] benzimidazole. J. Elguero, A. Fruchier, L. Knutsson, R. Lazaro et J. Sandström, 2744.

LeBelle, M. J. Carbon-sulfur bond cleavage in the reaction of alkylolithiums with sulfoxides. T. Durst, M. J. LeBelle, R. Van den Elzen, and K. C. Tin, 761.

LeBlanc, D. J. Unusual reactions of peroxides. II. Decomposition of diphenylmethyl peroxides. R. Hiatt, D. J. LeBlanc, and C. Thankachan, 4090.

Leblanc, R. M. Laser spectrofluorimetry of chlorophylls. R. M. Leblanc, G. Galinier, A. Tessier, and L. Lemieux, 3723.

Lebourgeois, P. Isomérisation photochimique de l'azobenzène en solution. I. J. Ronayette, R. Arnaud, P. Lebourgeois et J. Lemaire, 1848.

Lectard, A. The conformational requirements for the transition state of Bogert-Cook-Bardhan-Sengupta cyclizations. F. Brisse, A. Lectard, and C. Schmidt, 1123.

Leduc, G. Spectrométrie de masse d'imines aliphatiques. G. Leduc et Y. Rousseau, 1648.

Lee, C. C. Rearrangement studies with ¹⁴C. XXXIX. 1,2-Phenyl shifts in solvolyses of triphenylvinyl-2-¹⁴C triflate. C. C. Lee, A. J. Cessna, B. A. Davis, and M. Oka, 2679.

Rearrangement studies with ¹⁴C. XL. The acetolysis of 2-phenylethyl-1-¹⁴C triflate. C. C. Lee and D. Unger, 3955.

Lee, S.-L. Sulfur-free penicillin derivatives. VI. Synthesis of the 1-oxacephem ring system. S. Wolfe, J.-B. Ducep, K.-C. Tin, and S.-L. Lee, 3996.

Leffek, K. T. Kinetics of proton transfer reactions of carbon acids. IV. Primary deuterium isotope effect in the reaction of di-(4-nitrophenyl)methane-*d*₂ with *t*-butoxide. J.-H. Kim and K. T. Leffek, 592.

Legault, R. Dimetalation of β -lactams. Introduction of 3-substituents in *N*-unsubstituted β -lactams. T. Durst, R. Van Den Elzen, and R. Legault, 3206.

Lemaire, J. Isomérisation photochimique de l'azobenzène en solution. I. J. Ronayette, R. Arnaud, P. Lebourgeois et J. Lemaire, 1848.

Isomérisation photosensibilisée par des colorants et photoréduction de l'azobenzène en solution. II. J. Ronayette, R. Arnaud et J. Lemaire, 1858.

Isomérisation *cis-trans* de l'azobenzène catalysée par l'iode. III. R. Arnaud et J. Lemaire, 1868.

Lemieux, L.
Laser spectrofluorimetry of chlorophylls. R. M. Leblanc, G. Galinier, A. Tessier, and L. Lemieux, 3723.

Lesigne, B.
Spectra and decay of trichloromethyl radicals in aqueous solution. B. Lesigne, L. Gilles, and P. J. Woods, 1135.

Leung, F.
The crystal structure of levoglucosan triacetate. F. Leung and R. H. Marchessault, 2516.

Leung, H.-C.
Far infrared spectra of crystalline iodine monobromide and iodine monochloride. H.-C. Leung and A. Anderson, 1081.

Levi, E. M.
Phototropic products from the reactions of aryl monoazines with bases. P. Yates, E. M. Levi, and B. L. Shapiro, 3343.

Lewars, E. G.
Organic sulfur mechanisms. 16. Competing reverse Diels-Alder and desulfonylation-rearrangement reactions in the thermolysis of a cyclic sulfone. J. F. King, R. M. Enanoza, and E. G. Lewars, 2409.

Azatropolones. Part II. The Schmidt reaction of 2-methoxy-5-methylbenzoquinone. C. G. Hughes, E. G. Lewars, and A. H. Rees, 3327.

Leznoff, C. C.
Photocyclization reactions of aryl polyenes. VII. The photocyclization of 1-phenyl-4-thienyl- and 1,4-dithienyl-1,3-butadienes. C. C. Leznoff, W. Lilie, and C. Manning, 132.

Li, R. T.
Synthesis of 2,6-naphthyridine, 4-methyl-2,6-naphthyridine, and their derivatives. A. Taurins and R. T. Li, 843.

Lilie, W.
Photocyclization reactions of aryl polyenes. VII. The photocyclization of 1-phenyl-4-thienyl- and 1,4-dithienyl-1,3-butadienes. C. C. Leznoff, W. Lilie, and C. Manning, 132.

Lin, D. C. K.
The behavior of 1-phenyl-2-benzimidazolinethione and 1-phenyl-2-benzimidazolinone upon electron impact and pyrolysis. D. C. K. Lin, M. L. Thomson, and D. C. DeJongh, 2359.

Lin, M. S.-H.
Rearrangement reactions in the electron impact fragmentation of isobutene. M. S.-H. Lin and A. G. Harrison, 1813.

Lin, Y. Y.
The specificity of the nucleophilic site of α -chymotrypsin and its potential for the resolution of alcohols. Enzyme-catalyzed hydrolyses of some (+)-, (-)- and (\pm)-2-butyl, -2-octyl, and α -phenethyl esters. Y. Y. Lin, D. N. Palmer, and J. B. Jones, 469.

Lindsay, D.
The electron paramagnetic resonance spectra of hydrazyl and some 1-substituted hydrazyl radicals in solution. V. Malatesta, D. Lindsay, E. C. Horswill, and K. U. Ingold, 864.

Di-(1-adamantyl)iminoxy. Preparation and dipole moment. D. Lindsay, E. C. Horswill, D. W. Davidson, and K. U. Ingold, 3554.

Ling, A. C.
Structure of radicals produced by γ -radiolysis. Part 3. Radicals derived from adamantane, adamantyl derivatives, and diamantane. G. J. Hyfantis, Jr. and A. C. Ling, 1206.

Lissi, E.
Photolysis of di-*tert*-butyl peroxide in solution. E. Lissi, 2491.

Liu, M. T. H.
Effects of solvent on the 1,2-hydrogen shift to a divalent carbon. M. T. H. Liu and D. H. T. Chien, 246.

Lock, C. J. L.
Studies of β -diketone complexes of rhenium. VI. The crystal and molecular structure of *cis*-dichloropentane-2,4-dionato-*trans*-bis(triphenyl-phosphine)rhenium(III). I. D. Brown, C. J. L. Lock, and C. Wan, 1704.

London, J.
The interaction of ozone photochemistry and dynamics in the stratosphere. A three-dimensional atmospheric model. J. London and J. H. Park, 1599.

Long, A. D.
The synthesis of 1,7- and 1,8-dimethylphenazines. A. Taurins and A. D. Long, 1307.

Loosmore, S. M.
The oxidation of heterocyclic thiones. J. L. Charlton, S. M. Loosmore, and D. M. McKinnon, 3021.

Loughlin, K. F.
Sorption and diffusion of *n*-heptane in 5A zeolite. I. H. Doetsch, D. M. Ruthven, and K. F. Loughlin, 2717.

Louisnard, N.
Recent stratospheric spectra of NO and NO₂. M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Loutfy, R. O.
Erratum: Primary bond formation in the addition of cyclopentenone to chloroethylenes. R. O. Loutfy and P. De Mayo, 3296.

Lown, J. W.

Reactions of functionalized 1,3-dipoles. J. W. Lown and B. E. Landberg, 798.
Studies relating to aziridine antitumor antibiotics. Part II. ^{13}C and ^1H nuclear magnetic resonance spectra of mitomycin C and structurally related streptonigrin. J. W. Lown and A. Begleiter, 2331.

Lubezky, I.

Dielectric behavior of the aniline-cyclohexane system in the consolute region. I. Lubezky and R. McIntosh, 3176.

Luk, H. C.

The fluoridation of non-stoichiometric calcium hydroxyapatite. An infrared study. C. H. Amberg, H. C. Luk, and K. P. Wagstaff, 4001.

Lukacs, G.

Carbon-13 nuclear magnetic resonance spectra of 1,4-oxathiane derivatives. W. A. Szarek, D. M. Vyas, A.-M. Sepulchre, S. D. Gero, and G. Lukacs, 2041.

Application of carbon-13 nuclear magnetic resonance spectroscopy to the structural determination of chlorodeoxy sugars. W. A. Szarek, D. M. Vyas, G. Lukacs, and S. D. Gero, 3394.

Luria, M.

Photolysis of SO_2 in the presence of foreign gases. VI. Acetylene and allene. M. Luria and J. Heicklen, 3451.

Lynch, T. R.

Photochemical ring enlargements of two α -cyanocycloalkanones. G. K. Chip and T. R. Lynch, 2249.

Lyznicki, E. P., Jr.

Reactivity of organophosphates. IV. Acid-catalyzed hydrolysis of triethyl phosphate: a comparison with ethyl acetate. E. P. Lyznicki, Jr., K. Oyama, and T. T. Tidwell, 1066.

Maass, W. S. G.

The mass spectra of derivatives of polyporic acid. R. D. Grigsby, W. D. Jamieson, A. G. McInnes, W. S. G. Maass, and A. Taylor, 4117.

MacCoss, M.

Nucleic acid related compounds. 14. 3'-*O*-aminoacyl-2'-*O*-methyladenosines and 2'-*O*-aminoacyl-3'-*O*-methyladenosines related to charged tRNA termini. M. J. Robins, M. MacCoss, and G. Ramani, 3803.

Macdonald, A. L.

Crystal and molecular structure of 2-deacylusic acid. A. L. Macdonald, S. J. Rettig, and J. Trotter, 723.

Crystal structure of bis[hexakis(dimethylamino)cyclotriphosphonitrillium] tetrachlorocobaltate(II). A. L. Macdonald and J. Trotter, 734.

Macdonald, R. W.

The effect of pressure on the solubility of CaCO_3 , CaF_2 , and SrSO_4 in water. R. W. Macdonald and N. A. North, 3181.

MacDonald, S. F.

Nitrosation with lithium nitrite. M. F. Chen and S. F. MacDonald, 1760.

Methyl 5-bromolevulinate. S. F. MacDonald, 3257.

Mackay, D.

Competition between acid catalyzed interconversion and solvolysis of adducts of dimethyl azodicarboxylate and 2,5-dimethyl-3,4-diphenylcyclopentadienone. D. Mackay and C. W. Pilger, 1114.

MacLean, D. B.

The hydride reduction of hemiaminals of thiobinupharidine and the structure of thionupharoline. T. I. Martin, D. B. MacLean, J. T. Wróbel, A. Iwanow, and W. Starzec, 2705.

Biosynthesis of corydaline and of ochotensimine. H. L. Holland, M. Castillo, D. B. MacLean, and I. D. Spenser, 2818.

Maguire, J.

Kinetics of the Cu(II) - nitrilotriacetic acid reaction. J. Maguire, 4106.

Mailer, K. O'S.

Infrared spectra of metal bisfluorosulfates. C. S. Alleyne, K. O'S. Mailer, and R. C. Thompson, 336.

Makhubu, L. P.

Selective hydrolysis and oxidation of the bismethylenedioxy protective group during angular methyl migration in corticosteroid analogs. L. P. Makhubu, Z. G. Hajos, and G. R. Duncan, 1744.

Malatesta, V.

The electron paramagnetic resonance spectra of hydrazyl and some 1-substituted hydrazyl radicals in solution. V. Malatesta, D. Lindsay, E. C. Horswill, and K. U. Ingold, 864.

Malaval, A.

The oxidation of acetals by ozone. P. Deslongchamps, P. Atlani, D. Fréhel, A. Malaval, and C. Moreau, 3651.

Malhotra, S. L.

Effect of molecular weight on glass transition by differential scanning calorimetry. L.-P. Blanchard, J. Hesse, and S. L. Malhotra, 3170.

Malicky, J. L.

The synthesis of analogs of the hallucinogen 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM). II. Some ring-methoxylated 1-amino- and 2-amino-indanes. R. T. Coutts and J. L. Malicky, 381.

The synthesis of some analogs of the hallucinogen 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM). III. Some derivatives of 3-phenylalanine. R. T. Coutts and J. L. Malicky, 390.

The synthesis of four possible *in vitro* metabolites of the hallucinogen 1-(2,5-dimethoxy-4-methylphenyl)-2-aminopropane (DOM). R. T. Coutts and J. L. Malicky, 395.

Mamer, O. A. Methyl cyclopentadienecarboxylate formation in the methanol quenched vapour phase thermolysis of methyl salicylate. O. A. Mamer, K. G. Rutherford, and R. J. Seidewand, 1983.

Manning, C. Photocyclization reactions of aryl polyenes. VII. The photocyclization of 1-phenyl-4-thienyl- and 1,4-dithienyl-1,3-butadienes. C. C. Leznoff, W. Lilie, and C. Manning, 132.

Manteghetti, A. Hydrates des halogénures de gallium. II. Spectroscopie de vibration des complexes coordinés $\text{GaX}_3 \cdot \text{H}_2\text{O}$ (X = Cl ou Br). J. Rozière, M.-T. Rozière-Bories, A. Manteghetti et A. Potier, 3274.

Manuel, G. Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. I. Synthèse des alcènes et hydroboration. C. Freppel, M.-A. Poirier, J.-C. Richer, Y. Maroni et G. Manuel, 4133.

Manville, J. F. Juvenile hormone analogs in conifers. II. Isolation, identification, and biological activity of *cis*-4-[1'*t*(*R*)-5'-dimethyl-3'-oxohexyl]-cyclohexane-1-carboxylic acid and (+)-4(*R*)-[1'(*R*)-5'-dimethyl-3'-oxohexyl]-1-cyclohexene-1-carboxylic acid from Douglas-fir wood. I. H. Rogers, J. F. Manville, and T. Sahota, 1192.

Manzer, L. E. Spectroscopic studies of cationic h^3 -cyclopentadienyl iron carbonyl derivatives. G. M. Bancroft, K. D. Butler, L. E. Manzer, A. Shaver, and J. E. H. Ward, 782.

^{13}C nuclear magnetic resonance studies of organometallic compounds. IV. *cis*-Dimethylplatinum(II) derivatives. H. C. Clark, L. E. Manzer, and J. E. H. Ward, 1165.

^{13}C nuclear magnetic resonance studies of organometallic compounds. V. Di- and trimethylplatinum(IV) derivatives. H. C. Clark, L. E. Manzer, and J. E. H. Ward, 1973.

Marchessault, R. H. The crystal structure of levoglucosan triacetate. F. Leung and R. H. Marchessault, 2516.

Comments on the crystal structure of polypivalolactone and deviation of ester groups from *trans* planarity. J. Cornibert, N. V. Hien, F. Brisse, and R. H. Marchessault, 3742.

Marcotrigiano, G. Preparation, infrared spectra, electronic spectra, and magnetic moments of copper(II) complexes of *N*-acetylglycine and their amine adducts. G. Marcotrigiano and G. C. Pellacani, 3607.

Markila, P. L. Crystal structure of hexamethylcyclotriphosphazene-iodine (1:1 adduct). P. L. Markila and J. Trotter, 2197.

Maroni, Y. Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. I. Synthèse des alcènes et hydroboration. C. Freppel, M.-A. Poirier, J.-C. Richer, Y. Maroni et G. Manuel, 4133.

Marshall, A. G. Selective-phase ion cyclotron resonance spectroscopy. M. B. Comisarow and A. G. Marshall, 1997.

Martin, D. Further studies on the homogeneous hydrogenation of olefins catalyzed by a cyclic phosphine complex of rhodium(I) hydride. D. G. Holah, I. M. Hoodless, A. N. Hughes, B. C. Hui, and D. Martin, 3758.

Martin, J. S. A carbon-13 nuclear magnetic resonance study of cation solvation in alcohols. G. W. Stockton and J. S. Martin, 744.

Martin, R. On the mechanism of quenching by amines: a new method for investigation of interactions with triplet states. R. H. Young, D. Brewer, R. Kayser, R. Martin, D. Feriozi, and R. A. Keller, 2889.

Martin, T. I. The hydride reduction of hemiaminals of thiobinupharidine and the structure of thionupharoline. T. I. Martin, D. B. MacLean, J. T. Wróbel, A. Iwanow, and W. Starzec, 2705.

Masamune, S. The trishomocyclopropenyl cation. I. Direct observation. S. Masamune, M. Sakai, A. V. Kemp-Jones, and T. Nakashima, 855.

The trishomocyclopropenyl cation. II. An ethano-bridged derivative. S. Masamune, M. Sakai, and A. V. Kemp-Jones, 858.

Mascherpa, G. Composés d'addition de SbF_5 avec H_2O et HF. Formation d'ions hydronium. B. Bonnet, J. Rozière, R. Fourcade et G. Mascherpa, 2077.

Massiah, T. F. Kinetics of the nitrosation of pyrrolidine and proline. A. Okany, T. F. Massiah, L. J. Rubin, and K. Yates, 1050.

Masson, C. R. Reply to comment: On the Whiteway-Smith-Masson and Flory-Stockmayer theories of polymerization. C. R. Masson and S. G. Whiteway, 1190.

Mastenbrook, H. J.
Water-vapor measurements in the lower stratosphere. H. J. Mastenbrook, 1527.

Mathey, Y.
Les phases cyanures de nickel(II) hydratés. Y. Mathey et C. Mazières, 3637.

Mathias, E.
The chlorine-atom sensitized oxidation and the ozonolysis of C_2Cl_4 . E. Mathias, E. Sanhueza, I. C. Hisatsune, and J. Heicklen, 3852.

Mathieu, D.
Essai de calcul des paramètres d'anisotropie des liaisons C—C, C—H, C=C et C=O par régression multi-linéaire sur des données expérimentales résonance magnétique nucléaire. J. W. ApSimon, J. Elguero, A. Fruchier, D. Mathieu et R. Phan-Tan-Luu, 2296.

Matsui, T.
Thermodynamics of ionization of nitroethane in water-ethanol solvent mixtures. T. Matsui, L. G. Hepler, and E. M. Woolley, 1910.

Thermodynamics of ionization of benzoic acid and substituted benzoic acids in relation to the Hammett equation. T. Matsui, H. C. Ko, and L. G. Hepler, 2906.

Colorimetric heats of ionization of aqueous benzoic acid from 5–100 °C and derived thermodynamic quantities. T. Matsui, H. C. Ko, and L. G. Hepler, 2912.

Matsuoka, S.
Radiation-sensitized thermal cracking of *n*-butane. I. Radical reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 2579.

Mazières, C.
Les phases cyanures de nickel(II) hydratés. Y. Mathey et C. Mazières, 3637.

Mazurek, M.
Structure of phosphonomannan, as determined by the effect of lanthanide ions on its carbon-13 magnetic resonance spectrum. P. A. J. Gorin and M. Mazurek, 3070.

McAlees, A. J.
Ring C functionalized diterpenoids. Part III. 12-Substituted *ent*-beyeranes. J. C. Fairlie, A. J. McAlees, R. McCrindle, and E. Neidert, 706.

McAlpine, R. D.
Photo-CIDNP studies of 2-butanone and 3-pentanone in solution. S. P. Vaish, R. D. McAlpine, and M. Cocivera, 2978.

McBryde, W. A. E.
The stability of some metal complexes in mixed solvents. K.-K. Mui, W. A. E. McBryde, and E. Nieboer, 1821.

Composition and stability of iron and copper citrate complexes in aqueous solution. T. B. Field, J. L. McCourt, and W. A. E. McBryde, 3119.

McCaig, T. N.
A nuclear magnetic resonance study of nucleoside conformation in solution. The effect of structure and conformation on the magnetic nonequivalence of the 5'-methylene hydrogens. F. E. Hruska, D. J. Wood, T. N. McCaig, A. A. Smith, and A. Holy, 497.

McCarty, C. G.
Mass spectra of C-amino- and C-azido-1,2,4-triazoles. B. T. Heitke and C. G. McCarty, 2861.

McClelland, R. A.
Thermodynamics of transfer of organic molecules from water to acid solutions. The effects of nitro substitution. K. Yates and R. A. McClelland, 1098.

McConnell, J. C.
Uncertainties in stratospheric-mesospheric modeling. J. C. McConnell, 1625.

McCourt, J. L.
Composition and stability of iron and copper citrate complexes in aqueous solution. T. B. Field, J. L. McCourt, and W. A. E. McBryde, 3119.

McCrindle, R.
Ring C functionalized diterpenoids. Part III. 12-Substituted *ent*-beyeranes. J. C. Fairlie, A. J. McAlees, R. McCrindle, and E. Neidert, 706.

Constituents of *Solidago* species. Part VI. The constitution of diterpenoids from a chemically distinct variety of *Solidago serotina*. R. McCrindle and E. Nakamura, 2029.

McCulloch, A. W.
Influence of Lewis acids on the Diels-Alder reaction. VI. Reaction of 2,5-dimethyl- and 2,5-diphenylfuran with ethyl propiolate. A. W. McCulloch and A. G. McInnes, 143.

Influence of Lewis acids on the Diels-Alder reaction. VII. The reaction of furan with ethyl propiolate. A. W. McCulloch, D. G. Smith, and A. G. McInnes, 1013.

The reaction of propionic acid esters with tertiary amines. Formation of betaines. A. W. McCulloch and A. G. McInnes, 3569.

McEachran, R. P.
The dipole polarizability of the hydrogen molecular ion: a variational two-center calculation. R. R. McEachran, S. Smith, and M. Cohen, 3465.

McElroy, M. B.
 HO_x , NO_x , and ClO_x : their role in atmospheric photochemistry. S. C. Wofsy and M. B. McElroy, 1582.

McElwain, D. L. S.
 Entropy production in chemically reacting systems. H. O. Pritchard, N. I. Labib, and D. L. S. McElwain, 2618.

McGlinchey, M. J.
 Synthesis and ^{19}F nuclear molecular resonance spectra of fluorosubstituted bis(arene)chromium complexes. M. J. McGlinchey and T.-S. Tan, 2439.

McInnes, A. G.
 Influence of Lewis acids on the Diels-Alder reaction. VI. Reaction of 2,5-dimethyl- and 2,5-diphenylfuran with ethyl propiolate. A. W. McCulloch and A. G. McInnes, 143.
 Influence of Lewis acids on the Diels-Alder reaction. VII. The reaction of furan with ethyl propiolate. A. W. McCulloch, D. G. Smith, and A. G. McInnes, 1013.
 The reaction of propiolic acid esters with tertiary amines. Formation of betaines. A. W. McCulloch and A. G. McInnes, 3569.
 The mass spectra of derivatives of polyporic acid. R. D. Grigsby, W. D. Jamieson, A. G. McInnes, W. S. G. Maass, and A. Taylor, 4117.

McIntosh, J. M.
 Dihydrothiophenes. III. Preparation of some 3,4-unsubstituted examples. J. M. McIntosh and R. S. Steevensz, 1934.

McIntosh, R.
 Dielectric behavior of the aniline-cyclohexane system in the consolute region. I. Lubezky and R. McIntosh, 3176.
 Sorption of water, ammonia, ethyl chloride, and methane on Na-X zeolite and associated framework distortion. D. L. Rimmer and R. McIntosh, 3699.

McKenna, A. L., III
 Chemical behavior of charge-transfer complexes. VI. Catalysis of acetolysis of 2,4,7-trinitro-9-fluorenyl *p*-toluenesulfonate by aromatic hydrocarbon donors. A. K. Colter, A. L. McKenna, III, and M. A. Kasem, 3748.

McKinnon, D. M.
 Some reactions of isothiazoline-3- and -5-thiones. M. S. Chauhan, M. E. Hassan, and D. M. McKinnon, 1738.
 The oxidation of heterocyclic thiones. J. L. Charlton, S. M. Loosmore, and D. M. McKinnon, 3021.

McLean, R. A. N.
 Vibrational spectra of the hexacarbonyl manganese(I) cation. R. A. N. McLean, 213.

McLean, S.
 The relationship between ormosastrine and podopetaline. S. McLean and R. Misra, 1907.

Meathrel, W. G.
 Quaternary nitrogen heterocycles. III. Kinetic and thermodynamic control of pseudobase formation from the 1-methyl-3-nitroquinolinium cation. J. W. Bunting and W. G. Meathrel, 303.
 Quaternary nitrogen heterocycles. IV. The 1-methyl-4-nitroquinolinium and 4,4-diiodo-1, 1-dimethyl-1,4-dihydro-quinolinium cations - two methylation products of 4-nitroquinoline and their reactions in aqueous solutions. J. W. Bunting and W. G. Meathrel, 951.
 Quaternary nitrogen heterocycles. V. Substituent effects on the equilibrium constants for pseudobase formation from quinolinium and isoquinolinium cations. J. W. Bunting and W. G. Meathrel, 962.
 Quaternary nitrogen heterocycles. VI. Equilibria and kinetics of pseudobase formation from some heteroaromatic dications. J. W. Bunting and W. G. Meathrel, 975.
 Quaternary nitrogen heterocycles. VII. Reactions of some tricyclic heteroaromatic cations in basic solutions. J. W. Bunting and W. G. Meathrel, 981.

Meesters, A.
 The product of homotropylium cation photolysis. P. A. Christensen, Y. Y. Huang, A. Meesters, and T. S. Sorensen, 3424.

Melton, L. D.
 ω -Aldehyde sugars prepared by ninhydrin oxidation. A. R. Gibson, L. D. Melton, and K. N. Slessor, 3905.

Ménard, M.
 Tricyclic analogs of the prodines. M. Ménard, P. Rivest, L. Morris, J. Meunier, and Y. G. Perron, 2316.

Mendelbaum, H.-G.
 Etude de l'influence de l'ionicite du milieu réactionnel sur les propriétés texturales de gels d'oxyde de titane. H. Brusset, H.-G. Mendelbaum et C. Flicoteaux, 2502.

Mendoza, V.
 Aziridine induced isomerization of maleisoimides to maleimides. P. Joseph-Nathan, V. Mendoza, and E. García G., 129.

Menzinger, M.
 Electronic chemiluminescence in $\text{M} + \text{X}_2$ reactions: dissociation energies of the alkaline earth monohalides MX ($\text{M} = \text{Ca, Sr, Ba}; \text{X} = \text{F, Cl, Br}$). M. Menzinger, 1688.

Mercer, A.
 Crystal and molecular structure of [2,3-bis(dimethylarsino)-1,1,1,4,4,4-hexafluorobut-2-ene-4s,4s]tricarbonyldi-iodotungsten(II). A. Mercer and J. Trotter, 3331.

Messer, R. R.
 Virial partitioning of charge distributions and properties of diatomic hydrides; $\text{NaH} \leftrightarrow \text{HCl}$. R. F. W. Bader and R. R. Messer, 2268.

Meunier, J.
Tricyclic analogs of the prodines. M. Ménard, P. Rivest, L. Morris, J. Meunier, and Y. G. Perron, 2316.

Meyers, E. A.
A study of the donor properties of the phenoxachalcogenines. I. Tetracyanoethylene and chloranil as acceptors (I). C. A. Heller, R. A. Zingaro, and E. A. Meyers, 3814.

Miles, W. F.
Mechanism and stereochemistry of the hydrolysis of 4-arylamino-1,2,3,4-tetrahydroquinaldines. T. P. Forrest, G. A. Dauphinee, and W. F. Miles, 884.

Miller, J. M.
The halogen-scrambling mechanism leading to formation of the mixed boron trihalide adducts of trimethylamine. B. W. Benton and J. M. Miller, 2866.

Millero, F. J.
Apparent molal volumes and heat capacities of alkaline earth chlorides in water at 25 °C. G. Perron, J. E. Desnoyers, and F. J. Millero, 3738.

Milne, J. B.
 ^{121}Sb Mössbauer spectroscopy: stereochemical activity of the 5s electrons in some Sb(III) halide complexes. J. G. Ballard, T. Birchall, J. B. Milne, and W. D. Moffett, 2375.

Misra, R.
The relationship between ormcastrine and podopetaline. S. McLean and R. Misra, 1907.

Mitchell, R. H.
A synthesis of specifically substituted pyrenes: 2,7-dimethylpyrene. R. H. Mitchell and R. J. Carruthers, 3054.

Moffett, W. D.
 ^{121}Sb Mössbauer spectroscopy: stereochemical activity of the 5s electrons in some Sb(III) halide complexes. J. G. Ballard, T. Birchall, J. B. Milne, and W. D. Moffett, 2375.

Monković, I.
Synthetic morphinans and hasubanans. II. On the mechanism of acid-catalyzed transformations of 17-(N-phenylthioamido)-3-methoxy- $\Delta^{8,14}$ -morphinan. M. Saucier and I. Monković, 2736.

Monsigny, M.
Synthèse d' α -L-fucopyranosides. M.-E. Rafestin, D. Delay et M. Monsigny, 210.

Montaudo, G.
Carbon-13 nuclear magnetic resonance studies of *ortho*-substituted anisoles and diphenyl ethers. G. W. Buchanan, G. Montaudo, and P. Finocchiaro, 767.
Carbon-13 nuclear magnetic resonance studies of some methyl substituted diphenylmethanes. G. W. Buchanan, G. Montaudo, and P. Finocchiaro, 3196.

Monteil, Y.
Sur l'existence des composés P_4Se_x ($x \leq 3$) et $\text{P}_4\text{Se}_{3-n}\text{S}_n$ ($n = 1, 2$). Y. Monteil et H. Vincent, 2190.

Moreau, C.
The oxidation of acetals by ozone. P. Deslongchamps, P. Atlani, D. Fréhel, A. Malaval, and C. Moreau, 3651.

Morris, L.
Tricyclic analogs of the prodines. M. Ménard, P. Rivest, L. Morris, J. Meunier, and Y. G. Perron, 2316.

Morton, R. A.
Cis-trans conformational dependence of the carboxylate pK in glycylsarcosine. R. A. Morton and S. S. Danyluk, 2348.

Moss, K. C.
The stereospecific synthesis of neutral and cationic tertiary phosphine complexes of platinum(II). K. R. Dixon, K. C. Moss, and M. A. R. Smith, 692.

Mountain, P. F.
Dielectric studies. Part XXXV. Relaxation studies of benzaldehyde and four *para*-substituted aldehydes. P. F. Mountain and S. Walker, 3229.

Moyer, J. W.
Reaction of acetaldehyde and malononitrile. 2,2,4,4-Tetracyano-3,5-dimethylcyclohexylmalononitrile. J. J. Krajewski and J. W. Moyer, 3626.

Muchowski, J. M.
Intramolecular bromoamination. Part I. D. E. Horning and J. M. Muchowski, 1321.
The reaction of iminophosphoranes with dimethylformamide. J. M. Muchowski, 2255.
Five-membered heterocyclic thiones. Part V. The sulfurization of 5-lithioisothiazoles. D. E. Horning and J. M. Muchowski, 2950.

Mui, K.-K.
The stability of some metal complexes in mixed solvents. K.-K. Mui, W. A. E. McBryde, and E. Nieboer, 1821.

Muller, C.
Recent stratospheric spectra of NO and NO_2 . M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Muller, D.
Isothermal and photostimulated emissions of indole and tryptophan in two polar matrices at 77 °K. D. Muller, M. Ewald, and G. Durocher, 407.
Fluorescence différée et émissions photostimulées du carbazole et de la diphenylamine dans une matrice rigide d'éther à 77 °K. D. Muller, M. Ewald et G. Durocher, 3707.

Murphy, J.
The hydrolysis of esters related to *O*-hippuryl-2-hydroxybutanoic acid by carboxypeptidase A. J. W. Bunting and J. Murphy, 2640.

The hydrolysis of benzoate esters by carboxypeptidase A and the pH-rate profile for the hydrolysis of *O*-hippuryl-L-3-phenyllactic acid. J. W. Bunting, J. Murphy, C. D. Myers, and G. G. Cross, 2648.

Substrate activation in the carboxypeptidase a catalysis of ester hydrolysis. J. Murphy and J. W. Bunting, 3829.

Murray, J. J.
The vapor pressures and enthalpies of sublimation of five polycyclic aromatic hydrocarbons. J. J. Murray, R. F. Pottie, and C. Pupp, 557.

Murray, T. P.
Base catalyzed isomerization of epoxides to bicyclic allylic alcohols, potential intermediates for the total synthesis of the DL-aldehyces. K. Ranganayakulu, U. P. Singh, T. P. Murray, and R. K. Brown, 988.

Myers, C. D.
Reversible inhibition of carboxypeptidase A. II. Inhibition of esterase activity by dicarboxylic acid anions. J. W. Bunting and C. D. Myers, 2053.

The hydrolysis of benzoate esters by carboxypeptidase A and the pH-rate profile for the hydrolysis of *O*-hippuryl-L-3-phenyllactic acid. J. W. Bunting, J. Murphy, C. D. Myers, and G. G. Cross, 2648.

Nadon, L.
Thallic ion oxidation of styrene: kinetics of decomposition of the oxythallation adduct $C_6H_5-CH(OCH_3)-CH_2Tl(OAc)_2$. L. Nadon and M. Zador, 2667.

Naidu, P. R.
Excess volumes of binary mixtures of alcohols in methylcyclohexane. M. V. P. Rao and P. R. Naidu, 788.

Nakamura, E.
Constituents of *Solidago* species. Part VI. The constitution of diterpenoids from a chemically distinct variety of *Solidago serotina*. R. McCrindle and E. Nakamura, 2029.

Nakashima, T.
The trishomocyclopropenyl cation. I. Direct observation. S. Masamune, M. Sakai, A. V. Kemp-Jones, and T. Nakashima, 855.

Nanda, R. K.
The conformation of β -pseudouridine about the glycosidic bond as studied by 1H homonuclear Overhauser measurements and molecular orbital calculations. R. K. Nanda, R. Tewari, G. Govil, and I. C. P. Smith, 371.

Narang, S. A.
Synthesis of lactose-operator gene fragments by the improved triester method. K. Itakura, N. Katagiri, and S. A. Narang, 3689.

Natarajan, M.
Phase transformation studies in silver and thallium chromates. M. Natarajan and E. A. Secco, 712.

Anisotropic conductivity and phase transformation studies in potassium chromate crystals. M. Natarajan and E. A. Secco, 2436.

Alkali tin paraperiodates ($MSnIO_6$): thermal analyses, electrical conductivity, infrared, and X-ray diffraction studies. M. Natarajan, P. Ramamurthy, and E. A. Secco, 3187.

Nattrass, J. F.
A nuclear magnetic resonance investigation of molecular motion in solid *cis*-diaquotetramminecobalt(III) sulfate. B. A. Dunell, J. F. Nattrass, and S. E. Ulrich, 900.

Neelakantan, K.
A kinetic study of isotopic exchange between terbium ion and its EDTA complex in aqueous buffer systems and the possible role of buffer anion. R. E. Jervis and K. Neelakantan, 1086.

Neeman, M.
Regiospecific syntheses of modified steroid hormones. Part VI. α -, α' -, and β -mode reactions of hydrogen halides with 1,2-epoxy- and 4,5-epoxy-3-oxo-antrostanes and -estranes. M. Neeman and J. S. O'Grodnick, 2941.

Neidert, E.
Ring C functionalized diterpenoids. Part III. 12-Substituted *ent*-beyeranes. J. C. Fairlie, A. J. McAlees, R. McCrindle, and E. Neidert, 706.

Nevejans, D.
Recent stratospheric spectra of NO and NO_2 . M. Ackerman, D. Frimout, C. Muller, D. Nevejans, J. C. Fontanella, A. Girard, L. Gramont, and N. Louisnard, 1532.

Neville, G. A.
Mercury(II) complexation of cysteine, methyl cysteinate, and *S*-methylcysteine in acidic media. G. A. Neville and T. Drakenberg, 616.

Newton, A. M.
Kinetics and mechanism of the thermal decomposition of hexaamminecobalt(III) and aquopentaamminecobalt(III) ions in acidic aqueous solution. A. M. Newton and T. W. Swaddle, 2751.

Neyroud, J. A.
The chemistry of high molecular weight fulvic acid fractions. J. A. Neyroud and M. Schnitzer, 4123.

Nicolet, M.
An overview of aeronomic processes in the stratosphere and mesosphere. M. Nicolet, 1381.

Nieboer, E.
The stability of some metal complexes in mixed solvents. K.-K. Mui, W. A. E. McBryde, and E. Nieboer, 1821.

Niederberger, W.
A proton magnetic resonance study of 1,4-dichlorobenzene-¹³C partially oriented in nematic phases. E. E. Burnell, P. Diehl, and W. Niederberger, 151.

Niki, H.
Reaction kinetics involving O and N compounds. H. Niki, 1397.

Nip, W. S.
Shock tube studies of the reactions of hydrogen atoms. I. The reaction H + NH₃ → H₂ + NH₂. J. E. Dove and W. S. Nip, 1171.

Nixon, J. F.
Syntheses of some phosphino- and phosphinato-azoles. S. Fischer, L. K. Peterson, and J. F. Nixon, 3981.

Norris, A. R.
Kinetic studies of the reactions of cyanide ion and 1,3,5-trinitrobenzene in ethanol, *n*-propanol, and isopropanol, and *t*-butanol at 25.0 °C. L. H. Gan and A. R. Norris, 1.

Kinetic and equilibrium studies of the reactions of cyanide ion with 1,3,5-trinitrobenzene, 2,4,6-trinitroanisole, and 2,4,6-trinitrotoluene in isopropanol. L. H. Gan and A. R. Norris, 8.

Kinetic studies of the reaction of picryl chloride with sodium methoxide in methanol. L. H. Gan and A. R. Norris, 18.

Kinetic and thermodynamic studies of the reactions of sulfite ion with picramide, *N*-methylpicramide, and *N,N*-dimethylpicramide in aqueous solution. E. Buncel, A. R. Norris, K. E. Russell, and P. J. Sheridan, 25.

The preparation and properties of 1-cyanoammine-2,3,4-triammine(ethylenediamine)cobalt(III) chloride. A. R. Norris, 477.

The reaction of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*₃ with sodium isopropoxide in isopropyl alcohol. E. Buncel, A. R. Norris, K. E. Russell, P. Sheridan, and H. Wilson, 1750.

Kinetic and equilibrium studies of the reactions of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*, with sodium and potassium *t*-butoxide in *t*-butanol. E. Buncel, A. R. Norris, K. E. Russell, and H. Wilson, 2306.

North, N. A.
The effect of pressure on the solubility of CaCO₃, CaF₂, and SrSO₄ in water. R. W. Macdonald and N. A. North, 3181.

Nour, T. A.
A study of d-orbital effects in esters of trifluorothiolacetic acid. A comparison of evidence from dipole moment and kinetic data. E. Bock, A. Queen, S. Brownlee, T. A. Nour, and M. N. Paddon-Row, 3113.

Nychka, N.
The reaction of chlorine monoxide with cyclohexene. A molecule induced homolysis reaction. D. D. Tanner, N. Nychka, and T. Ochiai, 2573.

Obiaga, T. I.
The modular structure of lignin. M. Wayman and T. I. Obiaga, 2102.

Ochiai, T.
The reaction of chlorine monoxide with cyclohexene. A molecule induced homolysis reaction. D. D. Tanner, N. Nychka, and T. Ochiai, 2573.

Ogilvie, K. K.
Synthesis of nucleotides from O²,2'-cyclouridine. K. K. Ogilvie and D. J. Iwacha, 1787.

Proton magnetic resonance studies of 2'-deoxythymidine, its 3'- and 5'-monophosphates and 2'-deoxythymidine-3'(3',5')-2'-deoxythymidine in aqueous solution. D. J. Wood, F. E. Hruska, and K. K. Ogilvie, 3353.

O'Grodnick, J. S.
Regiospecific syntheses of modified steroid hormones. Part VI. α-, α'-, and β-mode reactions of hydrogen halides with 1,2-epoxy- and 4,5-epoxy-3-oxo-*antrostanes* and -estranes. M. Neeman and J. S. O'Grodnick, 2941.

Ogryzlo, E. A.
The quenching of O₂(¹Σ_g⁺) by aliphatic hydrocarbons. J. A. Davidson and E. A. Ogryzlo, 240.

Arrhenius parameter for some gas-phase cycloaddition reactions of singlet molecular oxygen. R. D. Ashford and E. A. Ogryzlo, 3544.

Ohno, M.
Concertedness in the thermolysis of some 1-pyrazolines. R. J. Crawford and M. Ohno, 3134.

Erratum: Concertedness in the thermolysis of some 1-pyrazolines. R. J. Crawford and M. Ohno, 4112.

Ohtani, H.
A vinyllogous Wagner rearrangement in the benzonorbornene series. K. Wiesner, P.-t. Ho, and H. Ohtani, 640.

Oida, S.
A stereospecific synthesis of the denudatine skeleton: stereospecificity of the C/D ring construction by diene addition. K. Wiesner, P.-t. Ho, and S. Oida, 1042.

Oka, M.
Rearrangement studies with ¹⁴C. XXXIX. 1,2-Phenyl shifts in solvolyses of triphenylvinyl-2-¹⁴C triflate. C. C. Lee, A. J. Cessna, B. A. Davis, and M. Oka, 2679.

Okany, A.
Kinetics of the nitrosation of pyrrolidine and proline. A. Okany, T. F. Massiah, L. J. Rubin, and K. Yates, 1050.

Olsen, F. P.
Crystal and molecular structure of benzylidenimine disulfide. J. C. Barrick, C. Calvo, and F. P. Olsen, 2985.

Ong, J. H.
Charge development and mechanism in disrotatory ring opening of cyclopropyl bromides. J. H. Ong and R. E. Robertson, 2660.

Oshima, K.
Radiation-sensitized thermal cracking of *n*-butane. I. Radical reactions, S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 2579.

Oshima, Y.
Radiation-sensitized thermal cracking of *n*-butane. I. Radical reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 2579.

Ouellet, C.
Cinétique de la pyrolyse du sous-oxyde de carbone et de sa réaction avec l'oxyde nitreux. M.-M. Bonneau et C. Ouellet, 167.

Ouellet, L.
Etude cinétique des interactions électrostatiques entre la phosphatase alcaline intestinale de veau et ses substrats. M. Julien et L. Ouellet, 3087.

Oyama, K.
Reactivity of organophosphates. IV. Acid-catalyzed hydrolysis of triethyl phosphate: a comparison with ethyl acetate. E. P. Lyznicki, Jr., K. Oyama, and T. T. Tidwell, 1066.
Acid and base catalysis in the oxidation of 6,7,8-trimethylllumazine. I. Products of the reaction. K. Oyama and R. Stewart, 3879.
Acid and base catalysis in the oxidation of 6,7,8-trimethylllumazine. II. Kinetics and mechanism. R. Stewart and K. Oyama, 3884.

Ozin, G. A.
Matrix infrared and laser Raman spectra, molecular structures and normal coordinate analyses of germanium difluoride monomer GeF_2 , and dimer $(\text{GeF}_2)_2$. H. Huber, E. P. Kündig, G. A. Ozin, and A. Vander Voet, 95.

Ozubko, R. S.
Carbon-13 nuclear magnetic resonance spectra of carcinogenic polynuclear hydrocarbons. I. 3-Methylcholanthrene and related benzanthenecenes. R. S. Ozubko, G. W. Buchanan, and I. C. P. Smith, 2493.

Pacey, P. D.
The reaction of methyl radicals with molecular hydrogen. P. C. Kobrinsky and P. D. Pacey, 3665.

Paddock, N. L.
The fluorination of decachlorocyclopentaphosphonitrile with potassium fluorosulfite. N. L. Paddock and J. Serreqi, 2546.

Paddon-Row, M. N.
A study of d-orbital effects in esters of trifluorothiolic acid. A comparison of evidence from dipole moment and kinetic data. E. Bock, A. Queen, S. Brownlee, T. A. Nour, and M. N. Paddon-Row, 3113.

Paisley, J. K.
Preferential cleavage of the C_2-C_3 bond in 5β -steroids. J. K. Paisley, R. B. Warneboldt, and L. Weiler, 810.

Paladini, J.-C.
Carbonyl ylides and the rearrangement of (+)-*trans*-2,3-diisopropenylloxirane. J.-C. Paladini and R. J. Crawford, 2098.

Palmer, D. N.
The specificity of the nucleophilic site of α -chymotrypsin and its potential for the resolution of alcohols. Enzyme-catalyzed hydrolyses of some (+), (-) and (\pm)-2-butyl, -2-octyl, and α -phenethyl esters. Y. Y. Lin, D. N. Palmer, and J. B. Jones, 469.

Pandey, R. N.
Interaction of palladium(II) acetate with sodium and lithium acetate in acetic acid. R. N. Pandey and P. M. Henry, 1241.

Paraskevopoulos, G.
The effect of the excess kinetic energy of the $\text{O}^{\text{I}}\text{D}$ atoms from the flash photolysis of N_2O on their reaction with N_2O . H. A. Wiebe and G. Paraskevopoulos, 2165.

Park, J. H.
The interaction of ozone photochemistry and dynamics in the stratosphere. A three-dimensional atmospheric model. J. London and J. H. Park, 1599.

Parkhurst, R. M.
Molluscicidal saponins of *Phytolacca dodecandra*: lemmatoxin. R. M. Parkhurst, D. W. Thomas, W. A. Skinner, and L. W. Cary, 702.

Parrett, F. W.
Some metal halide - phosphorus halide - alkyl halide complexes. Part III. The μ -trihalohexahalodimettallate ions of titanium and zirconium. J. I. Bullock, F. W. Parrett, and N. J. Taylor, 2880.

Parrington, B. D.
Protonation of methyl substituted phenols in super acids. R. F. Childs and B. D. Parrington, 3303.

Pasco, N. F.
Complex formation in ether-chloroform systems: comparison of thermodynamic and spectroscopic results. N. F. Pasco, D. V. Fenby, and L. G. Hepler, 2139.

Paton, J. M.

Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 2123.

Erratum: Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 3256.

Peat, I. R.

An investigation of σ and π contributions to long-range $^1\text{H}-^1\text{H}$ coupling constants in planar aromatic derivatives using CNDO and INDO molecular orbital calculations. I. R. Peat and W. F. Reynolds, 2403.

An investigation of substituent effects on coupling constants to vinyl protons in styrene derivatives. W. F. Reynolds, I. R. Peat, and G. K. Hamer, 3415.

Peeling, J.

Proton magnetic resonance studies of rotational isomerism in halotoluenes. X. Estimates of conformational preferences and rotational barriers in benzal fluoride and some dichloro derivatives. J. B. Rowbotham, A. F. Janzen, J. Peeling, and T. Schaefer, 481.

Proton magnetic resonance studies of rotational isomerism in halotoluene derivatives. XI. Experimental and theoretical barriers to rotation in $\alpha,\alpha,2,4,6$ -pentabromo-, α,α -dibromo-2,4,6-trichloro-, and α,α -dibromo-2,6-dichlorotoluene. J. Peeling, L. Ernst, and T. Schaefer, 849.

Barrier to internal rotation in 2,6-dichlorobenzal iodide and some $\alpha,\alpha'-m$ -xylyl halides. Experimental evidence for the transition state conformation in benzal halides. J. Peeling, J. B. Rowbotham, L. Ernst, and T. Schaefer, 2414.

Pegg, W.

The preparation of protio- and deuterio-derivatives of the tetra-cyanoquinodimethane-tetrathiofulvalene complex. D. Dolphin, W. Pegg, and P. Wirz, 4078.

Peiffer, G.

Nouvelle voie d'accès aux β -cétophosphonates γ,δ -éthyléniques. G. Peiffer et P. Courbis, 2894.

Pellacani, G. C.

Palladium(II) complexes with dithiomalonamide and N,N' -diphenyldithiomalonamide. G. C. Pellacani, 3454.

Preparation, infrared spectra, electronic spectra, and magnetic moments of copper(II) complexes of N -acetylglycine and their amine adducts. G. Marcotrigiano and G. C. Pellacani, 3607.

Pelz, K.

The synthesis and stereochemistry of (\pm) -(4a,13b-*trans*)-2,3,4a,8,9,13b,14-octahydro-1*H*-benzo[6,7]cyclohepta[1,2,3-*de*]pyrido[2,1-*a*]-isoquinoline hydrochloride (taclamine hydrochloride), a novel psychotropic agent. F. T. Bruderlein, L. G. Humber, and K. Pelz, 2119.

Peng, Y. K.

The state of hydrogen desorbing from intermediates formed by ammonia interaction with tungsten surfaces. Y. K. Peng and P. T. Dawson, 1147.

The adsorption, desorption, and exchange reactions of oxygen, hydrogen, and water on platinum surfaces. I. Oxygen interaction. Y. K. Peng and P. T. Dawson, 3507.

Pernet, A. G.

Carbanions in carbohydrate chemistry: synthesis of *C*-glycosyl malonates. S. Hanessian and A. G. Pernet, 1266.

Carbanions in carbohydrate chemistry: approaches to chemical precursors of *C*-nucleosides. S. Hanessian and A. G. Pernet, 1280.

Perrin, P. M.

Radioisomerization and photoisomerization of liquid 2-butenes in the presence of sulfur compounds. G. J. Collin, P. M. Perrin, and F. X. Garneau, 2337.

Perron, G.

Apparent molal volumes and heat capacities of urea and methyl-substituted ureas in H_2O and D_2O at 25 °C. P. R. Philip, G. Perron, and J. E. Desnoyers, 1709.

Apparent molal volumes and heat capacities of alkaline earth chlorides in water at 25 °C. G. Perron, J. E. Desnoyers, and F. J. Millero, 3738.

Perron, Y. G.

Tricyclic analogs of the prodines. M. Ménard, P. Rivest, L. Morris, J. Meunier, and Y. G. Perron, 2316.

Perry, M. B.

The methyl ethers of 2-amino-2,6-dideoxyglucopyranose (quinovosamine). M. B. Perry and V. Daoust, 2425.

The methyl ethers of 2-amino-2,6-dideoxy-D-galactopyranose (D-fucosamine). M. B. Perry and V. Daoust, 3251.

Perry, R. A.

Association of a europium shift reagent with dialkylnitrosamines. R. A. Perry and Y. L. Chow, 315.

Peterson, L. K.

The mechanism of the transition metal-catalyzed reaction of 1,1'-carbonyldipyrroles with aldehydes and ketones. L. K. Peterson, E. Kiehlmann, A. R. Sanger, and K. I. Thé, 2367.

Syntheses of some phosphino- and phosphinato-azoles. S. Fischer, L. K. Peterson, and J. F. Nixon, 3981.

Peterson, N. O.

Bicyclooctanone rearrangement, [3.2.1] → [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo[3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 4143.

Petitet, J.-P.

Détermination de la vitesse du son dans les sels fondus. Technique et applications. L. Denielou, J.-P. Petitet et C. Tequi, 400.

Phan-Tan-Luu, R.
Essai de calcul des paramètres d'anisotropie des liaisons C—C, C—H, C=C et C=O par régression multi-linéaire sur des données expérimentales résonance magnétique nucléaire. J. W. ApSimon, J. Elguero, A. Fruchier, D. Mathieu et R. Phan-Tan-Luu, 2296.

Philip, P. R.
Apparent molal volumes and heat capacities of urea and methyl-substituted ureas in H_2O and D_2O at 25 °C. P. R. Philip, G. Perron, and J. E. Desnoyers, 1709.

Enthalpy-entropy compensation for micellization and other hydrophobic interactions in aqueous solutions. C. Jolicoeur and P. R. Philip, 1834.

Phillips, L. F.
Revised rate constants for quenching reactions of excited CO_2^+ , N_2O^+ , and N_2^+ . C. G. Freeman and L. F. Phillips, 426.

Piers, E.
Reaction of cuprate reagents with pyridine in the presence of chloroformate. A novel synthesis of 1,4-dihydropyridine derivatives. E. Piers and M. Soucy, 3563.

Piffard, Y.
Structure cristalline de $TiVO_3$. M. Ganne, Y. Piffard et M. Tournoux, 3539.

Pilger, C. W.
Competition between acid catalyzed interconversion and solvolysis of adducts of dimethyl azodicarboxylate and 2,5-dimethyl-3,4-diphenylcyclopentadienone. D. Mackay and C. W. Pilger, 1114.

Pinson, J.
Electrochemical reduction of pyrazines into dihydropyrazines preparation of dihydropyrazines. J. Armand, K. Chekir, and J. Pinson, 3971.

Platt, A. E.
Kinetics of the thermal decomposition of β -trifluoroethylsilanes and hot molecule kinetics of $(CF_3CH_2SiF_2)$. T. N. Bell, R. Berkley, A. E. Platt, and A. G. Sherwood, 3158.

Plavac, N.
Chemical relaxations in aqueous micellar solutions by ultrasonic spectroscopy. I. Alkali metal hexyl and octyl sulfates. D. A. W. Adair, V. C. Reinsborough, N. Plavac, and J. P. Valleau, 429.

Plenkiewicz, J.
Photochemistry of glycosyl azides. J. Plenkiewicz, G. W. Hay, and W. A. Szarek, 183.

Poë, A.
Redox interchange reactions of halogenoplatinum(IV) complexes. pH Dependence of the hexabromoplatinate(IV)-iodide reactions. D. W. Johnson and A. Poë, 3083.

Poh, B. L.
Nonaromatic primary amine tropolone salts. B. L. Poh, 3428.

Poirier, M.-A.
Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. I. Synthèse des alcènes et hydroboration. C. Freppel, M.-A. Poirier, J.-C. Richer, Y. Maroni et G. Manuel, 4133.

Popplestone, C. R.
Studies on the biosynthesis of antheridiol. C. R. Popplestone and A. M. Unrau, 462.

Potier, A.
Hydrates des halogénures de gallium. II. Spectroscopie de vibration des complexes coordinés $GaX_3 \cdot H_2O$ (X = Cl ou Br). J. Rozière, M.-T. Rozière-Bories, A. Manteghetti et A. Potier, 3274.

Pottie, R. F.
The vapor pressures and enthalpies of sublimation of five polycyclic aromatic hydrocarbons. J. J. Murray, R. F. Pottie, and C. Pupp, 557.

Potts, D.
Group V chalcogenide complexes of boron trihalides. P. M. Boorman and D. Potts, 2016.

Pouteau, R. M. L.
Hydrogen – water deuterium exchange over unsupported Group VIII noble metals. N. H. Sagert and R. M. L. Pouteau, 2960.

Powell, W. S.
Chemistry of aminochromes. Part XVIII. The effects of pH and substituents on some aminochrome-thiol reactions. W. S. Powell and R. A. Heacock, 1019.

Premović, P. I.
Electron spin resonance studies in aqueous solution: titanium(III) in the pH region 1.0–3.5. P. I. Premović and P. R. West, 2919.

Preston, C. M.
A selective determination of the proton nuclear relaxation times of the alkaloid vindoline: an extension via Fourier transform measurements. L. D. Hall and C. M. Preston, 829.

Preti, C.
Cobalt(II) and nickel(II) complexes with nitrogen, sulfur, and selenium containing heterocyclic ligands. C. Preti, G. Tosi, D. De Filippo, and G. Verani, 2021.

Study of the reactions of chromium(III) halides and heterocyclic ligands containing V A and VI A group donor atoms. C. Preti and G. Tosi, 2845.

Price, J. T.
The preparation of *cis* 1,3-bis(dimethylarsino)-2,2,4,4-tetramethylcyclobutane and its group VIB metal carbonyl derivatives. W. R. Cullen and J. T. Price, 1108.

Price, S. J. W.
Determination of ΔH_{f298}^0 (C_6F_5I, g) from studies of the combustion of iodopentafluorobenzene in oxygen and calculation of $D[C_6F_5-X]$ bond dissociation energies. M. J. Kretch, S. J. W. Price, and W. F. Yared, 2673.
C₆F₅X bond dissociation energies: determination from appearance potential measurements and correlation with thermochemical data. S. J. W. Price and H. J. Sapiano, 4109.

Pritchard, H. O.
The master equation for the dissociation of a dilute diatomic gas. XI. Vibrational freezing in a nozzle flow. N. I. Labib and H. O. Pritchard, 939.
Entropy production in chemically reacting systems. H. O. Pritchard, N. I. Labib, and D. L. S. McElwain, 2618.

Pupp, C.
The vapor pressures and enthalpies of sublimation of five polycyclic aromatic hydrocarbons. J. J. Murray, R. F. Pottie, and C. Pupp, 557.

Queen, A.
A study of d-orbital effects in esters of trifluorothiolacetic acid. A comparison of evidence from dipole moment and kinematic data. E. Bock, A. Queen, A. Brownlee, T. A. Nour, and M. N. Paddon-Row, 3113.

Rafestin, M.-E.
Synthèse d' α -L-fucopyranosides. M.-E. Rafestin, D. Delay et M. Monsigny, 210.

Ramakrishnan, K.
New route to cyclic azomethine imines. P. C. Ip, K. Ramakrishnan, and J. Warkentin, 3671.

Ramamurthy, P.
Alkali tin paraperiodates (MSnIO₆): thermal analyses, electrical conductivity, infrared and X-ray diffraction studies. M. Natarajan, P. Ramamurthy, and E. A. Secco, 3187.

Ramani, G.
Nucleic acid related compounds. 14. 3'-O-aminoacyl-2'-O-methyladenosines and 2' O-aminoacyl-3'-O-methyladenosines related to charged tRNA termini. M. J. Robins, M. MacCoss, and G. Ramani, 3803.

Rampersad, M. B.
Bicyclooctanone rearrangement. [3.2.1] \rightarrow [3.3.0], via β -enolization. Evidence for β -enolization in bicyclo[3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 4143.

Ramsay, D. A.
The near-ultraviolet absorption spectrum of diimide vapor. R. A. Back, C. Willis, and D. A. Ramsay, 1006.

Ramsay, J. N.
Formation of adducts in the nitration of *p*-xylene. Exchange and rearomatization reactions of *p*-xylene adducts. A. Fischer and J. N. Ramsay, 3960.

Randin, J.-P.
Inhibition effects in the electrochemical reduction of hydrogen peroxide on sodium tungsten bronzes. J.-P. Randin, 2542.

Ranganayakulu, K.
Base catalyzed isomerization of epoxides to bicyclic allylic alcohols, potential intermediates for the total synthesis of the DL-aldohexoses. K. Ranganayakulu, U. P. Singh, T. P. Murray, and R. K. Brown, 988.

Rank, W.
The addition of *N*-bromoacetamide to 2,3-unsaturated nitro sugars, a new approach to 2,3-diamino sugars. Synthesis of derivatives of 2,3-diamino-2,3-dideoxy-D-mannose and -D-talose. H. H. Baer and W. Rank, 2257.

Rao, C. K.
Studies on *N,N'*-diimidyl systems by nuclear magnetic resonance spectroscopy. S. M. Verma, K. O. P. Sinha, and C. K. Rao, 2399.

Rao, N. V. P.
Excess volumes of binary mixtures of alcohols in methylcyclohexane. M. V. P. Rao and P. R. Naidu, 788.

Rauk, A.
The effect of bond function polarization on the I.c.a.o.-m.o.-s.c.f. calculation of bond angles and energy barriers. J. O. Jarvie, A. Rauk, and C. Edmiston, 278.

A theoretical study of the conformational changes in hydrazine. J. O. Jarvie and A. Rauk, 2785.

Rees, A. H.
Some derivatives of 1-benzazepine. Part II. G. R. Birchall and A. H. Rees, 610.
Azatropolones. Part II. The Schmidt reaction of 2-methoxy-5-methylbenzoquinone. C. G. Hughes, E. G. Lewars, and A. H. Rees, 3327.

Reinfried, R.
Cyclisations of azidoformates to tetrahydro-1,3-oxazin-2-ones and oxazolidin-2-ones. P. F. Alewood, M. Benn, and R. Reinfried, 4083.

Reinsborough, V. C.
Chemical relaxations in aqueous micellar solutions by ultrasonic spectroscopy. I. Alkali metal hexyl and octyl sulfates. D. A. W. Adair, V. C. Reinsborough, N. Plavac, and J. P. Valleau, 429.

Rempel, G. L.
Oxidative transfer dehydrogenation of α,β -unsaturated carbinols to α,β -unsaturated ketones catalyzed by ruthenium complexes. Y. Sasson and G. L. Rempel, 3825.

Renaud, R. N.
Electrochemical synthesis of deuterio organic compounds. I. Electrochemical reduction of 1-halonaphthalenes and synthesis of 1-chloro-4-methylnaphthalene. R. N. Renaud, 376.
Synthesis of substituted-9, 10-dihydroanthracenes by the reduction of anthraquinones in hydriodic acid. R. N. Renaud and J. C. Stephens, 1229.

Rettig, S. J.
Crystal and molecular structure of 2-deacyluscnic acid. A. L. Macdonald, S. J. Rettig, and J. Trotter, 723.
Crystal and molecular structure of the *N*-methylidethanolaminogallane dimer, $[\text{CH}_3\text{N}(\text{CH}_2\text{CH}_2\text{O})_2\text{GaH}]_2$. S. J. Rettig, A. Storr, and J. Trotter, 2206.
Crystal and molecular structure of 4,4-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boranatacyclopentane. S. J. Rettig, J. Trotter, and W. Kliegel, 2531.

Reyes-Zamora, C.
A carbon-13 nuclear magnetic resonance investigation of some substituted methyl phenyl sulfides, sulfoxides, and sulfones. G. W. Buchanan, C. Reyes-Zamora, and D. E. Clarke, 3895.

Reynolds, W. F.
A reconsideration of the validity of correlating substituent-induced proton chemical shifts in aromatic derivatives with reactivity parameters. D. A. Dawson, G. K. Hamer, and W. F. Reynolds, 39.
An investigation of σ and π contributions to long-range $^1\text{H}-^1\text{H}$ coupling constants in planar aromatic derivatives using CNDO and INDO molecular orbital calculations. I. R. Peat and W. F. Reynolds, 2403.
An investigation of substituent effects on coupling constants to vinyl protons in styrene derivatives. W. F. Reynolds, I. R. Peat, and G. K. Hamer, 3415.

Richards, K. E.
Protonation of polymethylphenols. S. M. Blackstock, K. E. Richards, and G. J. Wright, 3313.

Richardson, A. W.
The 2980 Å absorption spectrum of 1,2,5-selenadiazole. A. W. Richardson, 100.

Richardson, M. F.
The crystal and molecular structure of a nickel complex of the Schiff base, bis(trifluoroacetylacetone)triethylenetetraamine. M. F. Richardson, 3716.

Richer, J.-C.
L'oxydation chromique et les esters chromiques. J.-C. Richer et J.-M. Hachey, 2475.
Oxydation du cyclohexène par le nitrate cérique d'ammonium. C. Briguet, C. Freppel, J.-C. Richer et M. Zador, 3201.
Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. I. Synthèse des alcènes et hydroboration. C. Freppel, M.-A. Poirier, J.-C. Richer, Y. Maroni et G. Manuel, 4133.

Rigny, P.
Etude des fluorures et oxyfluorures de chlore ClF_3 et ClOF_3 , liquides par résonance magnétique nucléaire. M. Alexandre et P. Rigny, 3676.

Rimmer, D. L.
Sorption of water, ammonia, ethyl chloride, and methane on Na—X zeolite and associated framework distortion. D. L. Rimmer and R. McIntosh, 3699.

Ripmeester, J. A.
Application of adiabatic rapid passage nuclear magnetic resonance techniques to the study of molecular motions in solids. J. A. Ripmeester and B. A. Dunell, 191.
Isoxazole hydrate. S. R. Gough, S. K. Garg, J. A. Ripmeester, and D. W. Davidson, 3193.

Rivest, P.
Tricyclic analogs of the prodines. M. Ménard, P. Rivest, L. Morris, J. Meunier, and Y. G. Perron, 2316.

Rivest, R.
Structure cristalline et moléculaire du *cis*-dithiocyanatobis(phénanthroline-1,10)mercure(II), $\text{Hg}(\text{SCN})_2(\text{C}_{12}\text{H}_{8}\text{N}_2)_2$. A. L. Beauchamp, B. Saperas et R. Rivest, 2923.

Robertson, B. E.
Erratum: Conformation of bridged diphenyls. III. Crystal structure of 2-(2'-carbomethoxy-4'-nitro-phenoxy)-1,3,5-trichlorobenzene. E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 182.

Robertson, R. E.
The nucleophilic displacement of the nitrate group. I. The hydrolysis of a series of benzyl nitrates in water. K. M. Koshy and R. E. Robertson, 2485.
Charge development and mechanism in disrotatory ring opening of cyclopropyl bromides. J. H. Ong and R. E. Robertson, 2660.

Robins, M. J.
Nucleic acid related compounds. 14. 3'-*O*-aminoacyl-2'-*O*-methyladenosines and 2'-*O*-aminoacyl-3'-*O*-methyladenosines related to charged tRNA termini. M. J. Robins, M. MacCoss, and G. Ramani, 3803.

Robinson, M. G.
Electron mobilities and ranges in liquid C_1-C_3 hydrocarbons and in xenon: effects of temperature and field strength. M. G. Robinson and G. R. Freeman, 440.

Rodríguez, B.
The structure of sideritol, a diterpenoid of the *ent*-atisane class. W. A. Ayer, J. H. Ball, B. Rodríguez, and S. Valverde, 2792.

Rogers, I. H.
Juvenile hormone analogs in conifers. II. Isolation, identification, and biological activity of *cis*-4-[1'(*t*(*R*))-5'-dimethyl-3'-oxohexyl]-cyclohexane-1-carboxylic acid and (+)-4(*R*)-[1'(*R*))-5'-dimethyl-3'-oxohexyl]-1-cyclohexene-1-carboxylic acid from Douglas-fir wood. I. H. Rogers, J. F. Manville, and T. Sahota, 1192

Rollier, H.
The determination of traces of bismuth by solid state luminescence. D. E. Ryan, H. Rollier, and J. Holzbecher, 1942.

Ronayette, J.
Isomérisation photochimique de l'azobenzène en solution. I. J. Ronayette, R. Arnaud, P. Lebourgeois et J. Lemaire, 1848.
Isomérisation photosensibilisée par des colorants et photoréduction de l'azobenzène en solution. II. J. Ronayette, R. Arnaud et J. Lemaire, 1858.

Rosenthal, A.
New route to branched-chain aminodeoxy sugars by reaction of ketoses with acetonitrile. Synthesis of methyl 3-C-2'-aminoethyl-2-deoxy- α -D-arabino-hexopyranoside. A. Rosenthal and G. Schöllhammer, 51.

Ross, R. A.
The kinetics of the water-gas shift reaction on nickel(II) oxide catalysts in the Néel temperature region. B. W. Krupay and R. A. Ross, 3063.
The kinetics of the isotopic exchange of oxygen-18 with the oxygen of copper(II) molybdate. D. G. Klissurski, R. A. Ross, and T. J. Griffith, 3847.

Rousseau, Y.
Spectrométrie de masse d'imines aliphatiques. G. Leduc et Y. Rousseau, 1648.

Routil, R. J.
Occurrence of strontium-iron oxide $\text{SrFe}_{12}\text{O}_{19}$ in the Fe_2O_3 - Na_2O - SrSO_4 system. R. J. Routil and D. Barham, 3235.

Rowbotham, J. B.
Long-range proton-proton coupling constants in the vinylpyridines. Conformational preferences of the vinyl group and molecular orbital calculations. J. B. Rowbotham and T. Schaefer, 136.
Proton magnetic resonance studies of rotational isomerism in halotoluenes. X. Estimates of conformational preferences and rotational barriers in benzal fluoride and some dichloro derivatives. J. B. Rowbotham, A. F. Janzen, J. Peeling, and T. Schaefer, 481.
Methyl-methyl proton spin-spin coupling constants in some six-membered ring compounds. A test for delocalization in borazine. J. B. Rowbotham and T. Schaefer, 489.
Proton spin-spin coupling constants in isothiazole, isoxazole, and some of their alkyl derivatives. R. E. Wasylyshen, J. B. Rowbotham, and T. Schaefer, 833.
Barrier to internal rotation in 2,6-dichlorobenzal iodide and some α, α' -*m*-xylyl halides. Experimental evidence for the transition state conformation in benzal halides. J. Peeling, J. B. Rowbotham, L. Ernst, and T. Schaefer, 2414.
Proton magnetic resonance study of intramolecular hydrogen bonding in halophenols. J. B. Rowbotham and T. Schaefer, 3037.
The proton magnetic resonance spectrum of *p*-methylbenzylbromide. Conformational preference of the bromomethyl rotor. K. Chum, J. B. Rowbotham, and T. Schaefer, 3489.
Proton magnetic resonance study of conformational equilibria of the pyridinealdehydes in solution. Comparison with other methods. W. Danchura, T. Schaefer, J. B. Rowbotham, and D. J. Wood, 3986.

Rozière, J.
Composés d'addition de SbF_5 avec H_2O et HF. Formation d'ions hydronium. B. Bonnet, J. Rozière, R. Fourcade et G. Mascherpa, 2077.
Hydrates des halogénures de gallium. II. Spectroscopie de vibration des complexes coordinés $\text{GaX}_3 \cdot \text{H}_2\text{O}$ ($\text{X} = \text{Cl}$ ou Br). J. Rozière, M.-T. Rozière-Bories, A. Manteghetti et A. Potier, 3274.

Rozière-Bories, M.-T.
Hydrates des halogénures de gallium. II. Spectroscopie de vibration des complexes coordinés $\text{GaX}_3 \cdot \text{H}_2\text{O}$ ($\text{X} = \text{Cl}$ ou Br). J. Rozière, M.-T. Rozière-Bories, A. Manteghetti et A. Potier, 3274.

Rubin, L. J.
Kinetics of the nitrosation of pyrrolidine and proline. A. Okany, T. F. Massiah, L. J. Rubin, and K. Yates, 1050.

Rullière, C.
Etude de la formation d'exciplexes du 1,3,6,8-tetraphenylpyrène et du 1,2,3,4-tetraphenylnaphtalène. C. Rullière et M.-M. Denariez-Roberge, 1339.

Rumfeldt, R.
The charge transfer spectra of d^8 transition metal halide complexes and the 1849 Å photolysis of aqueous PtCl_4^{2-} . J. L. H. Batiste and R. Rumfeldt, 174.

Ruo, T. C. S.
The photobromination of (+)-1-cyano-2-methylbutane. D. D. Tanner, T. C. S. Ruo, and E. V. Blackburn, 2242.

Rushforth, D. S.
Molecular association of hydrogen bonding solutes, *o*-, *m*-, and *p*-cresol, in carbon tetrachloride. E. M. Woolley and D. S. Rushforth, 653.

Russell, D. G.

Studies on trifluoromethanesulfonic acid. Part I. Trifluoromethanesulfonic acid as a weak acid of the sulfuric acid solvent system. D. G. Russell and J. B. Senior, 2975.

Russell, K. E.

Kinetic and thermodynamic studies of the reactions of sulfite ion with picramide, *N*-methylpicramide, and *N,N*-dimethylpicramide in aqueous solution. E. Buncel, A. R. Norris, K. E. Russell, and P. J. Sheridan, 25.

The quenching of type II photodecomposition of 2-pentanone in *n*-hexane solution by metal chelates. J. Flood, K. E. Russell, D. J. Carlsson, and D. M. Wiles, 688.

The reaction of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*₃ with sodium isopropoxide in isopropyl alcohol. E. Buncel, A. R. Norris, K. E. Russell, P. Sheridan, and H. Wilson, 1750.

Kinetic and equilibrium studies of the reactions of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*₃ with sodium and potassium *t*-butoxide in *t*-butanol. E. Buncel, A. R. Norris, K. E. Russell, and H. Wilson, 2306.

Rutherford, K. G.

Methyl cyclopentadienecarboxylate formation in the methanol quenched vapor phase thermolysis of methyl salicylate. O. A. Mamer, K. G. Rutherford, and R. J. Seidewand, 1983.

Ruthven, D. M.

Sorption and diffusion of *n*-heptane in 5A zeolite. I. H. Doetsch, D. M. Ruthven, and K. F. Loughlin, 2717.

Diffusion in partially ion exchanged molecular sieves. D. M. Ruthven, 3523.

Ryan, D. E.

The determination of traces of bismuth by solid state luminescence. D. E. Ryan, H. Rollier, and J. Holzbecher, 1942.

Ryce, S. A.

A kinetic model of the accommodation pumping phenomenon. G. R. Branton and S. A. Ryce, 2073.

Erratum: A kinetic model of the accommodation pumping phenomenon. G. R. Branton and S. A. Ryce, 3468.

Sabbah, R.

Thermodynamique de composés azotes. I. Etude calorimétrique des enthalpies de sublimation des trois acides aminobenzoïques. R. Sabbah, R. Chastel et M. Laffitte, 2201.

Sabine, W. K.

Crystal structure of synthetic Mg-whitlockite, Ca_{1.8}Mg₂H₂(PO₄)₁₄. R. Gopal, C. Calvo, J. Ito, and W. K. Sabine, 1155.

Safe, S.

The ion kinetic energy spectra of benzyl fluoride and the isomeric fluorotoluenes. S. Safe, W. D. Jamieson, and D. J. Embree, 867.

Sagert, N. H.

Hydrogen – water deuterium exchange over unsupported Group VIII noble metals. N. H. Sagert and R. M. L. Pouteau, 2960.

Sahota, T.

Juvenile hormone analogs in conifers. II. Isolation, identification, and biological activity of *cis*-4-[1'*t*(*R*)-5'-dimethyl-3'-oxohexyl]-cyclohexane-1-carboxylic acid and (+)-4(*R*)-[1'*R*]-5'-dimethyl-3'-oxohexyl]-1-cyclohexene-1-carboxylic acid from Douglas-fir wood. I. H. Rogers, J. F. Manville, and T. Sahota, 1192.

Sakai, M.

The trishomocyclopropenyl cation. I. Direct observation. S. Masamune, M. Sakai, A. V. Kemp-Jones, and T. Nakashima, 855.

The trishomocyclopropenyl cation. II. An ethano-bridged derivative. S. Masamune, M. Sakai, and A. V. Kemp-Jones, 858.

Sakaki, S.

Isomerization of 1-olefins by dihalogeno-bis(nitrile)-palladium complexes[PdX₂(RCN)₂]. S. Sakaki, H. Kanai, and K. Tarama, 2857.

Salahub, D. R.

The high resolution photoelectron spectra of some iodoalkanes, iodocycloalkanes, iodoalkenes, and fluoroiodohydrocarbons. R. A. A. Boschi and D. R. Salahub, 1217.

Salmon, G. A.

Pulse radiolytic formation of solvated electrons, ion-pairs, and alkali metal anions in tetrahydrofuran. G. A. Salmon, W. A. Seddon, and J. W. Fletcher, 3259.

Sandorfy, C.

On the hydrogen bond breaking ability of fluorocarbons containing higher halogens. T. Di Paolo and C. Sandorfy, 3612.

Sandström, J.

Systèmes aromatiques à 10 électrons π dérivés de l'aza-3-a-pentalène. XI. Etude par résonance magnétique nucléaire de l'imidazo[1,2-*b*]pyrazole et du pyrazolo[1,5-*a*]benzimidazole. J. Elguero, A. Fruchier, L. Knutsson, R. Lazar et J. Sandström, 2744.

Sanger, A. R.

The mechanism of the transition metal-catalyzed reaction of 1,1'-carbonylidipyrroles with aldehydes and ketones. L. K. Peterson, E. Kiehlmann, A. R. Sanger, and K. I. Thé, 2367.

Sanhueza, E.

The chlorine-atom sensitized oxidation and the ozonolysis of C₂Cl₄. E. Mathias, E. Sanhueza, I. C. Hisatsune, and J. Heicklen, 3852.

The Hg 6(³P)-photosensitized oxidation of C₂Cl₄. E. Sanhueza and J. Heicklen, 3863.

The reaction of O(³P) with C₂Cl₄. E. Sanhueza and J. Heicklen, 3870.

Saperas, B.
Structure cristalline et moléculaire du *cis*-dithiocyanatobis(phénanthroline-1,10)mercure(II), $\text{Hg}(\text{SCN})_2(\text{C}_{12}\text{H}_8\text{N}_2)_2$.
A. L. Beauchamp, B. Saperas et R. Rivest, 2923.

Sapiano, H. J.
 $\text{C}_6\text{F}_5\text{X}$ bond dissociation energies: determination from appearance potential measurements and correlation with thermochemical data. S. J. W. Price and H. J. Sapiano, 4109.

Sargent, F. P.
Methyl radicals in solid acetonitrile: decay or no decay. F. P. Sargent, M. G. Bailey, and E. M. Gardy, 2171.
Electron spin resonance studies of aliphatic ammonium ion radicals in aqueous sulfuric acid glasses. H. R. Falle and F. P. Sargent, 3401.
An electron spin resonance study of hydrogen atom reactions with butenes trapped in aqueous sulfuric acid glasses. H. R. Falle and F. P. Sargent, 3410.
The detection of alkoxy and other radicals in the gamma radiolysis of alcohols by an electron spin resonance and spin trapping method. F. P. Sargent and E. M. Gardy, 3645.

Sasson, Y.
Oxidative transfer dehydrogenation of α,β -unsaturated carbinols to α,β -unsaturated ketones catalyzed by ruthenium complexes. Y. Sasson and G. L. Rempel, 3825.

Saucier, M.
Synthetic morphinans and hasubanans. II. On the mechanism of acid-catalyzed transformations of 17-(*N*-phenylthioamido)-3-methoxy- $\Delta^{8,14}$ -morphinan. M. Saucier and I. Monković, 2736.

Savoie, J. Y.
Solid-phase synthesis of selectively protected peptides: use of thallous alkoxide as catalyst in the transesterification step. J. Y. Savoie and M. A. Barton, 2832.

Scalise, O. H.
Comments on the 14-12-8-6 potential function. R. E. Caligaris, O. H. Scalise, J. R. Grigera, V. H. Smith, Jr., and A. J. Thakkar, 2444.

Schaefer, T.
Long-range proton-proton coupling constants in the vinylpyridines. Conformational preferences of the vinyl group and molecular orbital calculations. J. B. Rowbotham and T. Schaefer, 136.
Proton magnetic resonance studies of rotational isomerism in halotoluenes. X. Estimates of conformational preferences and rotational barriers in benzyl fluoride and some dichloro derivatives. J. B. Rowbotham, A. F. Janzen, J. Peeling, and T. Schaefer, 481.
Methyl-methyl proton spin-spin coupling constants in some six-membered ring compounds. A test for delocalization in borazine. J. B. Rowbotham and T. Schaefer, 489.
Proton spin-spin coupling constants in isothiazole, isoxazole, and some of their alkyl derivatives. R. E. Wasylissen, J. B. Rowbotham, and T. Schaefer, 833.
Proton magnetic resonance studies of rotational isomerism in halotoluene derivatives. XI. Experimental and theoretical barriers to rotation in $\alpha,\alpha,2,4,6$ -pentabromo-, α,α -dibromo-2,4,6-trichloro-, and α,α -dibromo-2,6-dichlorotoluene. J. Peeling, L. Ernst, and T. Schaefer, 849.
Barrier to internal rotation in 2,6-dichlorobenzyl iodide and some $\alpha,\alpha'-m$ -xylyl halides. Experimental evidence for the transition state conformation in benzyl halides. J. Peeling, J. B. Rowbotham, L. Ernst, and T. Schaefer, 2414.
Proton magnetic resonance study of intramolecular hydrogen bonding in halophenols. J. B. Rowbotham and T. Schaefer, 3037.
The carbon-13 magnetic resonance spectrum of propane. R. E. Wasylissen and T. Schaefer, 3247.
The proton magnetic resonance spectrum of *p*-methylbenzylbromide. Conformational preference of the bromomethyl rotor. K. Chui, J. B. Rowbotham, and T. Schaefer, 3489.
Proton magnetic resonance study of conformational equilibria of the pyridinealdehydes in solution. Comparison with other methods. W. Danchura, T. Schaefer, J. B. Rowbotham, and D. J. Wood, 3986.

Schiff, H. I.
Measurements of NO , NO_2 , and HNO_3 in the stratosphere. H. I. Schiff, 1536.

Schlegel, H. B.
On the origin of the Bohlmann bands. S. Wolfe, H. B. Schlegel, and M.-H. Whangbo, 3787.

Schmid, G. H.
The isolation of an episelenurane from the reaction of 4-tolueneselenenyl chloride with ethylene. D. G. Garratt and G. H. Schmid, 1027.
The rates and products of addition of 4-chlorobenzenesulfenyl chloride to a series of side chain methyl substituted styrenes. G. H. Schmid and D. G. Garratt, 1807.
The addition of arylselenium trichlorides *vs.* areneselenenyl chlorides to *cis*- and *trans*-1-phenylpropene. D. G. Garratt and G. H. Schmid, 3599.

Schmidt, C.
The conformational requirements for the transition state of Bogert-Cook-Bardhan-Sengupta cyclizations. F. Brisse, A. Lectard, and C. Schmidt, 1123.
A sequence of attaching the unit $\text{CH}_2\text{CH}_2\text{COCH}_3$ to 2,2,6-trimethylcyclohexanone. C. Schmidt, K. L. Adams, and U. Fechner, 1732.

Schnitzer, M.

The low temperature oxidation of humic substances. M. Schnitzer and S. I. M. Skinner, 1072.
The chemistry of high molecular weight fulvic acid fractions. J. A. Neyroud and M. Schnitzer, 4123.

Schöllnhammer, G.

New route to branched-chain aminodeoxy sugars by reaction of ketoses with acetonitrile. Synthesis of methyl 3-C-2'-aminoethyl-2-deoxy- α -D-*arabino*-hexopyranoside. A. Rosenthal and G. Schöllnhammer, 51.

Schulz, K. F.

Redox behavior of diazotized amines in aprotic solvents. R. M. Elofson, F. F. Gadallah, A. A. Cantú, and K. F. Schulz, 2430.

Schwenk, R.

New synthesis of nitroxyl radicals of the piperidine and tetrahydropyridine series. L. T. L. Wong, R. Schwenk, and J. C. Hsia, 3381.

Scott, J. M. W.

Isotope effects on chemical equilibria. Part II. Some further secondary isotope effects of the second kind. D. J. Barnes, P. D. Golding, and J. M. W. Scott, 1966.

Secco, E. A.

Phase transformation studies in silver and thallium chromates. M. Natarajan and E. A. Secco, 712.

Anisotropic conductivity and phase transformation studies in potassium chromate crystals. M. Natarajan and E. A. Secco, 2436.

Alkali tin paraperiodates (MSnIO₆): thermal analyses, electrical conductivity, infrared and X-ray diffraction studies. M. Natarajan, P. Ramamurthy, and E. A. Secco, 3187.

Gas-solid exchange reaction: zinc vapor and polycrystalline zinc orthosilicate. E. A. Secco, H. P. Dhar, and C.-H. Su, 3932.

Seddon, W. A.

Pulse radiolytic formation of solvated electrons, ion-pairs, and alkali metal anions in tetrahydrofuran. G. A. Salmon, W. A. Seddon, and J. W. Fletcher, 3259.

Pulse radiolysis of liquid methylamine, ethylamine, and ammonia: the yield of solvated electrons. W. A. Seddon, J. W. Fletcher, F. C. Sopchyshyn, and J. Jevcak, 3269.

Séguin, J.-Y.

Cinétique de l'interaction de l'inosine avec le [Pt(dien)Br]Br. J.-Y. Séguin, P.-C. Kong et M. Zador, 2603.

Seidewand, R. J.

Methyl cyclopentadienecarboxylate formation in the methanol quenched vapor phase thermolysis of methyl salicylate. O. A. Mamer, K. G. Rutherford, and R. J. Seidewand, 1983.

Senior, J. B.

Studies on trifluoromethanesulfonic acid. Part I. Trifluoromethanesulfonic acid as a weak acid of the sulfuric acid solvent system. D. G. Russell and J. B. Senior, 2975.

Sepulchre, A.-M.

Carbon-13 nuclear magnetic resonance spectra of 1,4-oxathiane derivatives. W. A. Szarek, D. M. Vyas, A.-M. Sepulchre, S. D. Gero, and G. Lukacs, 2041.

Serreqi, J.

The fluorination of decachlorocyclopentaphosphonitrile with potassium fluorosulfite. N. L. Paddock and J. Serreqi, 2546.

Sham, T. K.

Mössbauer spectra, bonding, and structure in Sn(IV) acetylacetones. G. M. Bancroft and T. K. Sham, 1361.

Shapiro, B. L.

Phototropic products from the reactions of aryl monoazines with bases. P. Yates, E. M. Levi, and B. L. Shapiro, 3343.

Sharrock, P.

Etude de l'effet des cations alcalins sur la structure du succinate de cuivre. P. Sharrock et T. Theophanides, 418.

Shaver, A.

Spectroscopic studies of cationic *h*⁵-cyclopentadienyl iron carbonyl derivatives. G. M. Bancroft, K. D. Butler, L. E. Manzer, A. Shaver, and J. E. H. Ward, 782.

Shaw, R.

A salamander alkaloid synthesis. M. Benn and R. Shaw, 2936.

Shen, L.

Photochemical and thermal decomposition of 1-pyrazolines. P. S. Engel and L. Shen, 4040.

Shen, Q.

The molecular structure of trimethylindium by vapor phase electron diffraction. G. Barbe, J. L. Hencher, Q. Shen, and D. G. Tuck, 3936.

Sheridan, P.

The reaction of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-d₃ with sodium isopropoxide in isopropyl alcohol. E. Buncel, A. R. Norris, K. E. Russell, P. Sheridan, and H. Wilson, 1750.

Sheridan, P. J.

Kinetic and thermodynamic studies of the reactions of sulfite ion with picramide, *N*-methylpicramide, and *N,N*-dimethylpicramide in aqueous solution. E. Buncel, A. R. Norris, K. E. Russell, and P. J. Sheridan, 25.

Sherwood, A. G.
 Kinetics of the abstraction of H from group IV methyls by CF_3 and CD_3 radicals. T. N. Bell, P. Slade and A. G. Sherwood, 1662.

Kinetics of the thermal decomposition of β -trifluoroethylsilanes and hot molecule kinetics of $(\text{CF}_3\text{CH}_2\text{SiF}_3)$. T. N. Bell, R. Berkley, A. E. Platt, and A. G. Sherwood, 3158.

Shinsaka, K.
 Epithermal electron ranges and thermal electron mobilities in liquid aromatic hydrocarbons. K. Shinsaka and G. R. Freeman, 3495.

Electron mobilities and ranges in solid neopentane: effect of liquid-solid phase change. K. Shinsaka and G. R. Freeman, 3556.

Electric field induced light emission and conductance-loss transients in liquid anthracene. K. Shinsaka and G. R. Freeman, 3559.

Shoesmith, D. W.
 Kinetics of dehydration of aromatic aldehydes determined by the rotating disc electrode technique. R. G. Barradas, O. Kutowy, and D. W. Shoesmith, 1635.

Shurvell, H. F.
 The infrared and Raman spectra of trifluoronirosomethane. H. F. Shurvell, S. C. Dass, and R. D. Gordon, 3149.

Singh, U. P.
 Base catalyzed isomerization of epoxides to bicyclic allylic alcohols, potential intermediates for the total synthesis of the DL-aldohexoses. K. Ranganayakulu, U. P. Singh, T. P. Murray, and R. K. Brown, 988.

Sinha, D.
 The vibrational spectra of methyl cyanoacetate and methyl cyanoacetate- d_3 . D. Sinha and J. E. Katon, 3057.

Sinha, K. O. P.
 Studies on N,N' -diimidyl systems by nuclear magnetic resonance spectroscopy. S. M. Verma, K. O. P. Sinha, and C. K. Rao, 2399.

Skinner, S. I. M.
 The low temperature oxidation of humic substances. M. Schnitzer and S. I. M. Skinner, 1072.

Skinner, W. A.
 Molluscicidal saponins of *Phytolacca dodecandra*: lemmatoxin. R. M. Parkhurst, D. W. Thomas, W. A. Skinner, and L. W. Cary, 702.

Slade, P.
 Kinetics of the abstraction of H from group IV methyls by CF_3 and CD_3 radicals. T. N. Bell, P. Slade, and A. G. Sherwood, 1662.

Slessor, K. N.
 ω -Aldehydo sugars prepared by ninhydrin oxidation. A. R. Gibson, L. D. Melton, and K. N. Slessor, 3905.

Smith, A. A.
 A nuclear magnetic resonance study of nucleoside conformation in solution. The effect of structure and conformation on the magnetic nonequivalence of the 5'-methylene hydrogens. F. E. Hruska, D. J. Wood, T. N. McCaig, A. A. Smith, and A. Holy, 497.

Smith, D. G.
 Influence of Lewis acids on the Diels-Alder reaction. VII. The reaction of furan with ethyl propiolate. A. W. McCulloch, D. G. Smith, and A. G. McInnes, 1013.

Smith, J. C. P.
 The conformation of β -pseudouridine about the glycosidic bond as studied by ^1H homonuclear Overhauser measurements and molecular orbital calculations. R. K. Nanda, R. Tewari, G. Govil, and I. C. P. Smith, 371.

Carbon-13 nuclear magnetic resonance spectra of carcinogenic polynuclear hydrocarbons. I. 3-Methylcholanthrene and related benzantracenes. R. S. Ozubko, G. W. Buchanan, and I. C. P. Smith, 2493.

Smith, M. A. R.
 The stereospecific synthesis of neutral and cationic tertiary phosphine complexes of platinum(II). K. R. Dixon, K. C. Moss, and M. A. R. Smith, 692.

Smith, P. J.
 A mass spectrometric study of the influence of electronic and stereochemical factors on the Hofmann elimination process in quaternary ammonium salts. P. J. Smith, 365.

Isotope effect studies on elimination reactions. IX. The nature of the transition state for the E2 reaction of 2-arylethylammonium ions with ethoxide in ethanol. P. J. Smith and A. N. Bourns, 749.

Smith, S.
 The dipole polarizability of the hydrogen molecular ion: a variational two-center calculation. R. P. McEachran, S. Smith, and M. Cohen, 3463.

Smith, V. H., Jr.
 Comments on the 14-12-8-6 potential function. R. E. Caligaris, O. H. Scalise, J. R. Grigera, V. H. Smith, Jr., and A. J. Thakkar, 2444.

Snelling, D. R.
 The ultraviolet flash photolysis of ozone and the reactions of $\text{O}(\text{'D})$ and $\text{O}_2(\text{'}\Sigma_{\text{g}}^+)$. D. R. Snelling, 257.

Infrared chemiluminescence from the reactions of oxygen atoms with halomethanes. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 271.

Infrared chemiluminescence from the reaction of oxygen atoms with chloroethylenes. S. J. Arnold, G. H. Kimball, and D. R. Snelling, 2608.

Production de $O_2(b^1\Sigma_g^+)$, $\nu' = 0, 1$ et 2 par la réaction $O(2^1D_2) + O_2(X^3\Sigma_g^-)$. M. J. E. Gauthier et D. R. Snelling, 4007.

Snieckus, V.
The Wittig synthesis and photocyclodehydrogenation of 3-(2-aryl)vinylindole derivatives. S. O. de Silva and V. Snieckus, 1294.

Protonation and acid-catalyzed rearrangement of 1,2-diazepines. D. J. Harris, M. T. Thomas, V. Snieckus, and E. Klingsberg, 2798.

The synthesis of 1,2-diazepines from thiapyrylium salts. D. J. Harris, G. Y.-P. Kan, V. Snieckus, and E. Klingsberg, 2805.

Snow, R. A.
Chemistry of proximal π -bond systems. Part II. Synthesis of 2,3-dimethylenecyclo[2.2.2]octa-5,7-diene. D. N. Butler and R. A. Snow, 447.

Soler, J.
1,4-Diphenyl-1,4-butadiyl diradicals from thermolysis of *cis*- and *trans*-3,6-diphenyl-3,4,5,6-tetrahydropyridazine. K. R. Kopecky and J. Soler, 2111.

Solka, B. H.
Bimolecular reactions of trapped ions. VIII. Reactions in propane and propane-methane mixtures. B. H. Solka, A. Y.-K. Lau, and A. G. Harrison, 1798.

Sopchyn, F. C.
Pulse radiolysis of liquid methylamine, ethylamine, and ammonia: the yield of solvated electrons. W. A. Seddon, J. W. Fletcher, F. C. Sopchyn, and J. Jevcak, 3269.

Sorensen, T. S.
Acid catalyzed rearrangements of structurally constrained tricarbonyl(*trans*-pentadienyl)iron cations. C. R. Jablonski and T. S. Sorensen, 2085.

Degenerate rearrangements in a cyclohexenyl cation. Independent ring carbon interchange and hydrogen interchange processes. R. Cone, R. P. Haseltine, P. Kazmaier, and T. S. Sorensen, 3320.

The product of homotropylium cation photolysis. P. A. Christensen, Y. Y. Huang, A. Meesters, and T. S. Sorensen, 3424.

Soucy, M.
Reaction of cuprate reagents with pyridine in the presence of chloroformate. A novel synthesis of 1,4-dihydropyridine derivatives. E. Piers and M. Soucy, 3563.

Sowa, J. M.
The preparation and crystal structure of $[I_2]^+[Sb_2F_{11}]^-$. C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. M. Sowa, 2048.

Spenser, I. D.
Biosynthesis of corydaline and of ochotensimine. H. L. Holland, M. Castillo, D. B. MacLean, and I. D. Spenser, 2818.

Sprague, E. D.
Structure and reactivity of methyl radical-cyanide ion pairs in crystal I and crystal II of acetonitrile. E. D. Sprague, K. Takeda, J. T. Wang, and F. Williams, 2840.

Stanley, K.
Evidence for restricted rotation in the 1H and ^{19}F nuclear magnetic resonance spectra of cyclopentadienyl-perfluoroalkyliron complexes. K. Stanley, R. A. Zelonka, J. Thomson, P. Fiess, and M. C. Baird, 1781.

Starer, H.
Adsorption and desorption of hydrogen, carbon monoxide, and their reaction products on a catalyst for the synthesis of methanol. C. Aharoni and H. Starer, 4044.

Starzec, W.
The hydride reduction of hemiaminals of thiobinupharidine and the structure of thionupharoline. T. I. Martin, D. B. MacLean, J. T. Wróbel, A. Iwanow, and W. Starzec, 2705.

Staub, A. P. A.
Elimination, oxidation, and transposition reactions in conformationally biased carbohydrates: methyl 4,6-*O*-benzylidene- α -D-altropyranosides containing the phenylthio group. S. Hanessian and A. P. A. Staub, 1258.

Steer, R. P.
Photolysis of thietane-cyclopentadiene mixtures. Reactions of monomeric thioformaldehyde. D. R. Dice and R. P. Steer, 3518.

Steevensz, R. S.
Dihydrothiophenes. III. Preparation of some 3,4-unsubstituted examples. J. McIntosh and R. S. Steevensz, 1934.

Stein, A. R.
The alkylation of ambident anions. IV. The alkali metal and silver salts of formanilides. A. R. Stein and S.-H. Tan, 4050.

Stengle, T. R.
Nuclear magnetic resonance studies of solvation of halides: ^{19}F studies of solvent and counterion effects on chemical shift. J. P. K. Tong, C. H. Langford, and T. R. Stengle, 1721.

Stenhouse, N. S.
Diffusion of gases in porous solids. I. Theoretical background and experimental method. K. R. Weller, N. S. Stenhouse, and H. Watts, 2684.

Diffusion of gases in porous solids. II. Diffusion of an isotope trace through binary gaseous mixtures in a porous graphite. K. R. Weller, N. S. Stenhouse, and H. Watts, 2692.

Stephens, J. C.
Synthesis of substituted-9,10-dihydroanthracenes by the reduction of anthraquinones in hydriodic acid. R. N. Renaud and J. C. Stephens, 1229.

Stephens, M. E.
The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 1310.
Erratum: The electron pair in chemistry. R. Daudel, R. F. W. Bader, M. E. Stephens, and D. S. Borrett, 3077.

Stepto, R. F. T.
Comment: On the Whiteway-Smith-Masson and Flory-Stockmayer theories of polymerization. R. F. T. Stepto, 1188.

Stewart, R.
The rate of ionization of some aromatic hydrocarbons in ethanolic dimethyl sulfoxide. A. Albagli, J. R. Jones, and R. Stewart, 1059.
Acid and base catalysis in the oxidation of 6,7,8-trimethylumazine. I. Products of the reaction. K. Oyama and R. Stewart, 3879.
Acid and base catalysis in the oxidation of 6,7,8-trimethylumazine. II. Kinetics and mechanism. R. Stewart and K. Oyama, 3884.

Stillwell, M. A.
Metabolites of *Hyalodendron* sp.: bisdethiodi(methylthio)hyalodendrin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 325.
Metabolites of an unidentified fungus: a new 5,6-dihydro-2-pyrone related to pestalotin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 825.
A new chlorinated cyclopentenone produced by a *Cryptosporiopsis* species. G. M. Strunz, P. I. Kazinoti, and M. A. Stillwell, 3623.

St-Jacques, M.
Sterechemical implications from the conformational analysis of the seven-membered ring in 5-oxabenzocycloheptene. L. Canuel and M. St-Jacques, 3581.

St-Jean, R.
Sur la réduction de polyméthylidihydro-2,3 phenalenones-1 par l'hydrure de lithium et d'aluminium. E. Costakis, P. Canonne et R. St-Jean, 3106.

Stockton, G. W.
A carbon-13 nuclear magnetic resonance study of cation solvation in alcohols. G. W. Stockton and J. S. Martin, 744.

Stoessl, A.
The complete stereostructure of capsidiol. X-Ray analysis and ¹³C nuclear magnetic resonance of eremophilane derivatives having *trans*-vicinal methyl groups. G. I. Birnbaum, A. Stoessl, S. H. Grover, and J. B. Stothers, 993.

Stolarski, R. S.
Stratospheric chlorine: a possible sink for ozone. R. S. Stolarski and R. J. Cicerone, 1610.

Stone, J. A.
The γ -radiolysis of ethane. III. The effect of density on ion scavenging reactions above the critical temperature. P. T. Holland and J. A. Stone, 221.
The γ -radiolysis of liquid cyclohexane containing di-*n*-propyl disulfide. J. A. Stone and J. Esser, 1253.

Stoochnoff, B. K.
Water-soluble lysine-containing polypeptides. I. The synthesis and characterization of several sequential lysine-glycine polypeptides including a preliminary study of their interaction with DNA. J. Brown, J. R. Langlois, D. R. Lauren, B. K. Stoochnoff, and R. E. Williams, 3140.

Storr, A.
Crystal and molecular structure of the *N*-methyl diethanolaminogallane dimer, $[\text{CH}_3\text{N}(\text{CH}_2\text{CH}_2\text{O})_2\text{GaH}]_2$. S. J. Rettig, A. Storr, and J. Trotter, 2206.

Stothers, J. B.
¹³C nuclear magnetic resonance studies. 34. The ¹³C spectra of several methylcyclopentanones and -cyclohexanones. J. B. Stothers and C. T. Tan, 308.
¹³C nuclear magnetic resonance studies. 38. Examination of the long-range shielding effects of the hydroxyl group in alicyclic systems. S. H. Grover and J. B. Stothers, 870.
The complete stereostructure of capsidiol. X-Ray analysis and ¹³C nuclear magnetic resonance of eremophilane derivatives having *trans*-vicinal methyl groups. G. I. Birnbaum, A. Stoessl, S. H. Grover, and J. B. Stothers, 993.
On the reaction of *p*-cresol with 4-aminocoumarin. V. Dave, J. B. Stothers, and E. W. Warmhoff, 2932.
Erratum: ¹³C nuclear magnetic resonance studies. 32. The ¹³C spectra of several norbornyl derivatives. J. B. Stothers, C. T. Tan, and K. C. Teo, 2974.
Bicyclooctanone rearrangement, [3.2.1] \rightarrow [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo [3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 4143.

Strathdee, G.
Homogeneous catalysis of hydrogen isotope exchange between D₂ and ethanol by chlorotris(triphenylphosphine) rhodium(I). I. In benzene-ethanol. G. Strathdee and R. Given, 2216.
Homogeneous catalysis of hydrogen isotope exchange between D₂ and ethanol by chlorotris(triphenylphosphine)-rhodium(I). II. In chloroform-ethanol. G. Strathdee and R. Given, 2226.
The synthesis and application of anchored catalysts in hydrogen isotope exchange systems. D₂ - protic solvent exchange. G. Strathdee and R. Given, 3000.

Striegler, K.
2,3-Dioximes of various substituted acetoacetamides and their metal chelates. A. Kettrup and K. Striegler, 661.

Strunz, G. M.
Metabolites of *Hyalodendron* sp.: bisdethiodi(methylthio)hyalodendrin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 325.
Metabolites of an unidentified fungus: a new 5,6-dihydro-2-pyrone related to pestalotin. G. M. Strunz, C. J. Heissner, M. Kakushima, and M. A. Stillwell, 825.
A new chlorinated cyclopentenone produced by a *Cryptosporiopsis* species. G. M. Strunz, P. I. Kazinoti, and M. A. Stillwell, 3623.

Su, C.-H.
Gas-solid exchange reaction: zinc vapor and polycrystalline zinc orthosilicate. E. A. Secco, H. P. Dhar, and C.-H. Su, 3932.

Sulfab, Y.
Kinetics of oxidation of ferrocyanide by iodate ion. Y. Sulfab and H. A. Elfaki, 2001.

Summers, R.
Product studies of the mutual termination reactions of *sec*-alkylperoxy radicals: evidence for non-cyclic termination. J. E. Bennett and R. Summers, 1377.

Sunder, S.
Resonance Raman spectra of Cu-tetrapyridinoporphyrazine. S. Sunder and H. J. Bernstein, 2851.

Suprunchuk, T.
The quenching of singlet oxygen ($^1\Delta_g$) by transition metal chelates. D. J. Carlsson, T. Suprunchuk, and D. M. Wiles, 3728.

Sutton, D.
Ligand abstraction in the reaction of aryl diazonium ions with some iron complexes containing coordinated cysteine, maleonitriledithiol or triarylphosphine. J. A. Carroll, D. R. Fisher, G. W. R. Canham, and D. Sutton, 1914.
Infrared and Raman spectra of arylazo complexes: assignment of $\nu(N=N)$ in some molybdenum and tungsten polypyrazolylborate compounds of the type $[RB(pz)_3M(CO)_2(N,Ar)]$. D. Sutton, 2634.
Cationic aryltetrazene complexes of iridium. A. B. Gilchrist and D. Sutton, 3387.

Swaddle, T. W.
cis-Activation by oxyanions coordinated to chromium(III): aquation and base hydrolysis of nitratopentaammine-chromium(III) ion. G. Guastalla and T. W. Swaddle, 527.
Kinetics and mechanism of the thermal decomposition of hexaamminecobalt(III) and aquopentaamminecobalt(III) ions in acidic aqueous solution. A. M. Newton and T. W. Swaddle, 2751.

Sweeney, M. A. J.
A proton magnetic resonance study of 1,4-dibromobenzene- ^{13}C partially oriented in nematic phases. E. E. Burnell and M. A. J. Sweeney, 3565.

Szarek, W. A.
Photochemistry of glycosyl azides. J. Plenkiewicz, G. W. Hay, and W. A. Szarek, 183.
Carbon-13 nuclear magnetic resonance spectra of 1,4-oxathiane derivatives. W. A. Szarek, D. M. Vyas, A.-M. Sepulchre, S. D. Gero, and G. Lukacs, 2041.
Conformational analysis of *trans-syn-trans*-4,5:9,10-biscyclohexano-1,3,6,8-tetraoxecane: a low-energy pathway for boat-chair-boat (BCB) interconversion. T. B. Grindley and W. A. Szarek, 2566.
Application of carbon-13 nuclear magnetic resonance spectroscopy to the structural determination of chlorodeoxy sugars. W. A. Szarek, D. M. Vyas, G. Lukacs, and S. D. Gero, 3394.
Conformational studies on 1,3-dioxepanes. Part IV. Applications of geminal coupling constants to conformational analysis of 1,3-dioxepanes. T. B. Grindley and W. A. Szarek, 4062.
Conformational studies on 1,3-dioxepanes. Part V. The effect of introduction of an sP^2 -hybridized carbon atom. T. B. Grindley and W. A. Szarek, 4072.

Takahashi, O.
A new synthesis of 4-(4-methyl-4-hydroxyamyl)- Δ^3 -cyclohexenecarboxaldehyde. K. Kogami, O. Takahashi, and J. Kumanotani, 125.

Takeda, K.
Structure and reactivity of methyl radical - cyanide ion pairs in crystal I and crystal II of acetonitrile. E. D. Sprague, K. Takeda, J. T. Wang, and F. Williams, 2840.

Tamura, T.
Radiation-sensitized thermal cracking of *n*-butane. I. Radical reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 2579.

Tan, C. T.
 ^{13}C nuclear magnetic resonance studies. 34. The ^{13}C spectra of several methylcyclopentanones and -cyclohexanones. J. B. Stothers and C. T. Tan, 308.
Erratum: ^{13}C nuclear magnetic resonance studies. 32. The ^{13}C spectra of several norbornyl derivatives. J. B. Stothers, C. T. Tan, and K. C. Teo, 2974.

Tan, S.-H.
The alkylation of ambident anions. IV. The alkali metal and silver salts of formanilides. A. R. Stein and S.-H. Tan, 4050.

Tan, T.-S.

Synthesis and ^{19}F nuclear molecular resonance spectra of fluorosubstituted bis(arene)chromium complexes. M. J. McGlinchey and T.-S. Tan, 2439.

Tanner, D. D.

The photobromination of (+)-1-cyano-2-methylbutane. D. D. Tanner, T. C. S. Ruo, and E. V. Blackburn, 2242.

The reaction of chlorine monoxide with cyclohexene. A molecule induced homolysis reaction. D. D. Tanner, N. Nychka, and T. Ochiai, 2573.

Tapping, R. L.

A study of the effect of solvent and temperature on the electron paramagnetic resonance parameters and linewidths of copper(II) bis(diethyldithiocarbamate). F. G. Herring and R. L. Tapping, 4016.

Tarama, K.

Isomerization of 1-olefins by dihalogeno-bis(nitrile)-palladium complexes[PdX₂(RCN)₂]. S. Sakaki, H. Kanai, and K. Tarama, 2857.

Taurins, A.

Synthesis of 2,6-naphthyridine, 4-methyl-2,6-naphthyridine, and their derivatives. A. Taurins and R. T. Li, 843.

The synthesis of 1,7- and 1,8-dimethylphenazines. A. Taurins and A. D. Long, 1307.

Taylor, A.

The mass spectra of derivatives of polyporic acid. R. D. Grigsby, W. D. Jamieson, A. G. McInnes, W. S. G. Maass, and A. Taylor, 4117.

Taylor, G. R.

Pyridine-catalyzed halogenation of aromatic compounds. II. A study of the bromine adducts of pyridinium bromide using differential scanning calorimetry and isothermal gravimetric analysis. G. R. Taylor, H. D. Gesser, and G. E. Dunn, 2560.

Taylor, J. E.

Homogeneous gas-phase pyrolyses using a wall-less reactor. IV. Comparative surface-nonsurface effects with cyclopropane. D. M. Kulich, J. E. Taylor, and D. A. Hutchings, 216.

A kinetic study of high pressure aqueous oxidations of organic compounds using elemental oxygen. J. E. Taylor and J. C. Weygandt, 1925.

Taylor, N. J.

Some metal halide - phosphorus halide - alkyl halide complexes. Part III. The μ -trihalohexahalodimettallate ions of titanium and zirconium. J. I. Bullock, F. W. Parrett, and N. J. Taylor, 2880.

Taylor, R. L.

Energy transfer processes in the stratosphere. R. L. Taylor, 1436.

Taylor, W. G.

Hydride reductions of 1-phenyl-1-nonen-3-one: mass spectrometry of 1-phenyl-1-nonen-3-ols and relative stereochemistry of the diastereoisomeric 4-dimethylaminomethyl-1-phenyl-1-nonen-3-ols. W. G. Taylor and J. R. Dimock, 2522.

Tee, O. S.

The mechanism of bromination of 2(1*H*)-pyrimidinone, its *N*-methyl and *N,N'*-dimethyl derivatives in aqueous acidic solution. O. S. Tee and S. Banerjee, 451.

Templeton, J. F.

Mass spectra of some 5,6 α -cyclopropano-5 α -cholestane derivatives. J. F. Templeton and C. W. Wie, 517.

Teo, K. C.

Erratum: ^{13}C nuclear magnetic resonance studies. 32. The ^{13}C spectra of several norbornyl derivatives. J. B. Stothers, C. T. Tan, and K. C. Teo, 2974.

Tequi, C.

Détermination de la vitesse du son dans les sels fondus. Technique et applications. L. Denielou, J.-P. Petitet et C. Tequi, 400.

Tessier, A.

Mechanism of hydrogen peroxide pyrolysis. A. Tessier and W. Forst, 794.

Laser spectrofluorimetry of chlorophylls. R. M. Leblanc, G. Galinier, A. Tessier, and L. Lemieux, 3723.

Tewari, R.

The conformation of β -pseudouridine about the glycosidic bond as studied by ^1H homonuclear Overhauser measurements and molecular orbital calculations. R. K. Nanda, R. Tewari, G. Govil, and I. C. P. Smith, 371.

Thakkar, A. J.

Comments on the 14-12-8-6 potential function. R. E. Caligaris, O. H. Scalise, J. R. Grigera, V. H. Smith, Jr., and A. J. Thakkar, 2444.

Thankachan, C.

Unusual reactions of peroxides. II. Decomposition of diphenylmethyl peroxides. R. Hiatt, D. J. Leblanc, and C. Thankachan, 4090.

Thé, K. I.

The mechanism of the transition metal-catalyzed reaction of 1,1'-carbonyldipyrroles with aldehydes and ketones. L. K. Peterson, E. Kiehlmann, A. R. Sanger, and K. I. Thé, 2367.

The, N. D.

Vibrational spectra and structures of the solid phases of germane. N. D. The, J.-M. Gagnon, R. Belzile, and A. Cabana, 327.

Theophanides, T.

Etude de l'effet des cations alcalins sur la structure du succinate de cuivre. P. Sharrock et T. Theophanides, 418.

Thiffault, R.

Metals intercalated in graphite. II. The Friedel-Crafts reactions with AlCl_3 -graphite. J.-M. Lalancette, M.-J. Fournier-Breault, and R. Thiffault, 589.

Thoai, N.

Etude conformationnelle des alcényles phénylcétones par spectrographies infrarouge, ultraviolette et par l'utilisation de l'effet Overhauser nucléaire et de complexe de lanthanide $\text{Eu}(\text{dpm})_3$ en résonance magnétique nucléaire. N. Thoai et T.-M. Chau, 1331.

Thomas, D. W.

Molluscicidal saponins of *Phytolacca dodecandra*: lemmatoxin. R. M. Parkhurst, D. W. Thomas, W. A. Skinner, and L. W. Cary, 702.

Thomas, G. H.

Infrared studies of water in crystalline hydrates: $\text{K}_2\text{CuCl}_4 \cdot 2\text{H}_2\text{O}$. G. H. Thomas, M. Falk, and O. Knop, 1029.

Thomas, M. T.

Protonation and acid-catalyzed rearrangement of 1,2-diazepines. D. J. Harris, M. T. Thomas, V. Snieckus, and E. Klingsberg, 2798.

Thomas, R. E.

Molecular size distribution in random polyfunctional condensation with or without ring formation: computer simulation. M. Falk and R. E. Thomas, 3285.

Thompson, R. C.

Infrared spectra of metal bisfluorosulfates. C. S. Alleyne, K. O'S. Mailer, and R. C. Thompson, 336.

Coordinating properties of the fluorosulfate ion. Tetrakis(pyridine) complexes of zinc(II), copper(II), and nickel(II) fluorosulfates. C. S. Alleyne and R. C. Thompson, 3218.

Thomson, J.

Evidence for restricted rotation in the ^1H and ^{19}F nuclear magnetic resonance spectra of cyclopentadienyl-perfluoroalkyliron complexes. K. Stanley, R. A. Zelonka, J. Thomson, P. Fiess, and M. C. Baird, 1781.

Thomson, M. L.

The behavior of 1-phenyl-2-benzimidazolinethione and 1-phenyl-2-benzimidazolinone upon electron impact and pyrolysis. D. C. K. Lin, M. L. Thomson, and D. C. DeJongh, 2359.

Tidwell, T. T.

Reactivity of organophosphates. IV. Acid-catalyzed hydrolysis of triethyl phosphate: a comparison with ethyl acetate. E. P. Lyznicki, Jr., K. Oyama, and T. T. Tidwell, 1066.

Tiefenbach, B.

Determination of trace cadmium in biological materials by neutron and photon activation analyses. R. E. Jervis, B. Tiefenbach, and A. Chattopadhyay, 3008.

Tin, K. C.

Carbon-sulfur bond cleavage in the reaction of alkylolithiums with sulfoxides. T. Durst, M. J. LeBelle, R. Van den Elzen, and K. C. Tin, 761.

Sulfur-free penicillin derivatives. VI. Synthesis of the 1-oxacephem ring system. S. Wolfe, J.-B. Ducep, K.-C. Tin, and S.-L. Lee, 3996.

Tokunaga, H.

Thermolysis of some 4-alkylidene-1-pyrazolines. R. J. Crawford, D. M. Cameron, and H. Tokunaga, 4025.

Thermolysis of 3,3,5,5-tetramethyl-4-methylene-1-pyrazoline and the thermal isomerization of some alkylidene-cyclopropanes. R. J. Crawford and H. Tunaga, 4033.

Tomchuk, E.

Deuteron relaxation study of the reorienting methyl groups in *p*-azoxyanisole. M. Wiszniewska, R. Y. Dong, E. Tomchuk, and E. Bock, 2294.

Tong, J. P. K.

Nuclear magnetic resonance studies of solvation of halides: ^{19}F studies of solvent and counterion effects on chemical shift. J. P. K. Tong, C. H. Langford, and T. R. Stengle, 1721.

Tosi, G.

Cobalt(II) and nickel(II) complexes with nitrogen, sulfur, and selenium containing heterocyclic ligands. C. Preti, G. Tosi, D. De Filippo, and G. Verani, 2021.

Study of the reactions of chromium(III) halides and heterocyclic ligands containing V A and VI A group donor atoms. C. Preti and G. Tosi, 2845.

Tournoux, M.

Structure cristalline de TiVO_3 . M. Ganee, Y. Piffard et M. Tournoux, 3539.

Trotter, J.

Crystal and molecular structure of 2-deacyluscnic acid. A. L. Macdonald, S. J. Rettig, and J. Trotter, 723.

Crystal structure of bis[hexakis(dimethylamino)cyclotriphosphonitrillium] tetrachlorocobaltate(II). A. L. Macdonald and J. Trotter, 734.

Crystal structure of hexamethylcyclotriphosphazene-iodine (1:1 adduct). P. L. Markila and J. Trotter, 2197.

Crystal and molecular structure of the *N*-methylidethanolaminogallane dimer, $[\text{CH}_3\text{N}(\text{CH}_2\text{CH}_2\text{O})_2\text{GaH}]_2$. S. J. Rettig, A. Storr, and J. Trotter, 2206.

Crystal and molecular structure of 4,4-dimethyl-2,2-diphenyl-1,3-dioxa-4-azonia-2-boranacyclopentane. S. J. Rettig, J. Trotter, and W. Kliegel, 2531.

Crystal and molecular structure of [2,3-bis(eimethylarsino)-1,1,1,4,4,4-hexafluorobut-2-ene-*As*,*As*]tricarbonyl-diiodotungsten(II). A. Mercer and J. Trotter, 3331.

Tsau, J.
Polymorphism in *n*-alkyl ammonium halides. A wide line nuclear magnetic resonance study of the chlorides $\text{C}_{11}-\text{C}_{15}$. J. Tsau and D. F. R. Gilson, 2421.

Tuck, D. G.
The crystal and molecular structure of dichloro(acetylacetato)-2,2'-bipyridylindium(III). J. G. Contreras, F. W. B. Einstein, and D. G. Tuck, 3793.

The molecular structure of trimethylindium by vapor phase electron diffraction. G. Barbe, J. L. Hencher, Q. Shen, and D. G. Tuck, 3936.

Coordination compounds of indium. Part XXVI. Ligand exchange studies with trifluoromethyl- β -diketonato-(dimethyl)indium(III) compounds. H. L. Chung and D. G. Tuck, 3944.

Coordination compounds of indium. Part XXVII. Addition compounds of acetato(dimethyl)indium(III). J. J. Habeeb and D. G. Tuck, 3950.

Uchino, O.
Observations of stratospheric aerosol layers by optical radar. M. Hirono, M. Fujiwara, O. Uchino, and T. Itabe, 1560.

Ulrich, S. E.
A nuclear magnetic resonance investigation of molecular motion in solid *cis*-diaquotetramminecobalt(III)sulfate. B. A. Dunell, J. F. Nattrass, and S. E. Ulrich, 900.

A study of molecular motion in *cis*- and *trans*-dichlorodiamminepalladium(II). S. E. Ulrich and B. A. Dunell, 3378.

Unger, D.
Rearrangement studies with ^{14}C . XL. The acetolysis of 2-phenylethyl- ^{14}C triflate. C. C. Lee and D. Unger, 3955.

Unrau, A. M.
Studies on the biosynthesis of antheridiol. C. R. Popplestone and A. M. Unrau, 462.

Studies on theoretical psychotogens. Synthesis of *O*-methylated analogs of catecholamine neurotransmitters and metabolic precursors. J. R. Butterick and A. M. Unrau, 2873.

Erratum: Studies on theoretical psychotogens. Synthesis of *O*-methylated neurotransmitters and metabolic precursors. J. R. Butterick and A. M. Unrau, 4112.

Vaish, S. P.
Photo-CIDNP studies of 2-butanone and 3-pentanone in solution. S. P. Vaish, R. D. McAlpine, and M. Cocivera, 2978.

Valleau, J. P.
Chemical relaxations in aqueous micellar solutions by ultrasonic spectroscopy. I. Alkali metal hexyl and octyl sulfates. D. A. W. Adair, V. C. Reinsborough, N. Plavac, and J. P. Valleau, 429.

Valverde, S.
The structure of sideritol, a diterpenoid of the *ent*-atisane class. W. A. Ayer, J. H. Ball, B. Rodriguez, and S. Valverde, 2792.

Van den Elzen, R.
Carbon-sulfur bond cleavage in the reaction of alkylolithiums with sulfoxides. T. Durst, M. J. LeBelle, R. Van den Elzen, and K. C. Tin, 761.

Dimetallation of β -lactams. Introduction of 3-substituents in *N*-unsubstituted β -lactams. T. Durst, R. Van Den Elzen, and R. Legault, 3206.

Vander Voet, A.
Matrix infrared and laser Raman spectra, molecular structures, and normal coordinate analyses of germanium difluoride monomer GeF_2 , and dimer $(\text{GeF}_2)_2$. H. Huber, E. P. Kündig, G. A. Ozin, and A. Vander Voet, 95.

Varga, J. A.
Strong crystalline field perturbation calculations for d^3 , d^7 penta-coordinate complexes. II. The square pyramid. J. A. Varga and C. A. L. Becker, 579.

Vekris, J. E.
Alchemists' gold, $\text{Hg}_{2.86}\text{AsF}_6$: An X-ray crystallographic study of a novel disordered mercury compound containing metallically bonded infinite cations. I. D. Brown, B. D. Cutforth, C. G. Davies, R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 791.

Verani, G.
Cobalt(II) and nickel(II) complexes with nitrogen, sulfur, and selenium containing heterocyclic ligands. C. Preti, G. Tosi, D. De Filippo, and G. Verani, 2021.

Verigin, V.
The interaction of electrochemically produced radical cations with substituted styrenes. B. L. Funt and V. Verigin, 1643.

Verma, S. M.
Studies on *N,N'*-diimidyl systems by nuclear magnetic resonance spectroscopy. S. M. Verma, K. O. P. Sinha, and C. K. Rao, 2399.

Vermeer, R. A.
Radioysis of liquid di-*n*-propyl ether: alcohol formation and solvated electrons. R. A. Vermeer and G. R. Freeman, 1181.

Vernon, J. M.
Some derivatives of 2,5-xylidine and their cyclization to indoles. L. J. Kricka and J. M. Vernon, 299.

Verrall, R. E.
The mass spectrometry of the pyrolysis products of some tetraalkylammonium and bis-tetraalkylammonium bromides. R. E. Verrall and J. A. Burns, 3438.

Vidyarthi, S. K.
Hydrated electrons produced by the flash photolysis of Co^+ , Ni^+ , Zn^+ , and Cd^+ ions. N. Basco, S. K. Vidyarthi, and D. C. Walker, 343.

Vigla, D.
Stratospheric aerosols physicochemistry. J. Bricard and D. Vigla, 1479.

Vincent, H.
Sur l'existence des composés P_4Se_x ($x \leq 3$) et $\text{P}_4\text{Se}_{3-n}\text{S}_n$ ($n = 1, 2$). Y. Monteil et H. Vincent, 2190.

Vocelle, D.
Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 2123.
Erratum: Reactions of aralkyl and unsaturated chloramines: the nitrenium ion question. O. E. Edwards, G. Bernath, J. Dixon, J. M. Paton, and D. Vocelle, 3256.

Vogel, P. C.
The kinetics of isotope effects in a model solvolysis system involving one optically active ion pair intermediate. P. C. Vogel, 1937.

Vyas, D. M.
Carbon-13 nuclear magnetic resonance spectra of 1,4-oxathiane derivatives. W. A. Szarek, D. M. Vyas, A.-M. Sepulchre, S. D. Gero, and G. Lukacs, 2041.
Application of carbon-13 nuclear magnetic resonance spectroscopy to the structural determination of chlorodeoxy sugars. W. A. Szarek, D. M. Vyas, G. Lukacs, and S. D. Gero, 3394.

Wagstaff, K. P.
The fluoridation of non-stoichiometric calcium hydroxyapatite. An infrared study. C. H. Amberg, H. C. Luk, and K. P. Wagstaff, 4001.

Walker, D. C.
Hydrated electrons produced by the flash photolysis of Co^+ , Ni^+ , Zn^+ , and Cd^+ ions. N. Basco, S. K. Vidyarthi, and D. C. Walker, 343.

Walker, S.
Dielectric studies. Part XXXV. Relaxation studies of benzaldehyde and four *para*-substituted aldehydes. P. F. Mountain and S. Walker, 3229.

Wan, C.
Studies of β -diketone complexes of rhenium. VI. The crystal and molecular structure of *cis*-dichloropentane-2,4-dionato-*trans*-bis(triphenyl-phosphine)rhenium(III). I. D. Brown, C. J. L. Lock, and C. Wan, 1704.

Wan, J. K. S.
Chemically induced dynamic electron polarization. IV. The photolysis of 1,4-naphthoquinone. S.-K. Wong, D. A. Hutchinson, and J. K. S. Wan, 251.
An electron spin resonance study of the arylsilyl adducts of phenyl *tert*-butyl nitrone and their decomposition kinetics. B. B. Adeleke, S.-K. Wong, and J. K. S. Wan, 2901.

Wang, J. T.
Structure and reactivity of methyl radical - cyanide ion pairs in crystal I and crystal II of acetonitrile. E. D. Sprague, K. Takeda, J. T. Wang, and F. Williams, 2840.

Ward, J. E. H.
 ^{13}C nuclear magnetic resonance studies of organometallic compounds. III. *cis*-Methylplatinum(II) derivatives. H. C. Clark and J. E. H. Ward, 570.
Spectroscopic studies of cationic h^5 -cyclopentadienyl iron carbonyl derivatives. G. M. Bancroft, K. D. Butler, L. E. Manzer, A. Shaver, and J. E. H. Ward, 782.
 ^{13}C nuclear magnetic resonance studies of organometallic compounds. IV. *cis*-Dimethylplatinum(II) derivatives. H. C. Clark, L. E. Manzer, and J. E. H. Ward, 1165.
 ^{13}C nuclear magnetic resonance studies of organometallic compounds. V. Di- and trimethylplatinum(IV) derivatives. H. C. Clark, L. E. Manzer, and J. E. H. Ward, 1973.

Warkentin, J.
Crystal structure of 1-(bis-*p*-chlorophenyl)methylene-3-oxo-4,4-dimethyl-1,2-diazetidinium hydroxide, inner salt, $\text{C}_{17}\text{H}_{14}\text{Cl}_2\text{N}_2\text{O}$. C. Calvo, P. C. Ip, N. Krishnamachari, and J. Warkentin, 2613.
New route to cyclic azomethine imines. P. C. Ip, K. Ramakrishnan, and J. Warkentin, 3671.

Warneboldt, R. B.
Preferential cleavage of the C_2 - C_3 bond in 5β -steroids. J. K. Paisley, R. B. Warneboldt, and L. Weiler, 810.

Warnhoff, E. W.
On the reaction of *p*-cresol with 4-aminoantipyrine. V. Dave, J. B. Stothers, and E. W. Warnhoff, 2932.

Wasylissen, R. E.

Proton spin-spin coupling constants in isothiazole, isoxazole, and some of their alkyl derivatives. R. E. Wasylissen, J. B. Rowbotham, and T. Schaefer, 833.

The carbon-13 magnetic resonance spectrum of propane. R. E. Wasylissen and T. Schaefer, 3247.

Watts, H.

Diffusion of gases in porous solids. I. Theoretical background and experimental method. K. R. Weller, N. S. Stenhouse, and H. Watts, 2684.

Diffusion of gases in porous solids. II. Diffusion of an isotope trace through binary gaseous mixtures in a porous graphite. K. R. Weller, N. S. Stenhouse, and H. Watts, 2692.

Wayman, M.

The modular structure of lignin. M. Wayman and T. I. Obiaga, 2102.

Webb, J. G. K.

Structural investigation of sigma complexes of aromatic amines with 1,3,5-trinitrobenzene. E. Bunzel and J. G. K. Webb, 630.

Weber, J. P.

The microwave spectrum of trifluoromethyl hypofluorite. P. Buckley and J. P. Weber, 942.

Weller, L.

Preferential cleavage of the C₂—C₃ bond in 5 β -steroids. J. K. Paisley, R. B. Warneboldt, and L. Weiler, 810.

The acylation of β -keto ester dianions. S. N. Huckin and L. Weiler, 1343.

C-Acetylation of ketones. S. N. Huckin and L. Weiler, 1379.

Aldol type condensations of β -keto ester dianions. S. N. Huckin and L. Weiler, 2157.

Photoelectron spectrum and electronic structure of tetrathiofulvalene (TTF). A. J. Berlinsky, J. F. Carolan, and L. Weiler, 3373.

Welge, K. H.

Photolysis of O_x, HO_x, CO_x, and SO_x compounds. K. H. Welge, 1424.

Weller, K. R.

Diffusion of gases in porous solids. I. Theoretical background and experimental method. K. R. Weller, N. S. Stenhouse, and H. Watts, 2684.

Diffusion of gases in porous solids. II. Diffusion of an isotope trace through binary gaseous mixtures in a porous graphite. K. R. Weller, N. S. Stenhouse, and H. Watts, 2692.

Werstiuk, N. H.

The high temperature and dilute acid (HTDA) procedure as a general method of replacing aromatic hydrogen by deuterium. II. N. H. Werstiuk and T. Kadai, 2169.

West, P. R.

Restricted rotation in α -carbonyl radicals. T. Foster, D. Klapstein, and P. R. West, 524.

Electron spin resonance studies in aqueous solution: titanium(III) in the pH region 1.0–3.5. P. I. Premović and P. R. West, 2919.

Photolysis of aqueous solutions of hydrogen peroxide containing β -ammonio alcohols. T. Foster and P. R. West, 3589.

Weygandt, J. C.

A kinetic study of high pressure aqueous oxidations of organic compounds using elemental oxygen. J. E. Taylor and J. C. Weygandt, 1925.

Whangbo, M.-H.

On the origin of the Bohlmann bands. S. Wolfe, H. B. Schlegel, and M.-H. Whangbo, 3787.

Whiteway, S. G.

Reply to comment: On the Whiteway-Smith-Masson and Flory-Stockmayer theories of polymerization. C. R. Masson and S. G. Whiteway, 1190.

Whitlow, S. H.

The crystal and molecular structure of dinitrato(triphenylphosphine)mercury(II). S. H. Whitlow, 198.

Wie, C. W.

Mass spectra of some 5,6 α -cyclopropano-5 α -cholestane derivatives. J. F. Templeton and C. W. Wie, 517.

Wiebe, H. A.

The effect of the excess kinetic energy of the O(¹D) atoms from the flash photolysis of N₂O on their reaction with N₂O. H. A. Wiebe and G. Paraskevopoulos, 2165.

Wiesner, K.

A vinylogous Wagner rearrangement in the benzonorbornene series. K. Wiesner, P.-t. Ho, and H. Ohtani, 640.

A stereospecific synthesis of the denudatine skeleton: stereospecificity of the C/D ring construction by diene addition. K. Wiesner, P.-t. Ho, and S. Oida, 1042.

Wiles, D. M.

The quenching of type II photodecomposition of 2-pentanone in *n*-hexane solution by metal chelates. J. Flood, K. E. Russell, D. J. Carlsson, and D. M. Wiles, 688.

The quenching of singlet oxygen (¹ Δ_g) by transition metal chelates. D. J. Carlsson, T. Suprunchuk, and D. M. Wiles, 3728.

Wiles, D. R.

The radiochemistry of organoiron compounds. IV. FeCp(CO)₂. W. Kanellakopulos-Drossopoulos and D. R. Wiles, 894.

Williams, F.

Structure and reactivity of methyl radical - cyanide ion pairs in crystal I and crystal II of acetonitrile. E. D. Sprague, K. Takeda, J. T. Wang, and F. Williams, 2840.

Williams, G. J. B.

Structural studies of histamine H1 effector molecules: the crystal structure of the antihistaminic drug (+)-chlorpheniramine maleate; [(+)-S-1-(*p*-chlorophenyl)-1-(2-pyridyl)-3-*N,N*-dimethylpropylamine maleate]. M. N. G. James and G. J. B. Williams, 1872.

The crystal and molecular structure of the antihistaminic drug triprolidine hydrochloride monohydrate [*trans*-1-(*p*-tolyl)-1-(2-pyridyl)-3-(1-pyrrolidino)-prop-1-ene]. M. N. G. James and G. J. B. Williams, 1880.

Williams, R. E.

Water-soluble lysine-containing polypeptides. I. The synthesis and characterization of several sequential lysine-glycine polypeptides including a preliminary study of their interaction with DNA. J. Brown, J. R. Langlois, D. R. Lauren, B. K. Stoochnoff, and R. E. Williams, 3140.

Williams, U.

Koenigs-Knorr syntheses of some α -1 \rightarrow 2 and β -1 \rightarrow 2 linked nitro disaccharides. H. H. Baer, J. M. J. Fréchet, and U. Williams, 3337.

Willis, C.

The near-ultraviolet absorption spectrum of diimide vapor. R. A. Back, C. Willis, and D. A. Ramsay, 1006.

The near-ultraviolet absorption spectrum of diimide in liquid ammonia and its decomposition between -65 and -38 °C. R. A. Back and C. Willis, 2513.

Wilson, D. E.

Ion yields and fragmentation processes in the radiolysis of HCl and DCl. P. F. Carr, P. Christensen, D. E. Wilson, and D. A. Armstrong, 359.

Wilson, H.

The reaction of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*₃ with sodium isopropoxide in isopropyl alcohol. E. Buncel, A. R. Norris, K. E. Russell, P. Sheridan, and H. Wilson, 1750.

Kinetic and equilibrium studies of the reactions of 2,4,6-trinitrotoluene and 2,4,6-trinitrotoluene-*d*₃ with sodium and potassium *t*-butoxide in *t*-butanol. E. Buncel, A. R. Norris, K. E. Russell, and H. Wilson, 2306.

Wirz, P.

The preparation of protio- and deuterio-derivatives of the tetra-cyanoquinodimethane-tetrathiofulvalene complex. D. Dolphin, W. Pegg, and P. Wirz, 4078.

Wiszniewska, M.

Deuteron relaxation study of the reorienting methyl groups in *p*-azoxyanisole. M. Wiszniewska, R. Y. Dong, E. Tomchuk, and E. Bock, 2294.

Wofsy, S. C.

HO_x, NO_x, and ClO_x: their role in atmospheric photochemistry. S. C. Wofsy and M. B. McElroy, 1582.

Wohlebe, M.

The synthesis and properties of 4-acetoxy-2,3-dihydro-3-oxo-4*H*-naphth[1,2-*b*][1,4]oxazine, an analog of known carcinogenic hydroxamic acids. R. T. Couts and M. Wohlebe, 3432.

Wolfe, S.

On the origin of the Bohlmann bands. S. Wolfe, H. B. Schlegel, and M.-H. Whangbo, 3787.

Sulfur-free penicillin derivatives. VI. Synthesis of the 1-oxacephem ring system. S. Wolfe, J.-B. Ducep, K.-C. Tin, and S.-L. Lee, 3996.

Wolkoff, P.

Routes to *N*-aryl-*N'*-thioaroylhydrazines and related *sym*- and *unsym*-hydrazonyl sulfides, and a note on the so-called *N*-phenyl-*N'*-thiobenzoyldiimide. P. Wolkoff, S. Hammerum, F. D. Callaghan, and M. S. Gibson, 879.

Wong, C. F.

The stereospecificity of α -thiohemiaminal reduction. A 300 MHz proton magnetic resonance investigation of deuteride reduction products from 6,6'-dihydroxythiobinupharidine and 6-hydroxythiobinupharidine. R. T. LaLonde, C. F. Wong, and K. C. Das, 2714.

Wong, C. F. C.

Chloride quantum yields from photolysis of chloropentamine and chloropentakisalkylamino chromium(III) complexes. C. F. C. Wong and A. D. Kirk, 3384.

Wong, C. M.

A synthesis of muscalure, the housefly sex attractant. T.-L. Ho and C. M. Wong, 1923.

Wong, L. T. L.

New synthesis of nitroxyl radicals of the piperidine and tetrahydropyridine series. L. T. L. Wong, R. Schwenk, and J. C. Hsia, 3381.

Wong, P. T. T.

Skeletal and lattice vibrations of crystals of dihalogenobis(pyridine)zinc(II). P. T. T. Wong, 2005.

Wong, S.-K.

Chemically induced dynamic electron polarization. IV. The photolysis of 1,4-naphtoquinone. S.-K. Wong, D. A. Hutchinson, and J. K. S. Wan, 251.

An electron spin resonance study of the arylsilyl adducts of phenyl *tert*-butyl nitrone and their decomposition kinetics. B. B. Adeleke, S.-K. Wong, and J. K. S. Wan, 2901.

Wong, W. H.

Trajectory studies of atomic recombination reactions. VI. Recombination of oxygen atoms in argon. W. H. Wong and G. Burns, 1988.

Wood, D. J.

A nuclear magnetic resonance study of nucleoside conformation in solution. The effect of structure and conformation on the magnetic nonequivalence of the 5'-methylene hydrogens. F. E. Hruska, D. J. Wood, T. N. McCaig, A. A. Smith, and A. Holy, 497.

Proton magnetic resonance studies of 2'-deoxythymidine its 3'- and 5'-monophosphates and 2'-deoxythymidyl-(3',5')-2'-deoxythymidine in aqueous solution. D. J. Wood, F. E. Hruska, and K. K. Ogilvie, 3353.

Proton magnetic resonance study of conformational equilibria of the pyridinealdehydes in solution. Comparison with other methods. W. Danchura, T. Schaefer, J. B. Rowbotham, and D. J. Wood, 3986.

Woodhams, F. W. D.

Redetermination of the Mössbauer ^{119}Sn chemical shifts in K, Cs, and Cu hexafluostannates. F. W. D. Woodhams, R. A. Howie, and O. Knop, 1904.

Woods, R. J.

Spectra and decay of trichloromethyl radicals in aqueous solution. B. Lesigne, L. Gilles, and R. J. Woods, 1135.

Woolley, E. M.

Molecular association of hydrogen bonding solutes, *o*-, *m*-, and *p*-cresol, in carbon tetrachloride. E. M. Woolley and D. S. Rushforth, 653.

Thermodynamics of ionization of nitroethane in water-ethanol solvent mixtures. T. Matsui, L. G. Hepler, and E. M. Woolley, 1910.

Work, D. E.

Nitrogen-sulfur ligand systems via reduction of Schiff's base - zinc complexes derived from benzothiazolines. J. L. Corbin and D. E. Work, 1054.

Wright, G. J.

Protonation of polymethylphenols. S. M. Blackstock, K. E. Richards, and G. J. Wright, 3313.

Wright, K.

Reactions of sodium tetrahydroborate and cyanotrihydroborate with divalent Co, Ni, Cu, Pd, and Pt chlorides in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, B. C. Hui, and K. Wright, 2990.

Wróbel, J. T.

The hydride reduction of hemiaminals of thiobinupharidine and the structure of thionupharoline. T. I. Martin, D. B. MacLean, J. T. Wróbel, A. Iwanow, and W. Starzec, 2705.

Yamdagni, R.

Intrinsic acidities of α , β , γ chlorosubstituted aliphatic acids from gas phase equilibria measurements. R. Yamdagni and P. Kebarle, 861.

The hydrogen bond energies in ClHCl^- and $\text{Cl}^-(\text{HCl})_n$. R. Yamdagni and P. Kebarle, 2449.

Erratum: Intrinsic acidities of α , β , γ chlorosubstituted aliphatic acids from gas phase equilibria measurements. R. Yamdagni and P. Kebarle, 2551.

Yared, W. F.

Determination of $\Delta H_{f298}^0(\text{C}_6\text{F}_5\text{I},\text{g})$ from studies of the combustion of iodopentafluorobenzene in oxygen and calculation of $D[\text{C}_6\text{F}_5-\text{X}]$ bond dissociation energies. M. J. Krech, S. J. W. Price, and W. F. Yared, 2673.

Yates, K.

Kinetics of the nitrosation of pyrrolidine and proline. A. Okany, T. F. Massiah, L. J. Rubin, and K. Yates, 1050.

Thermodynamics of transfer of organic molecules from water to acid solutions. The effects of nitro substitution. K. Yates and R. A. McClelland, 1098.

Yates, P.

Phototropic products from the reactions of aryl monoazines with bases. P. Yates, E. M. Levi, and B. L. Shapiro, 3343.

Yeats, P. A.

Titanium(IV)chloro- derivatives of strong monobasic acids. J. R. Dalziel, R. D. Klett, P. A. Yeats, and F. Aubke, 231.

Yiaw, P. S.

Chlorine nuclear quadrupole resonance spectra of 1-substituted 2-chloropolyfluorocycloalkenes. L. S. Chia, W. R. Cullen, M. C. L. Gerry, and P. S. Yiaw, 3484.

Young, R. H.

On the mechanism of quenching by amines: a new method for investigation of interactions with triplet states. R. H. Young, D. Brewer, R. Kayser, R. Martin, D. Feriozi, and R. A. Keller, 2889.

Zador, M.

Cinétique de l'interaction de l'inosine avec le $[\text{Pt}(\text{dien})\text{Br}]\text{Br}$. J. Y. Séguin, P.-C. Kong et M. Zador, 2603.

Thallic ion oxidation of styrene: kinetics of decomposition of the oxythallation adduct $\text{C}_6\text{H}_5\text{-CH}(\text{OCH}_3)\text{-CH}_2\text{Th}(\text{OAc})_2$. L. Nadon and M. Zador, 2667.

Oxydation du cyclohexène par le nitrate cérique d'ammonium. C. Briguet, C. Freppel, J. C. Richer et M. Zador, 3201.

Zelonka, R. A.

Evidence for restricted rotation in the ^1H and ^{19}F nuclear magnetic resonance spectra of cyclopentadienyl-perfluoroalkyliron complexes. K. Stanley, R. A. Zelonka, J. Thomson, P. Fiess, and M. C. Baird, 1781.

Zingaro, R. A.

A study of the donor properties of the phenoxachalcogenines. I. Tetracyanoethylene and chloranil as acceptors (I). C. A. Heller, R. A. Zingaro, and E. A. Meyers, 3814.



CANADIAN
JOURNAL
OF
CHEMISTRY

The Canadian Journal of Chemistry (Can. J. Chem.) publishes reports of original research in English or in French. An article reports the results of a completed definitive study. Serial articles can be accepted but each should be a logical subdivision of the continuing theme. A communication is intended for the rapid publication of novel and significant work. It should not exceed four double-spaced, typewritten pages, including tables and figures, but should contain enough experimental detail to allow repetition of the work by those knowledgeable in the field. With a communication, either in the manuscript or as a supplementary item, there should be a brief statement indicating the novelty and significance of the work.

DELAYS IN PUBLICATION CAN BE AVOIDED
BY ADHERENCE TO THE INSTRUCTIONS
BELOW

All parts of the manuscript should be typewritten, double-spaced, on paper $8\frac{1}{2} \times 11$ in. (21.5 x 28 cm) with margins of $1\frac{1}{2}$ in. (4 cm). The original typescript and two clear copies are required. The first page should contain only the title, authors' names, the institution of origin with its address, any relevant footnotes, and up to five key words or phrases for the subject index. Tables and captions for figures should be on separate pages placed after the list of references which follows the text. Each page of the manuscript should be numbered, beginning with the title page.

Spelling should follow that of *Webster's Third New International Dictionary*. Symbols, units, and nomenclature should conform to international recommendations such as those of the International Union of Pure and Applied Chemistry and the International Union of Pure and Applied Physics. Pertinent references are: *J. Am. Chem. Soc.* **82**, 5517 (1960) and *Nomenclature of Organic Chemistry*, Butterworths, London (1966). For terminology not covered by international agreement, the usage of the American Chemical Society should be followed; e.g. *The Naming and Indexing of Chemical Compounds* (Introduction to Chemical Abstracts Subject Index, **56**, 1N (1962) and *Rules of Carbohydrate Nomenclature* (*J. Org. Chem.* **28**, 281 (1963)). Recommendations for the presentation of crystallographic data appear in *Can. J. Chem.* **48**, 3275 (1970). Those for the presentation of data from differential thermal analyses will be sent on request. Symbols and Greek characters should be typed, and annotated when necessary for clarity. Normally metric units should be used and the use of S.I. units (Système international d'unités) is encouraged.

An abstract is required for all manuscripts. It should not exceed 200 words for an article and should be much shorter for a communication. Most abstracting services use authors' abstracts, so they should be prepared carefully. Authors who can submit abstracts in both fluent English and fluent French are encouraged to do so.

References should be numbered and listed at the end of the text in the order in which they are first cited. Each reference should be designated serially in the text by its key number on the line and in parentheses. In a reference, initials should precede surnames and these should be followed by the name of the periodical (abbreviated in the form used by Chemical Abstracts; that for this journal is *Can. J. Chem.*), the volume number, the initial page number, and the year; punctuation should conform to that in

current issues of this journal. Material in press, with the name of the journal, may be used as a reference. Private communications and reports not yet accepted for publication are not references and should be included in the text in parentheses, or in a footnote.

Each footnote should be given on the manuscript page on which reference to it is made. Beginning on the title page, they are designated by superscript numbers in serial order.

Tables should be numbered serially with Arabic numerals and should have brief titles; vertical rules should not be used. Tables should be typed on separate pages and follow the list of references.

Equations should be identified by numbers in square brackets placed flush with the left margin. In numbering, no distinction is made between mathematical and chemical equations. Equations should be typed. Manuscripts with illegible equations will be returned to the author for typing.

Routine structural formulas can be typeset and need not be submitted in a form suitable for direct reproduction, but all structures should be depicted clearly to avoid errors. If a formula or name of a chemical compound is referred to by a number, a boldface Arabic numeral should be used. When highly accurate structural formulas are required to show bond lengths, bond angles, or three-dimensional structures, the material should be submitted as a figure suitable for direct reproduction.

Figures, individually or in groups, should be planned to fit, after reduction, into one ($2\frac{1}{2}$ in. or 7 cm) or two ($5\frac{1}{2}$ in. or 14.5 cm) columns; the length of a column is $7\frac{1}{2}$ in. (19.5 cm). Figures should be numbered consecutively in Arabic numerals and for identification should have the authors' names and the title of the paper in the lower left corner. Drawings should be made with India ink on plain or blue-lined white paper or other suitable material and should not be more than three times the size of the final reproduction. Any coordinate lines to appear should be ruled in. All lines, symbols, letters, and punctuation must be drawn with suitable drafting instruments (not typewritten) and must be of such size that the smallest character will not be less than 1 mm high when reduced. The original drawings and two sets of clear copies are required. Reproduction of original spectra is often desirable and more satisfactory than tracings. Details of a photographic process for reproducing n.m.r. spectra are available on request.

Galley proofs are sent to authors for correction of printer's errors. Excessive changes in the proofs are charged to the authors. To expedite their publication, proofs of communications are not normally sent.

Supplementary material—The National Science Library maintains a depository in which supplementary material, such as extensive tables or detailed calculations, may be placed. Authors wishing to use it should submit their complete work for examination and should mark the parts to be considered for deposition. The editors may require that portions of some articles be placed in the depository. Photocopies of material on deposit may be obtained from the Depository of Unpublished Data, National Science Library, National Research Council of Canada, Ottawa, Canada K1A 0S2.

Guidance for Authors' Secretaries

These notes are designed to help the secretary prepare a manuscript that can easily be processed for the printer in the least possible time.

Much that is useful will be learned by reading the instructions to authors that are printed in the journal and by inspecting the journal itself. It is suggested that these be done first.

Use a copy of the journal as a guide when there is doubt about how certain details should be typed or set out.

General

Type the manuscript on white paper, not flimsy, size $8\frac{1}{2} \times 11$ in. (21.5 \times 28 cm), with margins $1\frac{1}{2}$ in. (4 cm) wide to allow for copy marking. For good clear type, use a nylon or carbon ribbon. Use a white correction fluid when changes are made.

Type every part of the manuscript at least double-spaced. This is particularly important for tables, captions for illustrations, footnotes, and the reference list, because they require more copy marking than does the main text.

Do not underline unless the material is to be set in italics. If there is doubt about this, do not underline. Use capital letters only when the letters or words should appear in capitals in the printed paper.

Indent the first line of all paragraphs in the text and of all captions and footnotes.

On the first page type only the title, the authors' names, authors' affiliation, any relevant footnotes, and a few phrases for the subject index. Number each page, beginning with the title page.

Be sure that the author checks the finished manuscript. This is particularly important after revision and retyping.

Submit to the editors the top copy and two other clear copies of the manuscript.

Tables

Consult a copy of the journal to see how tables are set up and where the lines in them are placed.

Do not put vertical lines in tables.

Designate footnotes in tables by symbols or superscript small italic letters. Descriptive material not designated by a footnote may be placed under a table as a NOTE.

Type tables on separate pages. Be sure to type double-spaced even if more than one page must be used for one table. Place them after the text.

Illustrations

With the manuscript, send the original drawings of the illustrations and two sets of photographic copies.

Type the captions for the illustrations together, on a separate page, in consecutive order. Place this after the text.

Footnotes

Designate footnotes on the title page by superscript Arabic numbers and place them at the bottom of the page.

Designate footnotes in the main text by superscript Arabic numbers, making them consecutive with those on the title page. Insert these footnotes between solid horizontal lines just below the line of text to which each refers.

Type footnotes for tables under the tables.

Equations, Formulas, and Mathematical Expressions

Some parts of a manuscript may contain much material with superscripts and subscripts, or mathematical expressions, equations, and formulas in which the components must be placed in definite positions in relation to one another. Type these parts triple-spaced. In such cases, too, all of the components, particularly symbols and Greek letters, must be clearly made. If there may be doubt about the identity or proper placing of any of them, explanatory notes should be made in pencil in the margin.

Use a typewriter attachment to make clear and neat symbols

References

Type the reference list, double-spaced, in the style that is used by the journal, using the instructions to authors and examples from the journal as guides.

Check the text to see that all the references in the list are referred to.

RECOMMANDATIONS
AUX
AUTEURS

JOURNAL
CANADIEN
DE
CHIMIE

Le Journal canadien de chimie (Can. J. Chem.) publie en anglais ou en français des rapports concernant des recherches originales. Les articles contiennent les résultats d'une étude complète et définitive. Les articles d'une série peuvent être acceptés mais chaque article doit constituer une subdivision logique de l'ensemble de la série. La communication a pour but d'assurer une publication rapide de travaux importants et nouveaux. Elle ne doit pas dépasser quatre pages dactylographiées à double interligne, les tableaux et les figures compris, mais elle doit contenir suffisamment de détails expérimentaux pour que les experts dans le domaine en question puissent répéter le travail. Un bref exposé précisant la nouveauté et l'importance du travail doit accompagner chaque communication soit à enlever du texte dans le manuscrit soit sous la forme d'un addendum.

IL EST POSSIBLE D'OBTENIR UNE
PUBLICATION RAPIDE SI L'ON SUIT
DE PRÈS LES RÈGLES SUIVANTES

Toutes les parties du manuscrit doivent être dactylographiées à double interligne sur du papier de 8½ x 11 pouces (21.5 x 28 cm) en laissant des marges de 1½ pouces (4 cm). Le texte original dactylographié et deux bonnes copies sont nécessaires. La première page doit contenir uniquement le titre, les noms des auteurs, l'organisme d'origine avec son adresse, tous renvois utiles et jusqu'à cinq mots-clés ou phrases du répertoire indexé couvrant ce domaine de recherches. Les tableaux et les légendes des figures doivent se trouver sur des pages séparées placées après la liste de références, elle-même placée à la fin du texte. Chaque page du manuscrit doit être paginée en commençant par la page du titre.

L'orthographe doit être celle donnée par le *Larousse encyclopédique* ou le Bulletin de la Société chimique de France (Masson et Cie, Paris). Les symboles, les unités et la nomenclature doivent être conformes aux recommandations internationales telles que celles qui sont données par l'Union internationale de chimie pure et appliquée et l'Union internationale de physique pure et appliquée (voir J. Am. Chem. Soc. 82, 5517 (1960) et *Nomenclature of Organic Chemistry*, Butterworths, Londres (1966)). Le choix du vocabulaire qui n'est pas couvert par accord international doit être basé sur celui qui est utilisé par les journaux français du domaine correspondant publiés en France. Les recommandations pour la présentation des données cristallographiques trouvent dans Can. J. Chem. 48, 3275 (1970). On enverra sur demande les recommandations pour la présentation des données relatives à les analyses thermiques différentielles. Les symboles et les lettres grecques doivent être dactylographiées et des annotations doivent les accompagner si c'est nécessaire pour fin de clarté. Normalement, le système métrique doit être utilisé et il est recommandé de se servir du Système international d'unités.

On demande un résumé pour tous les manuscrits. Ce résumé ne doit pas dépasser 200 mots par article et doit être beaucoup plus court si l'ilagit d'une communication. La plupart des services chargés de la rédaction des résumés se servent de ceux des auteurs et, en conséquence, il faut les préparer avec soin. Nous encourageons les auteurs à nous soumettre de bons résumés en anglais et en français s'ils le peuvent.

Les références doivent être numérotées et elles doivent être placées à la fin du texte dans le même ordre qu'elles ont été mentionnées dans le texte. Chaque référence doit être indexée par un nombre qui doit figurer dans le texte et sur la ligne entre parenthèses. Dans la liste de références les initiales doivent précéder les noms de famille qui doivent être suivis du nom du journal (avec la même abréviation que celle qui est utilisée dans *Chemical Abstracts*; celle de ce journal est Can. J. Chem.), du numéro du volume, du numéro de la première page de l'article et de l'année; la ponctuation doit être celle qui est habituellement utilisée dans ce journal. Les articles sous presse, avec le nom du journal, peuvent être utilisés comme référence. Les communications et les rapports privés n'étant pas encore acceptés pour

publication ne constituent pas des références et doivent être inclus dans le texte entre parenthèses ou dans un renvoi en bas de page.

Chaque renvoi doit figurer sur la page du manuscrit où l'on s'y réfère. En commençant par la page du titre, ils sont repérés à l'aide de nombres écrits légèrement au-dessus de la ligne et en ordre croissant.

Les tableaux doivent être numérotés également en ordre croissant à l'aide de caractères arabes et leurs titres doivent être brefs; il ne faut pas utiliser de lignes verticales. Ces tableaux doivent être dactylographiés sur des pages séparées et être placés après la liste des références.

Les équations doivent être numérotées; ces numéros doivent être placés dans des parenthèses carrées collées le long de la ligne déterminant la marge gauche. Ces numéros d'identification ne doivent faire l'objet d'aucune distinction entre les équations mathématiques et chimiques. Toutes les équations doivent être dactylographiées. Les manuscrits portant des équations illisibles seront renvoyés aux auteurs pour qu'ils fassent dactylographier les équations.

Les formules habituelles de représentation de la structure chimique des corps peuvent être composées à la machine et n'ont pas besoin d'être soumises pour examen sous une forme permettant une reproduction directe, mais toutes les structures doivent être décrites clairement afin d'éviter des erreurs. Si une formule ou le nom d'un composé chimique est rappelé à l'aide d'un nom, ce nom doit être en chiffres arabes imprimés en caractères gras. Lorsque des formules structurales très précises sont nécessaires pour mettre en relief les longueurs des liaisons, les angles des liaisons ou les structures tridimensionnelles, il faut fournir une figure permettant une reproduction directe.

Les figures soit individuellement, soit en groupes, doivent être prévues pour aller après réduction, dans une colonne de 2½ pouces ou 7 cm ou deux colonnes de 5½ pouces ou 14.5 cm de large; la longueur d'une colonne est de 7½ pouces (19.5 cm). Les figures doivent être numérotées en ordre croissant en chiffres arabes et pour qu'on puisse les identifier, elles doivent porter les noms des auteurs et le titre de l'article en bas à gauche. Les dessins et les croquis doivent être exécutés à l'encre de Chine sur du papier blanc non ligné ou à lignes bleu pâle ou encore sur tout autre matériel approprié mais ne devant pas dépasser trois fois la dimension de la reproduction finale. Tous les axes de coordonnées doivent être tracés à la règle. Toutes les lignes, les symboles, les lettres et la ponctuation doivent être portés à l'aide d'instruments de dessinateur et non pas dactylographiés; leur dimension doit être telle que le plus petit caractère aura au moins 1 mm de hauteur après la réduction. Les dessins d'origine et deux copies nettes des documents sont exigés. Il est préférable de présenter des spectres d'origine pour la reproduction plutôt que des spectres déjà reproduits sur calques. Les détails d'un procédé photographique pour reproduire les spectres de résonance magnétique nucléaire seront envoyés sur demande.

Les épreuves en première sont envoyées aux auteurs pour qu'ils corrigent les erreurs de l'imprimeur. Si l'on se livre à des changements excessifs, on sera pénalisé financièrement. Pour accélérer les publications, les épreuves des communications ne sont pas habituellement envoyées aux auteurs.

Documents complémentaires—La Bibliothèque scientifique nationale garde des archives où l'on peut déposer des documents complémentaires tels que de grands tableaux ou des calculs détaillés. Les auteurs désirant utiliser ces archives doivent soumettre leurs travaux en entier pour être examinés et ils doivent marquer les parties dont ils demandent le dépôt en archives. Les directeurs scientifiques peuvent exiger que des portions de certains articles soient placées aux archives. Les photocopies des documents archivés peuvent être obtenues du Dépôt des documents non publiés, Bibliothèque scientifique nationale, Conseil national de recherches du Canada, Ottawa, Canada K1A 0S2.

Guide pour les secrétaires des auteurs

Les présentes notes visent à aider la secrétaire à préparer un manuscrit qui peut être rédigé facilement pour l'imprimeur le plus rapidement possible.

Il y a tout avantage à prendre connaissance des recommandations aux auteurs données dans le journal, puis à étudier attentivement le journal même. Il est à conseiller d'en agir ainsi en premier lieu.

En cas de doute touchant la façon de dactylographier ou de composer en certaines occasions, guidez-vous sur une copie passée du journal.

Généralités

Taper le manuscrit sur un papier blanc, et non un papier pelure, mesurant $8\frac{1}{2} \times 11$ po. (21.5 x 28 cm) avec des marges de $1\frac{1}{2}$ po. (4 cm) pour permettre d'y inscrire les indications nécessaires. Pour assurer une impression de frappe satisfaisante, employer un ruban nylon ou carbone. Pour effectuer les modifications qui s'imposent, utiliser une fluide blanc à corriger.

Chaque partie du manuscrit doit être tapée à double-interligne au moins. La chose est particulièrement importante dans le cas des tableaux, légendes d'illustrations, renvois au bas de la page et listes de renvois bibliographiques, car ils exigent de plus nombreuses indications de copies que le texte principal.

éviter de souligner, à moins que la matière ne doive être composée en italiques et, en cas d'incertitude sur ce point, s'abstenir de souligner. N'employer la majuscule que là où les lettres ou les mots doivent paraître en majuscules dans la matière imprimée.

Mettre en retrait la première ligne de chaque paragraphe du texte, ainsi que de chaque légende et renvoi.

La première page ne doit donner que le titre du sujet le nom et l'affiliation de l'auteur ou des auteurs, et tout autre renvoi utile. Il est aussi nécessaire d'indiquer, sur la page titre du manuscrit, quelques expressions pour l'index des matières. Numérotez chaque page, débutant avec la page-titre.

Voir à ce que l'auteur vérifie le manuscrit final, et la chose est particulièrement importante après la révision et le retapage au propre du texte.

Soumettre aux directeurs scientifiques la première copie du manuscrit et deux autres copies bien lisibles.

Tableaux

Consulter une copie du journal pour savoir composer les tableaux et placer les lignes qui y entrent.

Ne pas utiliser de lignes verticales dans les tableaux.

Indiquer les renvois dans les tableaux au moyen de symboles ou de petites lettres italiques en position supérieure. La matière descriptive non-désignée par un

renvoi au bas de la page pourrait être placée au bas d'un tableau à titre de Note.

Taper les tableaux sur des pages séparées. Voir à utiliser le double-interligne, même si un tableau exige plus d'une seule page. S'assurer que les tableaux suivent le texte.

Illustrations

Joindre au manuscrit expédié le dessin original des illustrations et des photocopies avec deux exemplaires.

Taper ensemble, sur une feuille séparée et par ordre consécutif les légendes des illustrations, et intercaler cette feuille à la suite du texte.

Renvois au bas de la page

Indiquer les renvois à la page titre au moyen de chiffres arabes en position supérieure, et les inscrire au bas de la page.

Indiquer les renvois au bas de la page dans le texte principal au moyen de chiffres arabes en position supérieure, dans l'ordre consécutif observé relativement aux renvois de la page-titre. Insérer ces renvois entre les lignes horizontales solides, tout juste sous la ligne de texte à laquelle chaque renvoi se rapporte.

Taper sous les tableaux concernés les renvois qui s'y rapportent.

Équations, formules et expressions mathématiques


Certaines parties d'un manuscrit peuvent inclure de nombreuses données comportant des chiffres ou lettres en position supérieure et inférieure, ou encore des expressions mathématiques, des équations ou des formules dont les composantes doivent être en position définie par rapport l'une à l'autre. Ces parties doivent être tapées à triple-interligne. De même, en pareil cas, toutes les composantes, et notamment les symboles et lettres grecques, doivent être clairement indiquées. En cas de doute touchant l'identité ou la position appropriée de l'une quelconque de ces composantes, une note explicative doit être inscrite au crayon dans la marge.

Pour obtenir des symboles nets et précis, utiliser l'accessoire prévu annexé à la machine à écrire.

Références

Taper, à double-interligne et de la façon prévue au journal, la liste de références, en se guidant sur des recommandations aux auteurs et les exemples donnés dans le journal.

Vérifier le texte afin d'assurer que sont mentionnées toutes les références de la liste.



Canadian Journal of Chemistry

Journal canadien de chimie

Volume 52 Number 24 December 15, 1974

Volume 52 numéro 24 15 décembre 1974

AUTHOR INDEX / REPERTOIRE DES AUTEURS

Aharoni, C., 4044	Hiatt, R., 4090	Reinfried, R., 4083
Alewood, P. F., 4083	Jamieson, W. D., 4117	Richer, J.-C., 4133
Amberg, C. H., 4001	Johnson, A. L., 4143	Sapiano, H. J., 4109
ApSimon, J. W., 4113	Kruger, G., 4139	Schnitzer, M., 4123
Benn, M., 4083	LeBlanc, D. J., 4090	Shen, L., 4040
Brownstein, S., 4101	Luk, H. C., 4001	Snelling, D. R., 4007
Butterick, J. R., 4112	Maass, W. S. G., 4117	Starer, H., 4044
Cameron, D. M., 4025	Maguire, J., 4106	Stein, A. R., 4050
Crawford, R. J., 4025, 4033, 4112	Manuel, G., 4133	Stothers, J. B., 4143
Dolphin, D., 4078	Maroni, Y., 4133	Szarek, W. A., 4062, 4072
Eenkhoorn, J. A., 4113	McInnes, A. G., 4117	Tan, S.-H., 4050
Engel, P. S., 4040	Neyroud, J. A., 4123	Tapping, R. L., 4016
Forrest, T. P., 4095	Ohno, M., 4112	Taylor, A., 4117
Freppel, C., 4133	Pegg, W., 4078	Thankachan, C., 4090
Gauthier, M. J. E., 4007	Petersen, N. O., 4143	Tokunaga, H., 4025, 4033
Grigsby, R. D., 4117	Poirier, M.-A., 4133	Unrau, A. M., 4112
Grindley, T. B., 4062, 4072	Price, S. J. W., 4109	Wagstaff, K. P., 4001
Herring, F. G., 4016	Rampersad, M. B., 4143	Wirz, P., 4078

(Concluded) / (Suite en fin)

T. Bruce Grindley and Walter A. Szarek Conformational studies on 1,3-dioxepanes. Part V. The effect of introduction of an sp^2 -hybridized carbon atom	4072	Thomas P. Forrest Conformations of sugars: proton dihedral angles from <i>gauche</i> coupling constants	4095
Paul Francis Alewood, Michael Benn, and Rolf Reinfried Cyclisations of azidoformates to tetrahydro-1,3-oxazin-2-ones and oxazolidin-2-ones	4083	Jean A. Neyroud and Morris Schnitzer The chemistry of high molecular weight fulvic acid fractions	4123

COMMUNICATIONS

G. Kruger Synthesis of 3β , 14β , 19-oxygenated cardenolides	4139	A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers Bicyclooctanone rearrangement, [3.2.1] \rightarrow [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo[3.3.0]octan-2-one	4143
---	-------------	---	-------------

Notice to authors	i	Note aux auteurs	i
Instructions to authors	iii	Guidance for authors' secretaries	iv
Recommandations aux auteurs	v	Guide pour les secrétaires des auteurs	vi
Subject index	4147	Répertoire des sujets	4147
Author index	4171	Répertoire des auteurs	4171

Annual Subscription Rates/ Abonnements annuels			
Publication	Multi-user/ Collectif	Personal/ Personnel	Publication
Semimonthly			
Canadian Journal of Botany	\$40.00	\$20.00	Bimensuelle
Canadian Journal of Chemistry	48.00	24.00	Journal canadien de botanique
Canadian Journal of Physics	40.00	20.00	Journal canadien de chimie
Journal canadien de physique			
Monthly			
Canadian Journal of Biochemistry	24.00	12.00	Mensuelle
Canadian Journal of Earth Sciences	24.00	12.00	Journal canadien de biochimie
Journal canadien des sciences de la terre			
Canadian Journal of Microbiology	24.00	12.00	Journal canadien de microbiologie
Canadian Journal of Zoology	24.00	12.00	Journal canadien de zoologie
Bimonthly			
Canadian Journal of Physiology and Pharmacology	20.00	10.00	Bimestrielle
Journal canadien de physiologie et pharmacologie			
Quarterly			
Canadian Journal of Civil Engineering	10.00	5.00	Trimestrielle
Journal canadienne de génie civil			
Canadian Journal of Forest Research	10.00	5.00	Journal canadien de la recherche forestière
Revue canadienne de la recherche forestière			
Canadian Geotechnical Journal	10.00	5.00	Revue canadienne de géotechnique

The price of single numbers of current volumes of all journals is \$3.00.

Le prix au numéro pour les volumes de l'année en cours est de \$3.00.

Canadian Journal of
ChemistryJournal canadien de
chimie

Volume 52 Number 24 December 15, 1974

Volume 52 numéro 24 15 décembre 1974

SYNTHESIS / SYNTHÈSE

S. Brownstein Complex fluoroanions in solution. VI. Complexes of methyl and ethyl fluorides with group VB pentafluorides 4101

Christian Freppel, Marc-André Poirier, Jean-Claude Richer, Yvette Maroni et Georges Manuel Influence des groupes *tert*-butyle, triméthylsilyle et triméthylgermyle sur la stéréochimie de réactions d'addition en série cyclohexénique. I. Synthèse des alcènes et hydroboration 4133

D. Dolphin, W. Pegg, and P. Wirz The preparation of protio and deuterio derivatives of the tetracyanoquinodimethane-tetrathiafulvalene complex 4078

John W. ApSimon and Johan A. Eenkhoorn Marine organic chemistry. II. Synthesis of $3\beta,6\alpha$ -dihydroxy- 5α -pregn-9(11)-en-20-one, the major sapogenin of the starfish *Asterias forbesi* 4113

J. R. Butterick and A. M. Unrau Erratum: Studies on theoretical psychotogens. Synthesis of *O*-methylated neurotransmitters and metabolic precursors 4112

CHEMICAL DYNAMICS / DYNAMIQUE CHIMIQUE

James Maguire Kinetics of the Cu(II) - nitrilotriacetic acid reaction 4106

Michel J. E. Gauthier et David R. Snelling Production de O_2 ($b^1\Sigma_g^+$), $v' = 0, 1$ et 2 par la réaction $O(2^1D_2) + O_2(X^3\Sigma_g^-)$ 4007

C. Aharoni and H. Starer Adsorption and desorption of hydrogen, carbon monoxide, and their reaction products on a catalyst for the synthesis of methanol 4044

R. Hiatt, D. J. LeBlanc, and C. Thankachan Unusual reactions of peroxides. II. Decomposition of diphenylmethyl peroxides 4090

Robert J. Crawford, Douglas M. Cameron, and Hirokazu Tokunaga Thermolysis of some 4-alkylidene-1-pyrazolines 4025

Robert J. Crawford and Hirokazu Tokunaga Thermolysis of 3,3,5,5-tetramethyl-4-methylene-1-pyrazoline and the thermal isomerization of some alkylideneacyclic propanes 4033

Paul S. Engel and Lan Shen Photochemical and thermal decomposition of 1-pyrazolines 4040

Robert J. Crawford and Masatomi Ohno Erratum: Concetedness in the thermolysis of some 1-pyrazolines 4112

MOLECULAR STRUCTURE AND PROPERTIES / STRUCTURE ET PROPRIÉTÉS DES MOLÉCULES

Allan R. Stein and See-Hua Tan The alkylation of ambient anions. IV. The alkali metal and silver salts of formanilides 4050

F. Geoffrey Herring and Robert L. Tapping A study of the effect of solvent and temperature on the electron paramagnetic resonance parameters and linewidths of copper(II) bis(diethyldithiocarbamate) 4016

Stanley James W. Price and Henry J. Sapiano C_6F_5X bond dissociation energies: determination from appearance potential measurements and correlation with thermochemical data 4109

C. H. Amberg, H. C. Luk, and K. P. Wagstaff The fluoridation of nonstoichiometric calcium hydroxyapatite. An infrared study 4001

R. D. Grigsby, W. D. Jamieson, A. G. McInnes, W. S. G. Maass, and A. Taylor The mass spectra of derivatives of polyporic acid 4117

T. Bruce Grindley and Walter A. Szarek Conformational studies on 1,3-dioxepanes. Part IV. Applications of geminal coupling constants to conformational analysis of 1,3-dioxepanes 4062

(Concluded on inside back cover) / (Lire la suite à la page 3 de la couverture)

Printed in Canada by / Imprimé au Canada par University of Toronto Press

